





# Helping companies to overcome their spill and pollution control challenges is our business.

Fosse Liquitrol provides the widest range of spill and pollution control products and services specifically developed to assist companies prevent and cope with liquid spills and pollution.

Established in 1984, Fosse Liquitrol has become the industry's 'first choice' for spill and pollution control products. Our products deliver a blend of quality, performance, reliability and value for money. Our knowledge and expertise has assisted countless companies both in the UK and abroad to find practical, sensible and cost effective solutions to their spill and pollution control requirements, helping them to meet their legal and moral obligations while contributing towards a cleaner, greener, environment. Our work with government and non-government organisations puts us at the forefront of spill and pollution control, both in the UK and overseas.

# Our Commitment to Spill and Pollution Control in Industry.

Commitment to the requirements of industry and the ability to innovate in products, services and technology is the key to the rapid development of Fosse Liquitrol. Fosse is a dynamic, privately owned company with a string of awards for innovation in products and services.

# Why Choose Us:

- Our standards conform to BS 7959
- All spill response products are manufactured to BS EN ISO 9001:2015 quality standards
- We provide immediate supply of the highest performance and most cost-effective spill and pollution response products in the marketplace
- Accredited in November 2004 by the British Safety Industry Federation to deliver on-site 1st Responder and Spill Awareness Training Courses.

Fosse Liquitrol is committed to supplying the spill and pollution control market through our extensive distributor network. Our technical specialists work in close partnership with our network of approved distributors. Fosse Liquitrol has extended its distributor network into Europe, the Gulf States, Singapore, Nigeria and South America.

# **Training and Education**

Specific training for workers, accredited by the British Safety Industry Federation, is a key component of effective spill and pollution control. Both 1st Responder Spill Awareness and Response, and Train The Trainer Courses are run throughout the territories in which Fosse Liquitrol operates.

# Marine Oil Spill Response

Regulated by the International Marine Organisation (IMO) OPRc90 convention and accredited by The Nautical Institute on behalf of the MCA, the courses are provided fromTechnician to Executive Commander Levels.

Courses are all delivered by Gorton Consultancy Ltd who are our contracted provider and hold the Nautical Institute's Accreditation.

As chairman of the Spill Control Group: British Safety Industry Federation, Fosse Liquitrol is integrally involved in promoting industry best practice recommendations for oil and chemical spill response and spill containment and played an active role in the creation of the BS 7959 absorbent test standards.









# spilkleen

# Simple and Effective range of absorbents

An effective absorbent that combines durability, versatility and performance. Ideal for use on all workplace spills and leaks. Manufactured from high quality meltblown polypropylene, it is tough and highly absorbent.

# **spilchoice**

# Performance and Endurance range of absorbents

The addition of a tough spunbond cover sheet enhances strength and resilience, whilst reducing linting.

A higher loft yields increased absorbency and improved liquid retention. Spilchoice absorbents are ideal for use in tougher environments where superior performance is required.



Absorbent dispensing systems for use with absorbent pads, rolls and socks, available in wall, bench and stand mounted formats. Provides a compact and convenient way of dispensing absorbents.



Range of fast acting super absorbent powder and lay flat absorbent strips



Leading manufacturer of spill containment, stormwater management, facility protection and construction compliance products. Ultratech leads the way with innovation, creativity, initiative and new product development.



Leading brand of chemical neutralisers designed for safe operator use, with built in pH indicators.



A globally recognised range of high quality spill containment products incorporating a host of innovative features.



Provide a flexible solution to the permanent or temporary containment of liquids.



User friendly method of spill containment designed to replace traditional drip trays. Able to withstand all weather conditions and rugged enough to stand machinery plant on all year round to contain any oil spills.



UK manufacturer of super absorbent products designed to protect homes and businesses from leaking water



Wipes with a difference. Innovative wiping materials, colour-coded boxes, unique wiping substrates, wiping solutions, as well as environmentally friendly choices.

# 9 Point Emergency Spill Response Procedure

# **Emergency Spill Plan for First Responders**



# **Contents**



# Selection Guide Absorbents & Containment



**Prevention & Containment** 



**Being Ready** 



**Controlling A Spill** 



**Training & Education** 



**Spill Risk Assessment** 

123

**Compatability Charts** 

125

Spill Containment Palletisation

132

Index

# **Absorbents & Spill Kits Selection Guide**



# Type of liquids to be absorbed?

General
maintenance
oil and water
based
solvents,
coolants and
mild chemicals

Internal and External Use

# Spilkleen Maintenance

Simple & effective performance

# **Spilchoice Maintenance**

Excellent performance and endurance. Single & double sided spunbond cover options Suitable for heavy duty clean up operations





Oil only based liquids, fuels, lubricants and hydrocarbon based products

Internal and External Use

# Spilkleen Oil & Fuel

Simple & effective performance

# Spilchoice Oil & Fuel

Excellent performance and endurance. Single & double sided spunbond cover options Suitable for heavy duty clean up operations





Aggressive chemicals, acids, alkalis and water

Internal and External Use

# Spilkleen Chemical

Simple & effective performance

# **Spilchoice Chemical**

Excellent performance and endurance. Single & double sided spunbond cover options Suitable for heavy duty clean up operations

Chemical Neutralisation page **102** 

Vacuum Cleaner page **103** 



92-93 96

Boom

Cushions

Granules

Powder

Pads

Rolls

Socks



Systems

100-101

# **EMERGENCY SPILL KITS**

	Page
Fork Lift Truck	55
Locker	53
Motor Sports	54
Portable	51
Wheelie Bin	52

**PRODUCTS** Page 97, 104-105 Boom Cushions 94-95 Drum Topper 99 Granules 89 104-105 Marine Booms Marine Fence 105 Pads 90-91, 99 Powder 88 Rolls 92-93 96 Socks

Page

Dispensing Systems

100-101

# **EMERGENCY SPILL KITS**

	Page
Automotive	54
Boat	57
Fork Lift Truck	55
Locker	53
Marine	57
Portable	51
Wheelie Bin	52

**PRODUCTS** Page Boom 97 Cushions 94-95 Granules 89 Pads 90-91 Powder 88 Rolls 92-93 96 Socks

Page Dispensing


Systems

100-101


# **EMERGENCY SPILL KITS**

	Page
Acid	50
Battery	55
Biohazard	56
Body fluid	56
Haz Mat	50, 55-56
Laboratory	50
Locker	53
Portable	51
Solvents	50
Wheelie Bin	52

# **Containment Product**Selection Guide



# Other Primary Products Selection Guide





# Prevention & Containment

- Spill Trays
- **Work Floors**
- Spill Pallets
- Overpacks
- IBC Spill Pallets
- **Flexible Bunds**
- Drum Handling
- Cabinets
- **Bunded Stores**
- Tanks

# Prevention & Containment

In the UK containers of oil or fuel cannot be stored outside unless they are correctly bunded in a secondary containment item (Oil Storage Regulations 2001). This means that if the container of oil leaks it will be contained within the bund. The secondary containment item must be able to hold a minimum of 25% of the total volume or 110% of the largest container whichever is the greater. If a company stores 4 x 205 litre drums the pallet sump must be able to hold 225.5 litres of liquid.



# Spill Trays







# **APPLICATION**

 Lightweight, durable secondary containment spill trays designed to contain any liquid spills during refilling or transportation

- Manufactured from UV and chemical resistant non-corroding polyethylene
- Ensures all liquid spills are retained within the bund
- Makes decanting of liquids safer, cleaner, and more manageable
- Prevents the risk of accidents to your employees by eliminating drips and spills spreading over the working floor space

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
POLY SPILL	TRAYS			
FL-205-500	10L Spill Tray	574 x 390 x 53	10	0.9
FL-205-511	20L Spill Tray	600 x 400 x 155	20	2
FL-205-513	30L Spill Tray	805 x 405 x 155	30	3
FL-205-510	40L Spill Tray	800 x 600 x 155	40	3.5
FL-205-514	60L Spill Tray	1000 x 600 x 175	60	5
FL-205-515	100L Spill Tray	1200 x 800 x 175	100	6.5
FL-205-504	145L Spill Tray	1460 x 960 x 120	145	20
FL-205-505	230L Spill Tray	1310 x 910 x 380	230	16
FL-10-101	5L Spill Tray With Handles	490 x 580 x 35	5	1
POLY SPILL	TRAYS WITH GRID			
FL-205-523	10L Spill Tray With Grid	400 x 300 x 155	10	2
FL-205-516	20L Spill Tray With Grid	600 x 400 x 155	20	3
FL-205-517	30L Spill Tray With Grid	805 x 405 x 155	30	4.5
FL-205-512	40L Spill Tray With Grid	800 x 600 x 155	40	6.5
FL-205-518	60L Spill Tray With Grid	1000 x 600 x 175	60	9
FL-205-519	100L Spill Tray With Grid	1200 x 800 x 175	100	14
ENPAC LAB	TRAY			
EN-5248-YE	9.4L Lab Tray	630 x 550 x 70	9.4	1.7

# **Drum Drip Trays Steel Work Floors**



FL-205-402

EN-8091-YE

EN-8200-YE

2 Drum

Drums-Up

Drums-Up-Jnr

**ENPAC DRUM TRAYS** 

# Steel Work Floors

Ideal for use as a drum decanting station

Ensures all liquid spills are retained within the bund resulting in a clean, dry and safe work environment

# APPLICATION Creates a secure internal dispensing work area FEATURES & BENEFITS Steel modular flooring panels Designed to hold 205 litre drums and small containers Manufactured from 2mm mild steel Removable galvanised steel flooring platforms Multiple sections can be joined together to form bespoke work areas MADE IN THE UK



145

75.7

28.3

12

2.8

0.9

Code	Description	Dimensions L x W x Hmm	Containment Capacity Litres
STEEL WOR	K FLOORS		
FL-205-715	1 Drum	695 x 695 x 100	43
FL-205-716	2 Drum	1295 x 695 x 100	81
FL-205-717	4 Drum	1295 x 1295 x 100	150
FL-205-718	Ramp for 1 drum	685 x 600 x 100	
FL-205-719	Ramp for 2 & 4 drum	1295 x 600 x 100	
FL-205-720	Joining strip for 1 & 2 drum		
FL-205-721	Joining strip for 2 & 4 drum		

1460 x 960 x 120

860 dia x 190H

580 dia x 190H



# Work Floors



Suitable for a liquid dispensing, decanting area within a workshop

- Extremely tough and durable
- Manufactured from chemical resistant, UV-stabilised non-corroding polyethylene
- Removable heavy duty slip resistant platforms for easy cleaning
- Work floors can be placed together to create a working area
- Ensures all liquid spills are retained within the bund resulting in a clean, dry and safe work floor reducing the risk of any slips by employees
- Heavy duty access ramp available

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
WORK FLO	ORS			
FL-205-301	2 Drum	1600 x 800 x 150	112	24.5
FL-205-302	4 Drum	1600 x 1600 x 150	232	45
FL-205-303	4 Drum In line	3200 x 800 x 150	224	51
WORK FLOOR RAMP				
FL-205-310	Ramp	1290 x 810 x 180		15

# Work Floors





- Tough, one-piece polyethylene construction that will not rust or corrode
- Low profile drip and leak protection
- Large sump capacity catches incidental spills
- Removable heavy-duty structural foam grates for easy cleaning
- Rolled-edge design helps resist cracking and warpage
- Multi-purpose ramp hooks onto the units for easy loading
- Link-Locks create a solid workspace by firmly attaching the units together

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC WO	RK FLOORS			
EN-5117-YE	2 Drum	1350 x 720 x 140	83.2	17.3
EN-5116-YE	4 Drum	1350 x 1330 x 150	151.4	32
EN-5115-YE	6 Drum	1960 x 1350 x 150	230.9	46
EN-5110-YE	8 Drum	2540 x 1350 x 150	291.4	66.2
EN-5111-BK	Work Ramp	1170 x 640 x 160	N/A	13.5
EN-5112-BK	Link Locks Pair	240 x 180 x 190	N/A	1.3



# Spill Pallets Spill Pallet Ramps



Spill	<b>Pallet</b>	<b>Ramps</b>
-------	---------------	--------------

- Ramp and block module for spill pallets
- Manufactured from tough, durable chemical resistant polyethylene
- Resistant to both high and low temperatures
- Integrated locking system for added safety
- Ergonomic slope of 11 degrees
- Easy to clean

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
SPILL PALI	.ETS			
FL-205-103	1 Drum	1000 x 680 x 600	230	19.5
FL-205-104	2 Drum	1300 x 750 x 440	250	20.5
FL-205-106	4 Drum In-Line	2445 x 660 x 270	235	34
FL-205-112	4 Drum Stackable	1460 x 1460 x 305	249	37
SPILL PALI	ET RAMPS			
GN-205-01	Ramp and block modul	e suitable for 2 drum spill	pallet	
GN-205-02	Ramp and block module suitable for all 4 drum spill pallets			

# Spill Pallets Steel Spill Pallets



#### **APPLICATION**

 Bunded secondary containment pallets designed for the storage of 205 litre drums

#### **FEATURES & BENEFITS**

- Manufactured from chemical resistant UV-stabilised PE
- Compatible with most forklift, pallet and stacker trucks
- Removable platform grid for easy cleaning of bund
- Low-profile sidewalls for easy access to drums
- Resistant to most chemicals, will not corrode
- Fully compliant with current UK Oil Storage Regulations and EPA 40 CFR 264.175, SPCC, UFC and NPDES


Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC SPIL	L PALLETS			
EN-5262-YE	2 Drum	1360 x 740 x 430	225	25.1
EN-5400-YE	4 Drum	1370 x 1370 x 300	250	41.4
EN-5102-YE	4 Drum In-Line	2490 x 640 x 300	250	37.9
ENPAC RAM	PS			
EN-5039-BK	Ramp	1720 x 780 x 320		29.5
EN-5038-BK	Ramp Extender	750 x 220 x 140		2.7
ENPAC TARE	PAULIN COVER			
GN-5262-TARP	2 Drum Cover	1520 x 1000 x 1080		2.4
GN-5102-TARP	4 Drum In-Line Cover	2530 x 780 x 1090		4
GN-5400-TARP	4 Drum Cover	1440 x 1440 x 1120		3.2

# **Steel Spill Pallets**

#### **APPLICATION**

 Designed for commercial and industrial environments to store 205 litre drums of liquids

- Manufactured from high quality sheet steel
- High impact strength
- Leakproof sump
- Removable galvanised spill grid for easy cleaning
- Suitable for both pallet truck and forklift truck conveyance



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres
STEEL SPIL	L PALLETS		
FL-205-726	1 Drum	800 x 800 x 500	210
FL-205-727	2 Drum	1400 x 800 x 350	280
FL-205-728	4 Drum	1400 x 1400 x 275	290

# Hardcover Drum Storage Covered Spill Pallets

#### **APPLICATION**

Provides safe secure storage for a single 205 litre drum

#### **FEATURES & BENEFITS**

- Manufactured from tough and durable polyethylene
- Roll top, lockable cover for easy access (Please note padlock not included)
- Head space allows the use of drum pumps and funnels
- Upper body is easily removed to aid loading and unloading of drums
- Forkliftable or easily moved around site on the optional steel dolly
- Complies with SPCC and EPA Container Storage Regulations 40CFR264.175 and the current UK Oil Storage Regulations
- 5 year warranty against any manufacturing defects

Code	Description	Dimensions Dia x H mm	Containment Capacity Litres	Weight kgs
ULTRATEC	H HARDTOP DRUM ST	ORAGE		
UL-143-410	Drum Hardtop Unit	915 x 1677	265	34
UL-143-424	Steel Dolly	674 x 127		16



#### **APPLICATION**

 Secondary containment system designed for the storage of 205 litre drums



- Prevents rainwater contaminating the bund and avoids the need to pump out
- Manufactured from tough and durable polyethylene resistant to all weather conditions
- UV stabilised and chemical resistant
- Designed to capture and contain any drips, leaks or spills of fluids
- Removable platform grid for ease of cleaning
- Compatible with most forklift, pallet and stacker trucks
- Fully complies with current UK Oil Storage Regulations



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
COVERE	SPILL PALLETS			
FL-205-110	4 Drum Pallet Frame & Cover	1415 x 1310 x 1870	410	54
FI -205-207	8 Drum Pallet Frame & Cover	2560 x 1350 x 2140	1140	181



# Hardcover Drum Storage

#### **APPLICATION**

 Suitable for the secure storage of 205 litre drums, chemicals, drum dispensing and hazardous waste

#### **FEATURES & BENEFITS**

- Rigid, double walled chemical resistant and weathertight PE construction
- Extremely robust and durable
- Tall head space easily accommodates rotary pump equipment and conical funnels
- Access to both sides (only one at a time)
   via 2 x sliding shutter doors
- Unit can be padlocked (Please note padlock not included)
- Forkliftable from both sides whilst empty
- Delivered fully assembled and ready for use
- Manufactured in accordance with current UK Oil Storage Regulations



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
HARDCOV	ER DRUM STORAGE			
FL-205-108	2 Drum Hardcover	1565 x 995 x 2110	250	101.5
FL-205-109	4 Drum Hardcover	1565 x 1620 x 2110	485	158
HARDCOV	ER DRUM STORAGE RA	MPS		
GN-205-01	Ramp and block module suitable for 2 drum hardcover			
GN-205-02	Ramp and block module suitable for 4 drum hardcover			

## **APPLICATION**

 Hardcover spill pallet containment system ideal for the storage of 205 litre drums

- Constructed from high density polyethylene
- Roll up lockable door (Please note padlock not included)
- Two sided accessibility
- Removable grate for easy cleaning
- Forklift pockets enable the units to be transported around site
- Manufactured in accordance with EPA 40 CFR 264.175 and the current UK Oil Storage Regulations
- 5 year guarantee against manufacturing defects

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC HA	RDCOVER DRUM STO	RAGE		
EN-4060-YE	2 Drum Hardcover	1520 x 950 x 1840	225	95
EN-4064-YE	4 Drum Hardcover	1650 x 1740 x 1750	251	122
ENPAC HA	RDCOVER DRUM STO	RAGE RAMPS		
EN-5039-BK	Ramp	1720 x 780 x 320		29.5
EN-5038-BK	Ramp Extender	750 x 220 x 140		2.7





# **Overpacks**



## **APPLICATION**

 Storage and containment of damaged or leaking chemical and fuel drums

#### **FEATURES & BENEFITS**

- Excellent resistance against chemicals, acids, caustics and corrosives
- Constructed from heavy duty polyethylene
- Screw-on-lids with air/water tight gasket
- Ribbed design provides additional strength
- Nestable design and low tare weight allow convenient storage
- All comply with UN Packaging Group 1 (X-Rating) and are certified for use as DOT Salvage Drums, 49 CFR 173.3 (c)
- 5 year guarantee against manufacturing defects

# ENVIROSALV PLUS FEATURES AND BENEFITS

- Four point locking system provides added security by locking stacked salvage drums
- Easy lid twist-down closing with crush resistant seal
- Ribbed design provides additional strength
- Engineered shoulder design allows workers and material handling equipment to move drums with ease
- Optional lock down kit provides a lockable, serialised identification security system
- Certified to UN 1H2/X295/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC OV	ERPACKS				
EN-1220-YE	Overpack 20	570 x 460 x 480	75.7	75.3	4.5
EN-1230-YE	Overpack 30	570 x 460 x 760	113.5	100	6
EN-1065-YE	Overpack 65	700 x 580 x 950	246	200	21
EN-1095-YE	Overpack 95	800 x 650 x 1050	360	227	22
EN-1040-YE	Overpack 110	800 x 650 x 1140	399	295	23

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ENPAC EN	VIROSALV POLY	SALVAGE DRUM	PLUS		
EN-1295-YE	Envirosalv Drum Plus	812 x 660 x 1117	360	295	21
EN-1295-YK	Envirosalv Lock Down	ı Kit			0.45

# **Overpacks**





# **APPLICATION**

■ Containment of damaged or leaking drums

- Excellent resistance against chemicals, acids, caustics and corrosives
- Constructed from high density polyethylene
- Easy-to-close no tools required screw top lid
- Nestable design and low tare weight allow convenient storage and reduced transportation costs
- Overpack models 20 and 30 have built in slots in order that cable ties can be applied for added tamper resistance
- All comply with UN Packaging Group 1 (X-Rating) and are certified for use as DOT Salvage Drums, 49 CFR 173.3 (c).
- 5 year warranty

Code	Description	Dimensions Top Dia x Bottom Dia x Height mm	Containment Capacity Litres	Load Capacity kgs	Weight kgs
ULTRATECH OVERPACKS					
UL-143-403	Overpack 20	552 x 451 x 489	76	66	5.5
UL-143-402	Overpack 30	581 x 457 x 765	113.5	100	7
UL-143-401	Overpack 65	737 x 533 x 921	247	228	18
UL-143-417	Overpack 95	820 x 648 x 1049	360	345	22



# **IBC Spill Pallets**









■ FL-205-201



WITH GRID

**APPLICATION** 

Secondary containment units designed to collect drips, spills and leaks from oil and chemical IBCs reducing the risk of contamination

- Constructed from chemical resistant UV-stabilised PE
- Removable platform grid for easy cleaning where applicable
- Platforms have hand inserts and holes for inspection and pump insertion
- Stackable options available for ease of storing and shipping
- Compatible with most forklift
- Compliant with current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
IBC SPILL PA	ALLETS			
FL-205-210	Single Freestanding	1450 x 1450 x 1000	1120	74
FL-205-202	Single With Platform Grid	1450 x 1450 x 1000	1120	95
FL-205-211	Single Stackable With Platform Grid	1680 x 1680 x 700	1260	86
FL-205-201	Single Freestanding With Integral Dispensing Bucket	2000 x 1490 x 750	1120	91
FL-205-203	Double Freestanding	2300 x 1360 x 575	1238	75
FL-205-216	Double Stackable With Platform Grid	2260 x 1465 x 575	1200	116

# IBC Spill Pallets Steel IBC Spill Pallets

# **APPLICATION**

 Designed to store, contain drips, spills and leaks from IBCs reducing the risk of contamination

## **FEATURES & BENEFITS**

- Polyethylene construction will not rust, corrode or have adverse reactions with chemicals
- Removable grates for easy cleaning
- Integrated pail holder for quick and easy dispensing
- 3629kg load capacity allows two IBCs to be safely stacked on top of the sump
- Forklift channels for easy transport
- Compliant with current UK Oil Storage Regulations

Code Description Dimensions Containment kgs

ENPAC IBC SPILL PALLET

EN-5469-YE IBC Spill Pallet 2040 x 1850 x 750 1457 132



# Steel IBC Spill Pallets

# **APPLICATION**

 Designed for commercial and industrial environments to store a 1000 litre IBC

- Manufactured from high quality sheet steel
- Galvanised spill grid
- Suitable for forklift truck conveyance
- Compliant with the current UK Oil Storage Regulations

Code	Description	L x W x H mm	Containment Capacity Litres
STEEL IBC S	PILL PALLETS		
FL-205-729	Single IBC	1660 x 1350 x 605	1400
FL-205-730	Double IBC	1660 x 2710 x 410	1300



# IBC Spill Pallet Tarpaulin IBC Pallet Frame & Cover

#### **APPLICATION**

 Enables an IBC pallet to be stored outside without the risk of the sump becoming contaminated with rainwater

## **FEATURES & BENEFITS**

- Fold-up work area maintains access to the valve for dispensing
- Weather resistant document pouch
- Chemical resistant fabric for long life, even in full UV exposure
- Bungee straps along the bottom keep the tarpaulin in place

Code	Description	Dimensions L x W x H mm	Weight kgs
ENPAC TARP	AULIN		
GN-5469-TARP	Single IBC Tarpaulin	2040 x 1830 x 1870	6.6

Base fork pockets provide easy loading onto a

UV stabilised and chemical resistant
Prevents rainwater contaminating the bund

Compliant with current UK Oil

forklift truck when empty

Storage Regulations





Code

THE UK

FL-205-206

FL-205-207

Description

**IBC PALLET FRAME & COVERS** 

Single Frame & Cover

Double Frame & Cover

**Dimensions** 

LxWxHmm

1760 x 1350 x 2410

2560 x 1350 x 2140

Containment

Capacity Litres

1100

Weight

119

181

# Hardcover **IBC Spill Pallets**

#### **APPLICATION**

 Weather-tight units designed for the external storage of a standard 1000 litre IBC

#### **FEATURES & BENEFITS**

- Manufactured from tough and durable polyethylene
- Resistant to a wide range of chemicals and severe weather conditions
- Upper roll top door and lower swing-out doors combine to allow easy and convenient access
- Unique, lockable, dual closure allows quick access to IBC tanks or drums (Please note padlock not included)
- Base unit includes fork pockets to allow easy loading with a forklift truck
- Compliant with current UK Oil Storage Regulations



Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ULTRA HA	RDCOVER IBC STORAG	E		
UL-205-209	Single	1575 x 1639 x 2439	1382	240
UL-205-212	Double	1702 x 3251 x 2439	2025	484







# IBC Funnel and Lid

#### **APPLICATION**

Integral debris strainer for safe decanting of liquids into IBC tanks

#### **FEATURES & BENEFITS**

- Manufactured from 100% polyethylene
- Robust and easy to clean
- Compatible with all 1000 litre IBCs
- 50mm spout for no-spill decanting
- Suitable for use with most chemicals and oils

Code	Dimensions Dia x H mm	Weigh kgs
Code		

**IBC FUNNEL & LID** FL-205-208 640 x 150








# Plant Nappy PlantMat

# **APPLICATION**

 Designed to be placed under site equipment and machinery allowing any spills of fuel and oil to be contained within the base whilst allowing clean water to escape

#### **FEATURES & BENEFITS**

- Robust construction able to withstand all weather conditions
- The mat can be placed on uneven ground or slight inclines with no loss of performance
- The base features a cushioned, non-slip surface which prevents machinery moving
- Lightweight and fully portable for ease of transportation around site
- Four securing tabs can be used in conjuction with pegs to secure the mats in adverse weather conditions
- Any oil or fuel is contained within the base allowing clean, uncontaminated water to pass through the side walls into the surrounding ground
- We would always recommend the use of a liner to prolong the life of the nappy
- Shoulder bag kit includes
  - 1 x medium plant nappy,
  - 2 x liners, 2 x pairs of disposable gloves
  - 2 x disposable bags and ties, supplied in a heavy duty PVC carry case







IMPERMEABLE BASE

# **PlantMat**

# **APPLICATION**

 Designed to be placed under site equipment and machinery to absorb and contain any oil and fuel leakage

- Can be used independently or with an existing PlantNappy to offer the ultimate protection
- Allows only clean water to escape into the ground with as little as 2.6ppm total hydrocarbons when used with a PlantNappy
- Turns oil and fuels into a solid mass within a textile, no leaching
- Tough construction, puncture and tear resistant

Code	Description	Dimensions L x W mm	Containment Capacity Litres	Weight kgs
PLANTMA	т			
FL-93-110	PlantMat Small	440 x 625	3	0.73
FL-93-203	PlantMat Medium	940 x 625	6	1.5
FL-93-303	PlantMat Large	1940 x 1310	24	6









# Portable Bunds Bund Strips



Large Spill Kill Mate & Liner

Replacement Large Liner Single

Replacement Large Liner Pack of 10

# **Bund Strips**

liners available



FL-93-104

FL-93-106

FL-93-107



 Creates a semi-permanent barrier to confine any liquid spills or create a bunded area

## **FEATURES & BENEFITS**

- Yellow PVC outer cover resists oil, coolants, water and most chemicals
- Crush resistant foam ensures the bund retains its shape even when run over by a vehicle
- Strips can be easily cut to length for greater flexibility
- High visibility yellow colour provides a visual presence for increased safety
- Easily secured to the floor surface with contact adhesive
- Economical containment for leaks and spills around machinery and equipment



1000 x 680

1000 x 680

1000 x 680

75

1220 x 920 x 80


Code	Description	Dimensions L x W x H mm	AEM
BUND STR	IPS		
FL-42-220	Yellow Bund Strip	1000 x 50 x 40	
FL-42-221	Yellow Bund Strip	2000 x 50 x 40	
FL-42-222	Yellow Bund Strip	3000 x 50 x 40	
FL-42-223	Yellow Bund Strip	4000 x 50 x 40	
FL-42-224	Yellow Bund Strip	5000 x 50 x 40	
FL-42-225	Yellow Corner Piece	240 x 50 x 40	
FL-42-227	Sealant		

2.11

0.36

3.6

# Pop Up Pools Mini Foam Wall Bunds



# Mini Foam Wall Bunds



# **Containment Bunds**



Containment

#### **APPLICATION**

Provides flexible and mobile spill containment. Widely used as a bund for mobile plant and generators, as a method of catching fuel and chemical spills or as a temporary measure for liquid storage

## **FEATURES & BENEFITS**

- Manufactured from chemical, fuel and oil resistant materials
- Drop down walls facilitate easy access
- Simple assembly, no tools required
- Corrosion resistant and easy to clean
- Durable, long lasting
- Easy to transport
- Meets environmental legislation ISO 14001 and Oil Storage Regulations (OSR)



Code

**Dimensions** 







## **APPLICATION**

FI -25-110

FL-25-111

FL-25-112

 Suitable for wash down applications where contaminated water must be collected, bunding of tanks and drums, construction site equipment and effluent, sewage and waste liquid catchment

1875

3750

4000

# **FEATURES & BENEFITS**

25 x 3 x 0 25

2.5 x 6 x 0.25

3.5 x 4.5 x 0.25

- Manufactured from chemical, fuel and oil resistant materials
- Simple assembly for quick and easy deployment, no tools required
- Easy access drop down walls
- Easily folds away after use
- Reusable, corrosion resistant and easy to clean
- Supplied in a heavy duty carry bag
- Range of optional accessories available
- Bespoke custom sizes available
- Meets environmental legislation ISO 14001 and current UK Oil Storage Regulations (OSR)

#### **ACCESSORIES**

### GROUND SHEET

Provides protection to the bund from rough surfaces.
 We would always recommend the use of a ground sheet

## PROTECTIVE MAT

Internal matting designed to reduce wear and tear on the bund fabric when supporting heavy loads, or to allow vehicle access

## **OVERFLOW KIT**

In the event of a leak from a drum, the contents of the bund can be safely discharged into another container from the valve

## LINER

 Provides additional protection against aggressive chemicals and aids cleaning after use prolonging the life of the bund



# Foam Wall Bunds Collapsible Wall Bunds

## **APPLICATION**

 Suitable for drum and container containment, captures leaks and spills from vehicles, machinery and tanks

#### **FEATURES & BENEFITS**

- Low profile design allows easy access
- Soft foam sidewalls easily compress and regain shape for vehicle access
- No set-up required, simply unfold for quick deployment
- Folded units require minimal storage space
- Manufactured from heavy duty PVC material to withstand the rigors of industrial and construction applications
- Bespoke sizes available
- We would recommend a ground sheet/tarpaulin be placed under the bund to provide additional protection against rough/sharp surfaces











	LxWxHmm	Capacity Litres	kgs
ULTRATEC	H FOAM WALL BU	INDS	
UL-35-120	1800 x 2200 x 51	95	11
UL-35-121	2400 x 2800 x 51	208	14
UL-35-122	3000 x 3400 x 51	333	17
UL-35-123	1200 x 1800 x 102	223	9.5
UL-35-124	2400 x 2400 x 102	602	21.5
UL-35-125	3700 x 4900 x 102	1809	33.5
UL-35-126	3700 x 10047 x 102	3963	62.5
UL-35-127	3700 x 15200 x 102	5663	85


Collapsible Wall Bunds

# **APPLICATION**

 Suitable for drum and container containment, captures leaks and spills from vehicles, machinery and tanks

- Simply swivel the feet of the PVC supports to lower or raise the walls to allow access
- Manufactured from heavy duty PVC
- Bespoke sizes available
- We would recommend a ground sheet/tarpaulin be placed under the bund to provide additional protection against rough/sharp surfaces

Code	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ULTRATECH COLLAPSIBLE WALL BUNDS			
UL-143-431	1200 x 1800 x 305	678	12
UL-143-432	1800 x 1800 x 305	1018	14.5
UL-143-433	3000 x 3000 x 305	2831	26.5
UL-143-434	3700 x 9100 x 305	10190	64
UL-143-435	3700 x 15200 x 305	16989	102
UL-143-436	4600 x 15200 x 305	21234	116.5



# **Gorilla Containment Bund Hydroblast Pad**

Gorilla Containment Bund



**FEATURES** Drive over bund walls

Modular construction

Polymer coated foam blocks

Impermeable LLDPE liner

tarmac, sand, or grass

Not secured to the substrate

2.4 mm Geotextile underliner

Blocks dimensions 1829 x 406 x 152mm

Liner and underliner resistant to ultraviolet. biological and chemical degradation


Can be constructed on concrete, hardcore,

Slots in top of blocks to hold rebar

Assembled and disassembled on site



BENEFITS
Provides liquid containment combined with vehicle access
Can be constructed to suit individual site requirements
Provides volume storage capacity that can be accessed by vehicles
Can be repeatedly driven over and regain shape with no damage
Secures liner in place
Watertight bunding
Protects liner from puncturing
Conforms to Environment Agency LFE 5 and CIRIA C736: Design of Containment Systems for the Prevention of Water Pollution from Industrial Accidents
Turnkey job, no need for own technical staff
Flexible locations
Easy dismantled and removed after use



ode	Description	<b>Dimensions</b>	L x W x Hmm

#### **ULTRATECH GORILLA BUND COMPONENTS**

UL-34-300 Wall section 1829 x 406 x 152mm 610 x 610 x 152mm UL-34-301 Corner section UL-34-302 Liner Liner per sq.m

# **Hydroblast Pad**



#### **APPLICATIONS**

- Temporary wash bay
- Area for cleaning equipment while collecting water into a sump

FEATURES	BENEFITS
2 metre high walls on 3 sides	Contains high pressure hydroblasting Easy to install and dismantle
Closed loop system	Independent of water connections
Built in collection box for ATEX submersible pump	Enables water recycling and capture of precious metals
Slip resistant surface and integral hand rails	Safe access ramp onto the platform



# Modular Bund Wall Provide Flexible Liquid Containment



#### **TURNKEY SUPPLY AND INSTALLATION**

- Client specifies requirements
- Ground preparation by client in consultation with installation engineers
- Walls and equipment delivered to site
- Installation engineers install walls, geotextile underliner and LLDPE liner

# **BUND HIRE**

- Many applications are for temporary bunding. For example plant refurbishment, construction or demolition projects or temporary lagoons
- Bunds designed to specific requirements can be supplied and installed and removed at end of hire period

#### **AUGEAN NORTH SEA SERVICES**

Augean North Sea Services are a waste management company. Hydrocarbon and petrochemical waste from rigs held offshore are brought into harbour and discharged into tanks on the quay. The tanks need secondary containment to comply with Oil Storage Regulations.

The bund needed to be:

- Impermeable liner for hydrocarbons
- Geotextile underlay for protection
- Sized to 40 metres x 13 metres
- Assembled on quayside at short notice
   Tanks manoeuvered into bund during assembly
- anks manoeuvered into bund during assembly
- Dismantled and removed when job completed
- Reuseable for future jobs



# Modular Bund Wall Provide Flexible Liquid Containment

#### MARKETS















#### **APPLICATIONS**

- Secondary containment of tanks and equipment
- Creation of a lagoon

FEATURES	BENEFITS
Modular wall and corner sections	Can be constructed to suit individual site requirements
Section dims L x W x H 1829 x 610 x 914mm	Provides volume storage capacity
Molded locking pegs connect walls and corners	Easy assembly
Impermeable LLDPE liner	Watertight bunding
2.4 mm Geotextile underliner	Protects liner from puncturing
Liner and underliner resistant to ultraviolet, biological and chemical degradation	Conforms to Environment Agency LFE 5 and CIRIA C736: Design of Containment Systems for the Prevention of Water Pollution from Industrial Accidents
Capping clips	Secures liner in place
Assembled and disassembled on site	Turnkey job, no need for own technical staff
Can be constructed on concrete, hardcore, tarmac, sand, or grass	Flexible locations
Not secured to the substrate	Easy dismantled and removed after use



# **Drum Lids**





# **APPLICATION AND BENEFITS**

- Drum lids and funnels provide a simple, cost effective solution to collect liquids, keep the tops of drums dry and help prevent spills
- Manufactured from easy to clean polyethylene they are compatible for use with most liquids

# **Drum Lid**

 Prevents rainwater building up on top of a drum and then causing contamination when the drum is opened

# Drum Funnel & Lid

Suitable for use with most open or closed head 205ltr drums

#### **Drum Funnel**

- Manufactured from 100% polyethylene
- No spill decanting

# Universal Drum Funnel

- Lightweight durable funnel
- A wide mouth prevents drips, leaks, and splashes

# **Poly Drum Topper**

 Plastic topper easily snaps into place to prevent dirt, debris, and other contaminants from collecting on the tops of drums

Code	Description	Dimensions Dia x H mm	Weight kgs
DRUM LIDS			
FL-205-403	Drum Lid	650 x 70	4
FL-205-404	Drum Funnel & Lid	610 x 230	4
FL-205-405	Drum Funnel	870 x 240	5
ENPAC DRUM LIDS			
EN-3004-YE	Universal Drum Funnel	660 x 140	1.4
EN-3065-YE	Drum Topper	640 x 100	0.7

# Drum Rack Dispensing Bunds

### **Drum Rack**



### **APPLICATION**

 Drum rack designed for the storage and safe dispensing of liquids from steel and plastic 205 litre drums

### **FEATURES & BENEFITS**

- Manufactured from, chemical resistant, UV-stabilised PE
- Ideal for easy and safe liquid dispensing
- Compatible with most forklifts, remove drums before lifting
- Do not use plastic drums at load-bearing levels

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
DRUM RA	CK			
FL-205-801	2 Drum Bund	1375 x 1350 x 635	450	46
FL-205-802	2 Drum Cradle	1375 x 940 x 390		25

# Poly Rack System





### **APPLICATION**

 Provides a containment and dispensing solution by stacking drums without interrupting liquid transfer and dispensing operations

### **FEATURES & BENEFITS**

- The base of the Poly Rack System holds 2 x 205 litre drums
- The deep dispensing well contains any incidental spills and splashes
- Easily transported by forklift when empty

### **POLY-STACK**

- Can accommodate 2 x 205 litre drums
- Any spills from the second level are collected in the Poly Rack dispensing well for containment and easy clean-up

### **POLY-SHELF**

 Easily attaches to the Poly-Stack and allows simultaneous dispensing from all drums

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC PO	DLY RACK SYSTEM			
EN-6000-YE	Poly Rack Base	1240 x 1350 x 580	386	55
EN-6002-YE	Poly Stack	1240 x 1040 x 320		25.3
EN-6003-YE	Poly Shelf	430 x 560 x 440		4.6



# Poly Dolly Drum Dolly

### **APPLICATION**

 Multi-purpose dispensing station, drum transporter and secondary containment system

### **FEATURES & BENEFITS**

- Rolled-grip handles for easy lifting and kick plate for effortless tipping
- Patented enclosed sump
- Drain plug for easy removal of liquid from sump
- Heavy duty strap to secure drum
- Forkliftable from the rear
- Optional tarpaulin cover for external use
- Optional well liner for dispensing sump
- One-person operation
- Manufactured from tough, polyethylene
- Ensures compliance with current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC POLY	DOLLY			
EN-5300-YE	Poly Dolly	1750 x 810 x 670	265	43
GN-5300-TARP	Tarpaulin Cover	1420 x 860 x 660		1.8
EN-6005-BK	Well Liner	320 x 390 x 60	1.9	5



### **APPLICATION**

 Designed for the safe dispensing and fully bunded storage of 205 litre drums

- Double walled construction for optimum strength and security against leaks
- Easy to clean, liquid drains to the front
- Rubber wheels
- Castors with rotation and swivel brake
- Drum is secured with a ratchet strap
- Vertical spill containment of up to 3 litres
- Forkliftable from the rear
- One-person operation, the safety support locks into place for easy vertical loading and storage
- Manufactured from tough and durable polyethylene
- Ensures compliance with current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
BUNDED D	RUM DOLLY			
FL-205-601	Drum Dolly	1740 x 815 x 680	250	41



# **Drum Trolleys** Gas Cylinder Storage

# **Drum Trolleys**

### **APPLICATION**

Designed for the safe transportation of drums and containers around site

### **FEATURES & BENEFITS**

- Manufactured from tough and durable polyethylene
- Four castors, two lockable provide stability
- Sump to contain any leaks and spills
- Aids compliance with the UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
TROLLEYS				
FL-205-602	Drum Dolly	725 dia x 990	30	15.5
FL-205-603	Trolley	1000 x 700 x 1000	100	15
ENPAC SPIL	L SCOOTER			
EN-5205-YE	Scooter	880 x 880 x 140	42	12



### **ENPAC**

MADE IN

THE USA

### **APPLICATION**

Suitable for the safe transportation of gas cylinders

Gas Cylinder Storage

THE USA

### **FEATURES & BENEFITS**

 Manufactured from non-corrosive, non-sparking trolley materials to help prevent fires and explosions when used with volatile gases

- Ergonomic handle
- Twin trolley features a built-in tool tray for valves and torches
- Safety strap included



Code	Description	Dimensions L x W x H mm	Weight kgs	
ENPAC GAS CYLINDER TROLLEYS				
EN-7301-CG	Single Cylinder Trolley	622 x 565 x 1168	11.4	
EN-7302-CG	Two Cylinder Trolley	622 x 762 x 1168	25.8	

### **APPLICATION**

 Suitable for the safe and secure storage of gas cylinders

### **FEATURES & BENEFITS**

Manufactured from non-corrosive, non-sparking materials to help prevent fires and explosions



ENPAC GAS CYLINDER STANDS					
EN-7212-YE	Two Cylinder Stand	711 x 355 x 762	6.35		
EN-7213-YE	Four Cylinder Stand	1040 x 736 x 1181	25.40		
EN-7216-YE	Uni Wall Bracket	390 x 160 x 80	0.5		



# **Poly Storage Cabinets Metal Storage Cabinets**

# **Poly Storage Cabinets**









### **APPLICATION**

 Suitable for the safe storage of small containers of chemicals and oils

### **FEATURES & BENEFITS**

- Manufactured from polyethylene for superior chemical resistance and durability
- Lockable door
- Built-in sump to contain any liquid spills
- Removable shelves for versatility
- Easy to clean

Code Dimensions L x W x H mm		Containment Capacity Litres	Weight kgs
POLY STORAGE CABINETS			
FL-99-001	534 x 420 x 990	15	15
FL-99-002	650 x 570 x 1650	70	44
FL-99-003	920 x 740 x 1520	100	55
FL-99-004	920 x 720 x 1835	225	60

# **Hazardous Substance Storage Cabinets**

### **APPLICATION**

 Metal storage cabinets for the safe storage of chemicals, paints, flammable and hazardous substances

- Steel construction
- The doors are rebated and secured by a three point locking system
- Chrome lever handles
- Built-in liquid tight sump to contain any drips or spills
- Shelves are adjustable to accommodate the storage of different sized containers
- Cabinets are finished in a yellow powder coated finish with appropriate safety labels

Code	Description	Dimensions W x D x H mm	Containment Capacity Litres
CABINETS			
FL-82-001	Single Door	459 x 459 x 610	15
FL-82-002	Single Door	459 x 459 x 915	15
FL-82-003	Double Door	915 x 459 x 712	30
FL-82-004	Double Door	915 x 459 x 915	30
FL-82-005	Double Door	915 x 459 x 1830	50





# **External Drum Stores Bunded Safety Store**

### **External Drum Stores**

### APPLICATION

 Provides secure external storage for 205 litre drums of chemicals, oils, paints and other liquids

### **FEATURES & BENEFITS**

- Manufactured from sheet steel
- Incorporates a built-in leakproof sump
- Up and over lid models have easy action gas spring assist with padlock hasp and staple door
- Lid and door models have easy action gas spring assist with two point locking system doors

THE UK

- Suitable for both pallet truck and forklift truck conveyance
- Complies with current UK Oil Storage Regulations

Code	Description	Dimensions L x W x H mm	Number of Drums	Containment Capacity Litres
EXTERNA	AL DRUM STORES			
FL-49-014	Drum Store Up & Over Lid	1400 x 800 x 1440	2	250
FL-49-015	Drum Store Up & Over Lid	1400 x 1400 x 1440	4	300
FL-49-016	Drum Store Lid & Door	1400 x 800 x 1440	2	250
FL-49-017	Drum Store Lid & Door	1400 x 1400 x 1440	4	300



# **Bunded Safety Store**

### **APPLICATION**

 Bunded store suitable for the secure storage of chemicals, oils, paints and other liquids with the exception of corrosive acids.

### **FEATURES & BENEFITS**

- Manufactured from corrugated steel with a light grey powder coat paint finish
- Double lockable doors split 3/4 and 1/4 allow for easy access
- High and low natural ventilation
- Fully bunded sump contains any liquid spills
- Removable grid mesh floor
- Forklift pockets and crane lifting points for easy re-location on site
- Delivered fully assembled ready for immediate use or flat packed for self assembly
- Complies with the current UK Oil Storage Regulations and EPA guidelines
- Weight 600kgs

Please note this unit is not suitable for temperature sensitive liquids, low flash point flammables and corrosive acids





# Hazard Hut Job Hut

### **APPLICATION**

 Secondary external containment storage unit designed to store hazardous materials

### **FEATURES & BENEFITS**

- Constructed as a one-piece unit from polyethylene capable of containing most liquids
- Moulded side vents for ventilation
- UV protection for increased durability when stored in direct sunlight
- Heavy duty double doors
- Allows storage for up to 4 x 205 litre drums
- Can be forklifted from all four sides for transport around site when empty
- Low incline ramp available as an optional accessory
   Manufactured in accordance with EPA 40
- CFR 264.175 and UK Oil Storage Regulations

  5 year guarantee against manufacturing defects

			-	
Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC HA	ZARD HUT			
EN-4000-YE	Hazard Hut	1610 x 1730 x 1840	275.5	122
EN-4001-BK	Ramp	3000 x 790 x 390		70



### **APPLICATION**

 Secondary containment external storage store for up to 8 x 205 litre drums

- One-piece secondary containment system constructed from high density polyethylene
- Heavy duty double doors
- Forkliftable from front and rear when empty for easy transport around site
- UV protection for increased durability when stored in direct sunlight
- Requires no assembly
- Ramp available as an optional accessory
- 5 year guarantee against manufacturing defects

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
ENPAC JOE	з нит			
EN-4010-YE	Job Hut	2170 x 1560 x 2390	272	218
EN-5111-BK	Ramp	1170 x 640 x 190		13.5



# Drum Store Dual Purpose Drum/IBC Stores



### **APPLICATION**

 Provides secure storage for 205 litre drums of chemicals, oils, paints and other liquids

### **FEATURES & BENEFITS**

- Manufactured from sheet steel
- Incorporates galvanised floor with leakproof sump
- Lockable sliding door
- High and low natural ventilation
- Finished in corrosion resistant paint
- Suitable for forklift truck conveyance when empty
- Complies with current UK Oil Storage Regulations

	Code	Dimensions L x W x H mm	Number of Drums	Containment Capacity Litres
DRUM STORE		E		
	FL-49-011	3000 x 1650 x 3100	16	880



### **APPLICATION**

 Designed for the combined storage of 205 litre drums and 1000 litre IBCs.

- Constructed from profiled mild steel sheet
- Fully welded leakproof sump
- High and low level vents
- Upper and lower levels have support bearers
- Comply with the Control of Pollution (Oil Storage) (England) Regulations 2001, The Water Environment (Oil Storage) (Scotland) Regulations 2006, E.A. Guidance Note PPG26, The Health & Safety Executives Guidelines for the Storage Of Flammable Liquids HSG51 and current Health, Safety & Environmental regulations
- Storage units can be custom made to suit your storage requirements. Optional extras may include:- insulation, heating, temperature control, lighting and fire detection



Code	Dimensions L x W x H mm	Number of Drums	Number of IBC	Containment Capacity Litres
DUAL PU	RPOSE STORES			
FL-49-002	2400 x 1650 x 3000	8	2	1023
FL-49-003	3350 x 3000 x 1650	16	4	1125
FL-49-005	3350 x 5900 x 1650	32	8	2000
FL-49-006	3350 x 8900 x 1650	48	12	3000
FL-49-007	3350 x 5900 x 3300	64	16	4000
FL-49-008	3350 x 8900 x 3300	96	24	6000



# **Portable Tanks**



- Fastank is a patented liquid storage container designed for applications in numerous sectors including oil and chemical spill clean-up, civil defence, emergency aid and disaster relief, aquaculture, biosecurity, fire fighting, construction, military, fish-farming, and animal rescue
- Easily transported and carried to the most difficult and remote locations due to their low packaged weight and volume
- Designed to operate in a range of terrains
- Simple assembly for quick and easy deployment, no tools required
- Temperature resistant
- Range includes decontamination tanks and secondary containment bunds
- Contact your distributor for further information

Code	Description	Dimensions L x W x H mm	Containment Capacity Litres	Weight kgs
FASTANK F	ORTABLE TANK			
FL-25-114	Rapide	1720 x 1670 x 600	1500	15
FASTANK F	T1, FT3 & FT5 P	ORTABLE TANKS		
FL-25-118	FT1	1200 x 1250	1000	11
FL-25-119	FT2	1800 x 1250	3000	28
FL-25-120	FT5	2300 x 1250	5000	36
FASTANK 1	500 & 2000 - PO	RTABLE TANKS		
FL-25-121	1500	3200 x 1150	7500	56
FL-25-115	2000	3200 x 1500	10000	60

# Polyethylene & Steel Tanks



Steel and polyethylene tanks suitable for the storage of waste engine, heating and cooking oils, lubricants, diesel and Kerosene in all markets including manufacturing, construction, agriculture and transportation

Precision steel bunded tanks are engineered and manufactured from 43a grade steel and allow for 110% bund capacity

Bunded oil tanks are fully compliant with current regulations and can be supplied fitted with a wide range of dispensing equipment including electric pumps, flow meters, tank alarms and fuel management systems

Tanks can be designed and built to your specification, contact your distributor for further information





# **Being Ready**

- Chemical and Acid Spill Kits
- Industrial Spill Kits
- Hazardous Material Spill Kits
- Vehicle Spill Kits
- Inland Water and Marine Spill Kits
- **■** Signage
- **■** Spill Kit Consumables
- **■** Personal Protective Equipment
- Cleaning and Hygiene Products
- **■** Emergency Repair Products
- Drain Closure Systems
- Drain Covers
- Floor Protection and Mats
- **■** Bins

# **Being Ready**

### **Absorbents**

BS7959 British Standard specifies a system of colour coding of sorbent material which will assist users in identifying the correct material for use with a wide range of liquids.



Maintenance - Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



Oil & Fuel - White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



Chemical - Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

Industrial spill kits - Designed to contain and clean up spillages and limit environmental damage. Allows you to effectively respond to any oil, chemical or general liquid spills. Range of carry bags, wheelie bins and lockers with different capacities capable of dealing with a spill under a worst case scenario.

Hazardous materials spill kits - Required when you are working with hazardous materials and chemicals. Kits contain a variety of absorbent materials used to contain and clean up an acid, chemical or a body fluid spill.

Vehicle spill kits - Designed to clean up any spillages in the motor sports and commercial vehicle sector. Hauliers/transport companies of dangerous goods are required by law to provide their trucks with an ADR spill kit.





# Chemical, Solvent & Acid Spill Kits

# spilchoice





### Formaldehyde spill kit

Contents include 4 x 950ml FNC neutraliser, 4 x 50ml activator, 1 x 200gm absorbent and immobiliser, 1 x absorbent pad, 6 x disposal bags c/w ties, 1 x pair of chemical gloves, 1 x pair of safety goggles, and facemask Supplied in a PVC yellow carry case



### Acid spill kit

Contents include 6 x 1kg acid neutraliser, 1 x absorbent pad, 1 x dustpan and brush, 6 x disposal bags c/w ties, 1 x pair of chemical gloves, 1 x pair of safety goggles. Supplied in a PVC yellow carry case

AERGENCY



### Solvent spill kit

■ SC-100-315

Contents include 6 x 10g granules, 1 x absorbent pad, 1 x dustpan and brush, 6 x disposal bags c/w ties, 1 x pair of chemical gloves, 1 x pair of safety goggles Supplied in a clip handle bag



### Multi-purpose acid, caustic and solvent spill kit

Contents include 2 x 1kg acid neutraliser, 2 x 0.9kg alkali neutraliser, 3 x absorbent pads, 1 x dustpan and brush, 6 x disposal bags c/w ties, 1 x pair of chemical gloves, 1 x safety goggles. Supplied in a PVC yellow carry case

### Multi-purpose alkali and acid spill kit

Contents include  $1 \times 1 \text{kg}$  acid neutraliser,  $1 \times 0.9 \text{kg}$  alkali neutraliser,  $10 \times a \text{bsorbent}$  pads,  $1 \times a \text{dustpan}$  and brush,  $1 \times a \text{disposal}$  bag c/w tie,  $1 \times a \text{pair}$  of chemical gloves,  $1 \times a \text{pair}$  of safety goggles. Absorbency capacity 10 litres. Supplied in a plastic carry case.



### Caustic spill kit

Contents include 6 x 0.9kg neutraliser, 1 x absorbent pad, 1 x dustpan and brush, 6 x disposal bags c/w ties, 1 x pair of chemical gloves, 1 x pair of safety goggles Supplied in a PVC yellow carry case



### Mercury spill kit

Contents include 1 x 750gm mercury neurtraliser, 1 x 180gm mercury vapour suppressant, 2 x clean-up pads, 2 x pairs chemical gloves, 1 x dust mask, 1 x pair of over shoes, 3 x mini syringes, 3 x disposal bags, 1 x collector pan and brush Supplied in a clear plastic case

### Code Application

Solvent

Mercury

### LABORATORY EMERGENCY SPILL KITS

SC-100-311 Formaldehyde
SC-100-312 Multi-Purpose Acid, Caustic & Solvents
SC-100-310 Multi-Purpose Alkali & Acid
SC-100-313 Acid
SC-100-314 Caustic

### **APPLICATION**

Suitable for the containment, clean-up and disposal of acid, caustic, Formaldehyde, mercury and solvent spills

### **FEATURES & BENEFITS**

- Specific chemical spill treatment kits designed for use in laboratories
- Fast acting treatment, less time exposed to spilled chemicals
- Minimises the toxic effects of the spill
- Ease of disposal, easy to clean-up and dispose
- Portable, bright yellow carry cases can be easily taken to the spill

SC-100-315

SC-100-316

# Portable Spill Kits













### **APPLICATION**

 Portable, easy to carry emergency spill kits offer an effective and immediate response to spills of oils, chemicals and hazardous liquids

- Absorbents manufactured from high quality melt blown polypropylene
- Suitable for all workplace liquid spills and leaks
- Simple to store, handle and deployIdeal kits for when you are on the
- Available in maintenance, oil & fuel and chemical versions
- Comply with BS 7959 and ISO 9001:2008 standards

Code	Application	Absorbency Litres Capacity
A - SPILKL	EEN SINGLE USE	
SK-100-108	Maintenance	10
SK-100-208	Oil & Fuel	10
SK-100-308	Chemical	10
B - SPILKL	EEN CLIP HANDLI	E BAG
SK-100-101	Maintenance	15
SK-100-201	Oil & Fuel	15
SK-100-301	Chemical	15
SK-100-102	Maintenance	25
SK-100-202	Oil & Fuel	25
SK-100-302	Chemical	25
SK-100-109	Maintenance	28
SK-100-209	Oil & Fuel	28
SK-100-309	Chemical	28

Code	Application	Absorbency Litres Capacity		
C - SPILKLEEN PVC CUBE BAG				
SK-100-103	Maintenance	35		
SK-100-203	Oil & Fuel	35		
SK-100-303	Chemical	35		
D - SPILKL	EEN PVC SHOULD	DER BAG		
SK-100-104	Maintenance	50		
SK-100-204	Oil & Fuel	50		
SK-100-304	Chemical	50		
E - SPILKL	EEN CLEAR PVC I	HOLDHALL BAG		
SK-100-105	Maintenance	70		
SK-100-205	Oil & Fuel	70		
SK-100-305	Chemical	70		



# Wheelie Bin Spill Kits

### spil kleen









### **MAINTENANCE**

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.



### **APPLICATION**

 Suitable for workshops, warehouses, maintenance and manufacturing facilities to contain and clean up spills of oils, chemicals and hazardous liquids

### **FEATURES & BENEFITS**

- Supplied as a complete kit in a highly visible yellow mobile wheeled bin that allows it to be positioned wherever required
- Absorbents are manufactured from high quality meltblown polypropylene
- Suitable for everyday workplace liquid spills and leaks
- Provides a quick response to any spills as can be wheeled to spill location
- Available in maintenance, oil and fuel and chemical versions
- Fully compliant with BS7959 and ISO 9001:2008 standards

SPILL KIT REFILL PACKS AVAILABLE FOR ALL WHEELED & STATIC KITS, ADD RF TO THE PRODUCT CODE

		oupdoity Litros
SPILKLEEN	WHEELIE	BIN SPILL KITS
SK-142-101	Maintenance	80
SK-142-201	Oil & Fuel	80
SK-142-301	Chemical	80
SK-142-102	Maintenance	120
SK-142-202	Oil & Fuel	120
SK-142-302	Chemical	120
0-4-	A I	Abb

Code	<b>А</b> ррисации	Capacity Litres	
SPILKLEEN	WHEELIE BI	N SPILL KITS	
SK-142-103	Maintenance	240	
SK-142-203	Oil & Fuel	240	
SK-142-303	Chemical	240	
SK-142-104	Maintenance	360	
SK-142-204	Oil & Fuel	360	
SK-142-304	Chemical	360	

# Static & Wheeled **Spill Kits**

# spilkleen











### **APPLICATION**

Suitable for workshops, warehouses, maintenance and manufacturing facilities to respond efficiently and effectively to large spills of oils, chemicals and hazardous liquids

### **FEATURES & BENEFITS**

- Supplied as a complete kit
- Suitable for internal and external
- Absorbents are manufactured from high quality meltblown polypropylene
- Suitable for everyday workplace liquid spills and leaks
- Provides a quick response to any spills
- Available in maintenance, oil and fuel and chemical versions
- 1200 litre drop front models facilitate easy access to the absorbent products for fast and effective deployment
- Fully compliant with BS7959 and ISO 9001:2008 standards

SPILKLEEN	I PAIL SPILL KITS		
SK-100-106	Maintenance	65	
SK-100-207	Oil & Fuel	65	
SK-100-307	Chemical	65	
SPILKLEEN	TROLLEY SPILL	ITS	
SK-141-101	Maintenance	70	
SK-141-201	Oil & Fuel	70	
SK-141-301	Chemical	70	
SPILKLEEN	BIN SPILL KITS		
SK-201-101	Maintenance	90	
SK-201-201	Oil & Fuel	90	
SK-201-301	Chemical	90	

311-201-201	Oli & Tuel	30
SK-201-301	Chemical	90
SPILKLEEN	STATIC LOCKER SPIL	L KITS
SK-141-102	Maintenance	240
SK-141-202	Oil & Fuel	240
SK-141-302	Chemical	240
SK-201-102	Maintenance	350
SK-201-202	Oil & Fuel	350
SK-201-302	Chemical	350
SK-201-103	Maintenance	1200
SK-201-203	Oil & Fuel	1200
SK-201-303	Chemical	1200



SK-141-305

Chemical



Code	Application	Absorbency Capacity Litres
SPILKLEEN	WHEELED LOCKER S	SPILL KITS
SK-141-103	Maintenance	350
SK-141-203	Oil & Fuel	350
SK-141-303	Chemical	350
SK-141-104	Maintenance	660
SK-141-204	Oil & Fuel	660
SK-141-304	Chemical	660
SK-141-106	Maintenance	1200
SK-141-206	Oil & Fuel	1200
SK-141-306	Chemical	1200
SPILKLEEN LOCKER SE	N DROP FRONT WHEE PILL KITS	LED
SK-141-105	Maintenance	1200
SK-141-205	Oil & Fuel	1200

1200



# **Vehicle Spill Kits**







# **Vehicle Tube Spill Kit**

### **APPLICATION**

 Designed to be stored inside the cab of the vehicle or in an external spill kit box

### **FEATURES & BENEFITS**

- Provides a fast response to a small oil or fuel liquid spill
- Absorbents are manufactured from high quality meltblown polypropylene
- Kit contains pads, socks, pair gloves, disposal bag and tie.
- Supplied in a heavy duty, waterproof zipped PVC tube bag



Code	Description	Absorbency Capacity Litres
SPILKLEE	N VEHICLE TUBE SPILL KIT	
SK-100-215	Vehicle Tube Spill Kit	20

## **HGV Spill Kit**

### **APPLICATION**

 Specifically designed for HGV and tankers, easy to deploy, use and store within the vehicle

#### **FEATURES & BENEFITS**

- For use on medium sized spills of oil based liquids such as fuels, lubricants and other hydrocarbon based products
- Absorbents are manufactured from high quality meltblown polypropylene
- Supplied in a clip handle PVC carry bag
- Complies fully with BS 7959 and ISO 9001:2008 standards



Code	Description	Absorbency Capacity Litres	
SPILKLEEN HGV SPILL KIT			
SK-100-211	HGV Spill Kit	30	

# **ADR Chemical Spill Kit**

### **APPLICATION**

 Designed to assist haulage contractors meet the ADR obligations when transporting hazardous fluids

### **FEATURES & BENEFITS**

Contains PPE and absorbents required to contain, absorb and clean up spills in accordance with the

European Agreement



Code	Description	Absorbency Capacity Litres
SPILKLE	EN ADR SPILL KIT	
FI -204-023	R ADR Snill Kit	15

# Motor Sports Association Spill Kits

### **APPLICATION**

For use within the motor sport industry

### **FEATURES & BENEFITS**

- Manages spills of automotive fluids, lubricating oil, coolants, grease and hydraulic oils
- The standard spill kit is supplied in a grip seal bag
- The standard spin kit is supplied in a grip sear
   The deluxe spill kit is supplied in a tough, compact carry bag
- SC-100-001



SPILKLEEN MOTOR SPORT ASSOCIATION SPILL KITS

 SC-100-001
 MSA Standard Spill Kit
 2

 SC-100-002
 MSA Deluxe Spill Kit
 2

# FLT Spill Kits Battery Acid Spill Kits











NEW

# Forklift Truck Spill Kits

### **APPLICATION**

Suitable for use anywhere a forklift truck is in operation

### **FEATURES & BENEFITS**

- Supplied as a complete kit in a compact, waterproof bag mounted on to the back of forklift trucks using a Velcro strip with an adhesive backing
- Complies fully with BS 7959 and ISO 9001:2008 standards

Code	Application	Absorbency Capacity Litres
SPILKLEEN	FORKLIFT TRUCK SPILL KITS	
SK-100-401	Oil & Fuel Forklift Truck Spill Kit	12
SK-100-402	Maintenance Forklift Truck Spill Kit	12



### **Battery Acid Spill Kit**

### **APPLICATION**

 Designed for the clean-up, containment and neutralisation of any battery acid spills

### **FEATURES & BENEFITS**

- Neutralises any battery acid before clean up
- Easy to use, colour change on application indicates neutralisation
- Returns work area to workable condition guickly
- Decontaminates and cleans up in one step
- Reduce hazardous waste, after neutralisation residues of battery acids are environmentally benign and can be disposed of as general waste



Code Description Absorbency Capacity Litres

SPILKLEEN	BATTERY ACID SPI	LL KIT
FL-204-014	Battery Acid Spill Kit	8
FL-204-015	Battery Acid Spill Kit	16
FL-204-016	Battery Acid Spill Kit	24
FL-204-001	Battery Acid Spill Kit	32

# **NiCd Battery Acid Spill Kit**

### **APPLICATION**

 Designed for the cleanup, containment and neutralisation of NiCd batteries

- Easy to use, obvious colour change on application indicates effective neutralisation
- Returns work area to workable condition quickly
- Decontaminate and clean up in one step



Code	Description	Absorbency Capacity Litres
SPILKLEE	N NICd BATTERY ACID S	PILL KIT
FL-204-021	NiCd Battery Acid Spill Kit	8



# Biohazard, Hospital & **Body Fluid Spill Kits**

### spil kleen



### **Biohazard Spill Kit**

### **APPLICATION**

Designed for the safe and effective clean up of high risk body fluids such as blood, vomit and urine

### **FEATURES & BENEFITS**

- Enables non-specialised staff to minimise personal exposure and reduce the risk of spreading infection
- Easy to use
- Allows personnel to conform to the recommendations of the Department of Health for the safe collection and disposal of blood and blood-stained body fluid spills



Description Code

Absorbency Capacity Litres

FL-204-020 Hospital Biohazard Spill Kit

2

# Hospital Acid Spill Kit

### **APPLICATION**

Provides a safe method for dealing with and disposing of hazardous acid spills

### **FEATURES & BENEFITS**

- Neutralise spilled battery acid before clean up
- Easy to use, obvious colour change on application indicates effective neutralisation
- Returns work area to workable condition guickly
- Decontaminate and clean up in one step
- Reduce hazardous waste, after neutralisation, residues of battery acids are environmentally benign and can be disposed of as general waste
- Absorbents manufactured to BS7959 and ISO 9001:2008 standards



SPILKLEEN HOSPITAL ACID SPILL KIT

FL-204-019 Acid Spill Kit

**Body Fluid Spill Kit** 

### **APPLICATION**

Deal with spills that pose a sanitary or infectious hazard and are very unpleasant to clean, suitable for use on vomit, urine, excrement and blood

- Supplied as a complete kit
- Sterilises potentially infectious fluids



# Marine SOPEP Spill Kits spilkleen **Boat Spill Kits**











### **APPLICATION**

■ The Ship Oil Pollution Emergency Plan (SOPEP) requires all cruise and cargo vessels to be equipped with an oil only spill kit

### **FEATURES & BENEFITS**

- Supplied as a complete kit with all the products required to deal with a spill
- Oil selective Hydrophobic absorbents only absorb oils and repel water
- Rapid absorption
- Fully conform with the Marpol Convention standards

Code	Description	IMPA Code	Absorbency Capacity Litres
SPILKLEE	N SOPEP SPILL KITS		
SK-141-014	Portable Bag	232516	120
SK-141-013	Locker 1.5 Barrel		256
SK-141-012	Locker Standard		600
SK-141-011	Locker 7 Barrel	232531	1100
SK-141-010	Locker 12 Barrel	232532	1900

# **Boat Spill Kits**

### **APPLICATION**

Ensures clean and safe boating practices when filling a fuel tank.

### **FEATURES & BENEFITS**

- Supplied in handy bags which can be easily stored onboard and available when required
- Provides a solution when responding to a spill or a leak



■ SK-100-212

Absorbency Capacity Litres Code Description

SPILKLEEN BOAT SPILL KITS SK-100-212 Single Use Kit Small Boat & Jet Ski 2.5 SK-100-213 Poly Bag Kit Medium Boat 10 SK-100-214 Deluxe PVC Holdall Kit Medium Boat 10



■ SK-100-214



# **Safety Signs**

























#### BEING READY

# **Safety Signs**



### **APPLICATION**

 Informative signs to help protect the health and safety of employees and workplace visitors

### **FEATURES & BENEFITS**

- Draw attention to health and safety hazards
- Indicate where emergency equipment is located
- Provide general information and directions
- Ensures best practice is standard within an organisation

### All signs are available in a choice of:

### **RIGID PLASTIC (RP)**

- Manufactured from glossy, lightweight rigid PVC plastic for high impact strength
- Suitable for internal and external use

### **SELF ADHESIVE VINYL (SAV)**

- Manufactured in high gloss, flexible PVC with self adhesive backing
- Suitable for internal use only

Code	Ref	Description
SIGNS		
FL-123-017	Α	Spill Kit Aggressive Fluids (Hazchem) RP
FL-123-009	Α	Spill Kit Aggressive Fluids (Hazchem) SAV
FL-123-013	В	Spill Kit Non Aggressive Fluids RP
FL-123-005	В	Spill Kit Non Aggressive Fluids SAV
FL-123-016	C	Spill Kit Oil Only RP
FL-123-008	C	Spill Kit Oil Only SAV
FL-123-015	D	Spill Kit For Emergency Spill Team Only RP
FL-123-007	D	Spill Kit For Emergency Spill Team Only SAV
FL-123-014	Ε	Spill Protective Equipment RP
FL-123-006	Ε	Spill Protective Equipment SAV
FL-123-018	F	Emergency Spill Kit RP
FL-123-019	F	Emergency Spill Kit SAV
FL-123-022	G	Emergency Oil Spill Kit RP
FL-123-023	G	Emergency Oil Spill Kit SAV

Code	Ref	Description
SIGNS		
FL-123-024	Н	Emergency Chemical Spill Kit RP
FL-123-025	Н	Emergency Chemical Spill Kit SAV
FL-123-026	1	Spill Kit Located At RP
FL-123-027	- 1	Spill Kit Located At SAV
FL-123-012	J	In The Event Of An Emergency Spill RP
FL-123-004	J	In The Event Of An Emergency Spill SAV
FL-123-028	K	Spill Kit Station RP
FL-123-029	K	Spill Kit Station SAV
FL-123-021	L	Drain Isolation Kit RP
FL-123-020	L	Drain Isolation Kit SAV

# 23-023 G Emergency Oil Spill Kit SAV Handling Chemicals Safely

### APPLICATION

 Highly visible A-frame folding safety sign to warn employees of a hazardous spill

**A-Frame Safety Sign** 



### **APPLICATION**

 Provides staff and visitors with important safety information

- Manufactured in rigid plastic
- Height x width 600 x 400mm



Code	Description
HANDLING	CHEMICALS SAFELY POSTER
FI -123-002	Handling Chemicals Safely Poster



# **Mobile Display Unit**

### **APPLICATION**

Mobile display unit for multiple applications including risk information board, first aid point, fire response station, lockout tag control station, site traffic management board and as an information point

### **FEATURES & BENEFITS**

- Fully mobile, fitted with 200mm diameter wheels
- Easy to assemble and dismantle when no longer required
- Highly customisable to suit varying customer requirements
- Products attach to the backboard using self-tapping screws or bolts (not supplied)
- Ballast or additional tool storage box in base
- Manufactured from recylable, chemical resistant, UV stabilised MDPE
- Dimensions height x width x depth 1725 x 755 x 595mm
- Weight 26.5kgs

Please note products shown are not included

Code Base Colour

#### MOBILE DISPLAY UNIT

**FL-205-551-G** Green

FL-205-551-R Red

**FL-205-551-Y** Yellow

FL-205-551-B Blue













■ FL-205-551-R

■ FL-205-551-Y

■ FL-205-551-G

■ FL-205-551-B



# **Spill Kit Accessories**



**Absorbent Waste Disposal Bags** 

### **APPLICATION**

 Suitable for disposing of soiled contaminated waste components after a spill

### **FEATURES & BENEFITS**

- Bags marked CAUTION HANDLE WITH CARE
- Supplied complete with cable ties to secure the contents
- Available in heavy duty yellow and medium duty blue PVC

Code	Description	Size L x W mm	Quantity Per Pack
HAZARDOUS	S WASTE BAGS		
FL-121-002	Yellow Heavy Duty Bag & Ties	1200 x 600	10
FL-121-008	Yellow Heavy Duty Bag & Ties	1200 x 600	100
FL-121-009	Blue Medium Duty Bag & Ties	900 x 460	10
FL-121-010	Blue Medium Duty Bag & Ties	900 x 460	100



Quantity Per Pack

# **Black General Waste Bags**

### **APPLICATION**

Suitable for disposing of general waste

### **FEATURES & BENEFITS**

- Manufactured from PVC
- Supplied with cable ties to safely secure after use

Code	Description
	•

GENERAL W	ASTE BAGS	
FL-121-003	Medium Duty 760 x 1415mm	100
FL-121-004	Heavy Duty 635 x 1244mm	50

# **Spill Kit Audit Covers**

### **APPLICATION**

 Designed to indicate that a wheeled bin spill kit has had its contents inspected

- Manufactured from heavy duty hard wearing weatherproof vinyl
- Ensures that the spill kit contents remain dry at all times
- Any product removed should be documented on the audit form and replaced
- Provides additional weatherproof protection for spill kits that are stored outside

Code	Description
AUDIT COV	'ERS
FL-17-001	Cover for 80 Litre
FL-17-002	Cover for 120 Litre
FL-17-003	Cover for 240 Litre
FL-17-004	Cover for 360 Litre





# Spill Kit Accessories

### **Security Tape**

### **APPLICATION**

Designed for securing spill kit lids

### **FEATURES & BENEFITS**

- Supplied in a highly visible blue colour
- Leaves a visual indication to alert spill kit users to evidence of tampering
- Dimensions 25m long x 50mm wide

Code Description

**SECURITY TAPE** 

FL-121-001 Security Tape






### **Tamper Proof Ties**

### **APPLICATION**

 Suitable for securing wheelie bin and static locker emergency spill kit lids

### **FEATURES & BENEFITS**

- Indicates clearly if the bins have tampered with
- Seals can be broken by hand allowing quick and easy access without the need for knives or snips
- Highly visible red colour
- Dimensions length x width 230 x 2mm



**TAMPER PROOF TIES** 

Tamper Proof Security Ties Pack of 100 FL-121-006

# **Barrier Tape**



### **APPLICATION**

Suitable for cordoning off areas that have had a hazardous spill occurrence

### **FEATURES & BENEFITS**

- Manufactured from non-adhesive medium duty PVC
- Black and yellow chevron design
- Dimensions 75mm wide x 50m long

Code Description **HAZARD WARNING TAPE** Black/Yellow Barrier Tape FL-121-005

# Safety **Hand Shovel** & Spade

### **APPLICATION**

Designed for the safe collection of oil and chemical based residues

### **FEATURES & BENEFITS**

- Manufactured from non-sparking, non-rusting material
- Lightweight construction
- FL-121-007 is a two-part construction

Description FI -121-007 Safety Shovel FL-121-011 Safety Hand Shovel

# **Maintenance Wipes**

### spil kleen



### **Fossetex Wipe Roll**

### APPLICATION

 Suitable for dealing with spills of oil and water based liquids in most industrial workshops and automotive environments

### **FEATURES & BENEFITS**

- Efficient and economical
- Individual sheet dimensions 40 x 38cm
- Roll length 380m



Code	Description	Sheet size
SPILKLEE		
SK_08_107	Encoptey Industrial Wine Roll	/II v 38cm

### Maintenance Wipe Rolls

### **APPLICATION**

 General purpose industrial maintenance wipes suitable for use in all manufacturing industries



### **FEATURES & BENEFITS**

- Tough absorbent cellulose fibres with good wet and dry strength capabilities
- Resistant to solvents, oils, grease and water
- Tear resistant
- Low lint properties
- 400 sheets per roll
- Colour white
- Pack quantity 2

Code	Description	No. of rolls per pack	Sheet size
SPILKLEEN	MAINTENAN	CE WIPE ROLLS	
FL-67-109	Industrial Wipe	2	20 x 35cm
FL-67-110	Industrial Wipe	2	30 x 36cm

# **Maintenance Wipe Sheets**

#### **APPLICATION**

 General purpose industrial maintenance wipes suitable for use in all manufacturing industries

### **FEATURES & BENEFITS**

- Tough absorbent cellulose fibres with good wet and dry strength capabilities
- Resistant to solvents, oils, grease and water
- Tear resistant
- Low lint properties
- Individual sheet dimensions 60 x 40cm
- Colour white

# Multi Purpose Cleaning Cloths

#### **APPLICATION**

 Suitable for mopping liquid spills, dishwashing and general purpose cleaning and wiping

- Lightweight multi-purpose wipe
- Can be used wet or dry
- Individual sheet dimensions 30 x 50cm
- Colour blue



Code	Description	Weight kgs	
SPILKLEE	N MULTI PURPOSE CLEANING CLOTHS		
FL-67-113	Multi Purpose Cleaning Cloths (500 sheets approx)	5	
FL-67-114	Multi Purpose Cleaning Cloths (100 sheets approx)	1	

Code	Description	No. of sheets per pack		
SPILKLEEN MAINTENANCE WIPE SHEETS				
FL-67-111	Industrial Wipe Sheets	500		
FL-67-112	Industrial Wipe Sheets	100		



# **Maintenance Wipes**



# Lax60 Industrial Multi Purpose Wipes

### **APPLICATION**

- Industrial wipe suitable for use as an alternative to traditional white cotton and mixed rags
- Ideal for use in the construction, catering and manufacturing industry sectors

### **FEATURES & BENEFITS**

- Highly absorbent, can be used with solvents and cleaning products
- I ow-linting
- Cleans up oils, lubricants, solvents and water spills
- Suitable as an excellent disposable towel in kitchen environments
- Easy to dispense from the pop-up box
- Sheet size 30 x 50cm, 150 sheets per box



Code	Description	Colour
LAX60 IN	DUSTRIAL MULTI PURPOSE WIPES	
FL-67-100	Lax60 Industrial Multi Purpose Wipes	White

# Sontek65 Industrial Multi Purpose Wipes

### **APPLICATION**

Multi-purpose wipe suitable for use in the aviation, manufacturing, food, production and pharmaceutical industries

### **FEATURES & BENEFITS**

- Tough and durable
- Absorbs up to six times its own weight of fluids
- Low-linting, ideal for use on stainless steel surfaces
- Cleans up oils, lubricants and water spills
- Designed to not break down with solvents and water spills
- Excellent performance both wet and dry
- Sheet size 30 x 40cm, 280 sheets per roll



Description **SONTEK65 INDUSTRIAL MULTI PURPOSE WIPES** 

Code

FL-67-101 Sontek65 High Absorbency Jumbo Roll (case of 2)

# **Professional Universal Bucket Wipes**

### **APPLICATION**

 Universal heavy duty wipe suitable for cleaning operators hands, tools machinery and most surfaces in all industrial sectors

### **FEATURES & BENEFITS**

- Pre-moistened so no need for additional water
- Removes oils, grease, paint and much more
- Conforms with IEC 1223/2009 Cosmetic Directive
- Sheet size 27 x 26cm, 150 sheets per bucket



Colour

Colour

Code Description PROFESSIONAL UNIVERSAL BUCKET WIPES

FL-67-103 Professional Universal Bucket Wipes (case of 4)

# **Maintenance Wipes**





### Rough And Smooth Heavy Duty Wipes

### **APPLICATION**

 Universal wipe suitable for cleaning operators hands, tools, machinery and most surfaces in all industrial sectors.

### **FEATURES & BENEFITS**

- Especially suited to mobile workers as pre-moistened so no need for water
- Skin patch tested as safe to use on skin, contains aloe-vera for keeping hands moisturised
- Dual sided with micro beaded side for agitating grime, smooth side for wiping away
- Removes semi cured silicone, sealant, decorators caulk, oils, grease, adhesive, water-based paints, inks, expanding foam and more
- Conforms with EC1223/2009 Cosmetic Directive
- Sheet size 22 x 20cm, 80 sheets per tub





Blue/White

Description Code Colour Rough And Smooth Heavy Duty Wipes (case of 8)

# **Trademate Rayon Bamboo Pro Wipes**

### **APPLICATION**

 Environmentally friendly general purpose hand wipes suitable for cleaning operators hands, tools, machinery and most surfaces

### **FEATURES & BENEFITS**

- Out performs polypropylene (plastic) wet wipes
- 100% bio-degradeable manufactured from sustainable plant sources
- Oeko-tex 100% certified with no harmful substances
- Conforms to Cosmetic Directive EU1223/2009, bacteria tested to BS EN 1276



# Trademate Bamboo **Pro Wipes**

### **APPLICATION**

General purpose hand wipe suitable for decorators, mechanics and general engineering workshops

- Manufactured with 80% Eco-Friendly bamboo fibre, 100% biodegradable and fully sustainable
- Stronger than paper works like a traditional cleaning cloth, reduces waste
- Low-linting, no fibres left on surface
- Solvent resistant, cleans up oils. lubricants, adhesives, inks, paints and water spills
- Sheet size 28 x 26cm. 55 sheets per roll



Code	Description	Colour
TRADEMA	TE RAYON BAMBOO PRO WIPES	
FL-67-105	Trademate Rayon Bamboo Pro Wipes (case of 8)	White

Code	Description	Colour
TRADEMATE BAMBOO PRO WIPES		
FL-67-104	Trademate Bamboo Pro Wipes (case of 12)	White



# **Personal Protective Equipment**

### **Disposable Protective Face Mask**

### **APPLICATION**

 Suitable for use in non-surgical environments, public transport, schools, universities, supermarkets and public areas

### **FEATURES & BENEFITS**

- Protects against respiratory bacteria and wet particles
- Manufactured from non-woven hypoallergenic sterilised fabric
- BFE 95 meltblown filter aids good permeability
- Ear loops for long term wearer comfort
- Filtration efficiency >90%
- Operating conditions: -20 to +40 deg C, relative humidity <85%</li>
- One size fits all
- Pack of 50 face masks

Code	Description	Quantity Per Pack	
DISPOSABLE PROTECTIVE FACE MASK			
FL-67-205	Disposable Face Mask	50	



# **Washable Face Coverings**

### APPLICATION

 Suitable for use in non-surgical environments, public transport, schools, supermarkets and public areas

### **FEATURES & BENEFITS**

- Not certified for health care use, but provides a barrier between respiratory droplet transmission and significantly prevents inhalation of droplets present in the environment
- Manufactured from 100% GOTS and Oekotex certified organic cotton 120g/m2 with a second layer of non-woven textile 40g/m2
- Washable, up to 150 times
- Dimensions length x width 17 x 11cm
- Colour white

### **MAINTENANCE**

- After use
- Boil in hot water for 3 minutes or machine wash at 60deg C
- Do not use detergent
- Dry fully
- Iron to complete sterilisation process



100

FL-67-211

Washable Face Covering

# **Personal Protective Equipment**



### **Nitrile Gloves**



### **APPLICATION**

Suitable for minimal risk applications

### **FEATURES & BENEFITS**

- Nitrile powder free, non sterile
- Puncture resistant
- Excellent resistance to oil, grease and a wide range of toxic chemicals and solvents
- Manufactured in accordance with EN374

Code	Description	Quantity Per Pack
DISPOSABL	E NITRILE GLOVES	
FL-67-001	Nitrile Gloves Small	1000
FL-67-002	Nitrile Gloves Small	100
FL-67-003	Nitrile Gloves Medium	1000
FL-67-004	Nitrile Gloves Medium	100
FL-67-005	Nitrile Gloves Large	1000
FL-67-006	Nitrile Gloves Large	100
FL-67-007	Nitrile Gloves Extra Large	1000
FL-67-008	Nitrile Gloves Extra Large	100



### **APPLICATION**

Chemical handling heavy duty applications

### **FEATURES & BENEFITS**

- Fingers, thumbs and palms are textured for increased grip
- Flocklined interior provides increased comfort and absorbs perspiration
- Conform to European PPE Directive 89/686/ EEC and are tested to European Standards EN 420, EN 388, EN374 and EN 1149

Code	Description	Quantity Per Pack
HEAVY DUT	Y NITRILE GLOVES	
FL-67-009	Heavy Duty Medium	12
FL-67-010	Heavy Duty Large	12
FL-67-011	Heavy Duty Extra Large	12



Protects the wearer from eye injury against moderate impact hazards and chemical liquid splash

### **FEATURES & BENEFITS**

- Ergonomically designed PVC frame
- Polycarbonate clear lens
- Indirect ventilation
- Chemical splash resistant
- Manufactured to EN166-1B

Code	Description	
SAFETY GOGGLES		
FL-67-2050	Chemical Splash Resistant	

### **PPE Safety Pack**

### **APPLICATION**

Provides immediate access to protective clothing in the event of a liquid spill, for site visitors or occasional and temporary workers

### **FEATURES & BENEFITS**

■ Contents include 1 x large protective coveralls, 1 x pair of overshoes, 1 x pair large Nitrile gloves and 1 x pair chemical splash resistant goggles







# Hand Sanitising Stations Hand Sanitising Gel

### **APPLICATION**

 Suitable for deployment in manufacturing industries, offices, hospitals, medical centres, airports, shops, hotels, restaurants, sports centres, schools, universities and many more

### **FEATURES & BENEFITS**

- Robust steel construction hand sanitising dispensing stations
- No power supply required
- Accurate dispensing for economical usage
- Easy to clean
- Extremely mobile with the option of being fixed to the floor

(Dunn

CO ESTIMATE

IAND

Suitable for both internal and external use





## ADDITIONAL FEATURES

Storage for 1 x 5 litre bottle inside the unit

■ Dimensions: Body height x width x depth 120 x 30 x 30cm



Code Description

#### HAND OPERATED STATION

FL-67-300 Hand Operated Sanitising Station
FL-67-130 Sanitising Gel 70% Alcohol (4 x 5 Litres)
FL-67-128 Sanitising Liquid 70% Alcohol (4 x 5 Litres)

# Hand Sanitising Gel

### **APPLICATION**

 Hand sanitising gel aids hygienic protection for the hands and skin against bacteria and viruses

Code

Description

#### HAND SANITISING GEL

FL-67-125 Hand Sanitising Gel 250ml (Box Of 10)

- Eliminates 99.9% of germs, effective against bacteria, fungi, viruses, grease and oils
- Works faster and is more effective than soap and water
- No water or towels required
- Fast drying
- Fragranced with the scent of lavender



# Sanitising Wipes Sanitising Kit



# **Quat-Free Surface Sanitising Wipes**

### **APPLICATION**

 Suitable for cleaning and sanitising food preparation areas, work surfaces, stainless steel utensils and equipment in the catering, hospitality, education and manufacturing sectors

### **FEATURES & BENEFITS**

- Triple layer, blue non woven wiping material
- Disinfects and sanitises all work surfaces and equipment, 99.99% kill rate
- Quat-Free, biguanide free, alcohol free, taint free, food safe
- Biocidal Product approved BPR Article 95 as amended by Regulation (EU) 334/2014
- Outstanding microbial performance against gram positive and gram negative bacteria, yeast and viruses
- Test strains P.Aeruginosa, S.Aureus, E-Coli, E.Hirae, C.Albicans, Influenza Type A (H1N1), Vaccinia Virus BVBV, Mycobacterium Terrae
- Available in a bucket containing 1000 sheets or a handy canister containing 250 sheets
- Sheet size 20 x 20cm

### DIRTEEZE 22





Code	Description	Colour
QUAT-FR	EE SURFACE SANITISING WIPES	
FL-67-106	Sanitising 1000 Wipes Bucket	Blue
FL-67-107	Sanitising 250 Wipes Canister (case of 8)	Blue

### Sanitising Surface Spray

### **APPLICATION**

 Cleans and provides protection against bacteria and viruses on all surfaces



### **FEATURES & BENEFITS**

- Easy-to-use spray action bottle
- Eliminates 99.9% of germs
- Works faster and is more effective than soap and water
- No water or towels required
- Fast drying
- Removes dirt and micro-organisms
- Refill bottle available





Code	Description		
SANITISING SURFACE SPRAY			
FL-67-115	Spray bottle 500ml (Box of 6)		
FL-67-117	Refill bottle 1000ml (Box of 4)		

# Personal Workplace Sanitising Kit

### **APPLICATION**

 Cleans and provides protection against bacteria and viruses on all surfaces

- All required PPE and sanitising equipment required for effective cleaning
- Avoids any potential cross contamination
- Kit contents:

  1 x 500ml trigger action surface sanitising spray,

  2 x washable face coverings, 10 x pairs large nitrile gloves,

  10 x multi-purpose cleaning cloths,

  20 x grip seal disposal bags. Supplied in a heavy duty grip







# **Drum & Pipe Repair**

### Plug N Dyke Putty

### **APPLICATION**

Provides a temporary seal in damaged leaking drums

### **FEATURES & BENEFITS**

- Applied directly over the leak to form an immediate seal
- Oil and petrol resistant
- Can be applied to dirty, greasy or rusty surfaces without any preparation
- Manufactured from a non-toxic material
- 5 year shelf life providing it remains unopened and is stored out of direct sunlight

Code	Description		
PLUG N DY	PLUG N DYKE PUTTY		
FL-42-501	Plug N Dyke Putty 0.5kg		
FL-42-502	Plug N Dyke Putty 1.0kg		



# **Quick Wrap Bandage**


### **APPLICATION**

Suitable for emergency repairs to gas, oil, water, waste pipes and chemical lines

### **FEATURES & BENEFITS**

- Quick and easy to use
- Good temperature, pressure and chemical resistance
- Sets in under 10 minutes and is fluid compatible
- No mixing or measuring, simply soak in water for 10 seconds
- Food safe when cured

	Code Description		Dimensions W x L	
QUICK WRAP BANDAGE				
	FL-42-505	Pipes Up To 45mm External Dia	50mm x 1.5m	
	FL-42-506	Pipes Up To 75mm External Dia	50mm x 3.6m	
	FL-42-507	Pipes Up To 75mm External Dia	75mm x 3.6m	
	FL-42-508	Pipes Up To 100mm External Dia	100mm x 3.6m	



# Strap It Leak Stopper

### **APPLICATION**

Emergency leak stopper designed for all pipe work systems

- Simply wraps over the leak and locks with hook and loop system
- Seals leaks under pressure without having to shut down the system
- Manufactured from EPDM rubber
- Chemical resistant
- Temperature range -40 to 120 deg C
- No tools required, can be reused time and time again

Code	Description	Pressure Tested Bar		
STRAP IT LEAK STOPPER				
FL-42-509	Pipes 15 - 25mm NB	10.26		
FL-42-510	Pipes 25 - 80mm NB	6		
FL-42-511	Pipes 50 - 80mm NB	3.9		
FL-42-512	Pipes 100mm NB	3.5		



# **Drain Guards**











### **APPLICATION**

 Prevents sediment and other pollutants from entering the drain system


### **FEATURES & BENEFITS**

- Quick and easy installation, simply lift the grate, lower the drain guard into position and replace the grate pinching the fabric in place to keep the unit secure
- Excess fabric can be trimmed to suit the drain size
- Easily emptied and reused
- Reduces the amount of sediment, debris, cigarette butts, litter, grasses and leaves from entering the drain system
- Suitable for use on construction sites, industrial car parks, hospitals, and retail facilities
- Avoids the cost of pumping out the drain systems to clear blockages
- Custom sizes available

**Oil & Sediment Model** Removes hydrocarbons, dirt, sand and other contaminants.

**Oil & Sediment Plus Model** The addition of Ultra-X Tex filter strips increases oil and grease absorption.

**Debris Model** Designed specifically to catch larger items and floatables such as leaves, cigarette butts and paper goods.



Code	Description	Dimensions L x W x D mm	Pack Quantity	Weight kgs		
ULTRATECH DRAIN GUARDS						
UL-42-421	Oil & Sediment	550 x 400 x 458	1	0.4		
UL-42-422	Oil & Sediment	1220 x 915 x 458	1	0.5		
UL-42-423	Oil & Sediment	1524 x 1524 x 458	1	1		
UL-42-424	Oil & Sediment Plus	1220 x 915 x 458	1	1		
UL-42-426	Oil & Sediment Plus	1524 x 1524 x 458	1	1.5		
UL-42-427	Debris	1220 x 915 x 458	1	0.5		



# **Drainblok**









### APPLICATION

 Allows the temporary sealing, blocking of drains, ducts and pipes without the operator having to gain entry into a confined space or even a hazardous area

### **FEATURES & BENEFITS**

- Quick and easy to install
- Inflates in seconds to provide a liquid tight seal in the pipe system
- Resistant to most oils, fuels and non aggressive chemicals
- Easy to clean after use for future deployment
- Reduces the potential pollution risk of hazard fire water runoff
- Supplied as a kit containing low pressure inflator pump unit, 3m extending pole, stopper fitted with 5m airline, manhole keys, operator instructions and storage bag
- Drainblok can be installed permanently requiring the use of an optional accessory post and fire box to contain the pump unit

Code Drain Kit Diameter

#### DRAINBLO

**FL-92-110** Drainblok 100mm **FL-92-111** Drainblok 150mm

FL-92-112 Drainblok 225mm

FL-92-113 Drainblok 300mm

FL-92-114 Drainblok 375mm

FL-92-115 Drainblok 425mm FL-92-116 Drainblok 600mm


### Toggleblok™















### **APPLICATION**

 Fully contained drain closure system for preventing liquid spills and fire water runoff escaping through the drainage system resulting in a pollution release

#### **FEATURES & BENEFITS**

- Stops the liquid drainage flow within seconds of activation, staying fully locked even if the control panel is destroyed by fire
- Fully contained system, supplied complete with self powering control panel and stand
- System can be powered by mains, solar or battery
- The system can be connected to an existing fire alarm system for automated response or operator push button to close the valve
- Can be retrofitted to most existing drainage systems as well as all new builds
- Control panel functions include mains power charge indicator, low battery warning light, auxiliary alarm outputs
- Control options as standard include GSM automation, SMS / Email reporting, mains power charge, low power radio control, auxiliary alarm outputs, an optional cloud based data logger is available

Please contact your distributor to arrange for one of our engineers to visit your site to discuss all options and conduct a site survey of your drainage system





### **Separator Alarms**

### **APPLICATION**

 Monitor oil, silt and liquid levels within underground separators to ensure the correct operation of separators preventing pollutants entering into the drain system

### **FEATURES & BENEFITS**


- The system comprises of a control panel linked up to the probe sensors that monitor the oil, silt and liquid levels in the separator and if and when excessive levels are reached the alarm is activated
- Informs you when the separator requires emptying, reducing waste management costs
- Retro fit to most existing separators
- Mains or solar powered systems available
- Prevents environmental fines and clean up costs
- Typically one day installation with minimal civil works

Interceptor

Silt probe -

Inlet pipe

Please contact your local distributor to arrange a site visit and survey



### **Drain Protection**



### **Conical Plugs**

### **APPLICATION**

Prevents liquid spills from entering circular drains

#### **FEATURES & BENEFITS**

- Easy to install and remove
- Flexible, chemical-resistant polyurethane plug forms a tight seal in conical drains
- Cleans easily with soap and water for reuse
- Non-permanent alternative to sealing drains with cement

Code	Dimensions Plug Dia x H mm	T	T
CONICAL DR	AIN PLUGS		T
FL-42-405	35 to 70 x 120		
FL-42-406	60 to 95 x 120		
FL-42-407	85 to 120 x 120		O
FL-42-408	120 to 180 x 200	T Q	
FL-42-409	170 to 230 x 200		


### **Drain Gully Socks**

#### APPLICATION

 Specifically designed for the absorption of oils and hydrocarbons from drain gullies

#### **FEATURES & BENEFITS**

- Easy to deploy and collect
- Lightweight, clean and efficient
- Highly absorbent, can absorb up to 20 times its own weight in oils
- Will float on the surface even when fully saturated
- The bioactive gully sock reduces separator cleaning by digesting up to 2kg of oil every week for up to 6 months



Code	Description	Dimensions Dia x L mm	Pack Quantity	
DRAIN GUI	LY SOCKS			
FL-01-201	Standard Sock	200 x 500	2	
FL-01-202	Bio-Active Sock	200 x 500	1	

### Spill Barrier

### **APPLICATION**

 Suitable for containing spills and preventing liquids from entering a drain

### **FEATURES & BENEFITS**

- Resistant to oils and most chemicals
- Manufactured from nonabsorbent polyurethane
- Quick to deploy and provides essential protection for drains
- Suitable for use on slopes and uneven surfaces
- Washable with detergent and water for reuse





Code	Dimensions L x W x H mm
DRAIN BARR	
FL-42-401	3000 x 70 x 100

### **Drain Marking Kit**

#### **APPLICATION**

 Drain marking kits provide a means of colour coding drains to differentiate between surface and foul water

#### **FEATURES & BENEFITS**

Kit contents include 1 x red aerosol paint, 1 x blue aerosol paint, 1 x arrow stencil board, dustpan and brush, 4 x pairs of poly gloves and 2 x waste disposal bags. Supplied in a clip handle PVC carry bag

Code Description

DRAIN MARKING KIT

FL-42-110 Drain Marking Kit



### **Drain Covers**

### **Plug Rug Drain Cover**

### **APPLICATION**

 Prevents any liquid spills flowing into drains and contaminating controlled waters

#### **FEATURES & BENEFITS**

- Can be moulded for use on all types of drains
- 100% seal even on rough ground
- Remains flexible down to -20°C
- Resistant to oil, water and most chemicals
- Single use only
- PVC storage bag available
- 5 year shelf life providing it remains unopened



Code	Dimensions L x W x H mm	Pack Quantity	Weight kgs
PLUG RUGS			
FL-42-301	650 x 450 x 20	4	28
FL-42-303	405 x 405 x 20	4	16
FL-42-304	200 x 200 x 20	12	12
PLUG RUG I	BAG		
FL-42-102	650 x 460	1	0.5


### **Neorug Drain Cover**

#### **APPLICATION**

 Prevents any liquid spills flowing into drains and contaminating controlled waters

#### **FEATURES & BENEFITS**

- Manufactured from neoprene
- Can be used on any surface
- Resistant to oil, water and most chemicals
- Reusable after washing for future use
- Storage bag available



Code	Dimensions L x W mm Weight kgs		
NEORUG	DRAIN COVER		
FL-42-101	1000 x 1000	3	
NEORUG :	STORAGE BAG		
FL-42-206	1100 x 170	0.5	

### **Magnetic Drain Cover**

#### **APPLICATION**

Ideal for placing on steel drum storage units near to drain systems where hazardous liquids are stored and in exposed areas

- Manufactured from flexible polyurethane that provides tight adherence to metal drains
- Will attach to metal drain surfaces that are free of dirt and debris
- Re-usable, compact and lightweight
- Resistant to weather and temperature -20°C to +80°C
- Resists acids and alkalis



Code	Dimensions L x W mm	Weight kgs
MAGNETIC	DRAIN COVER	
FL-42-204	600 x 600	2.5

### **Drain Covers**

### **Sticky Polyurethane Drain Cover**

### **APPLICATION**

 Prevents liquid spills entering drain grates, and sealing plates in the event of an accidental hazardous liquid spill

### **FEATURES & BENEFITS**

- Resistant to oil, water, petrol, jet fuel and most chemicals
- Composition: top PES and silicon, bottom 100% polyurethane
- The contact side of the drain cover is sticky creating an effective seal around the drain
- Two strengthened carry handles assist handling and deployment
- A date indicator gives the month and year of manufacture, shelf life 5 years for unused product
- Reusable after washing with soapy water
- Storage bag available

Code	Dimensions L x W x H mm	Weight kgs
STICKY PO	LYURETHANE DRAIN COVER	
FL-42-208	450 x 450 x 11	6
FL-42-202	600 x 600 x 11	8
FL-42-201	900 x 900 x 13	13
DRAIN COV	ER STORAGE BAG	
FL-42-203	1100 x 170	



### **Transparent Drain Cover**

#### **APPLICATION**

Forms a seal to prevents any liquid spills flowing into drains

- Clear material provides unobstructed view of covered drains and enables responders to ensure a complete seal
- Manufactured from 100% polyurethane
- Reinforcing mesh is sandwiched between layers of polyurethane for additional strength
- Resistant to oil, water and most chemicals
- Reusable after washing with soapy water for future use



Code	Dimensions L x W x H mm	Weight kgs
ULTRATEC	H TRANSPARENT DRAIN CO	VER
UL-42-429	458 x 458 x 10	2.5
UL-42-430	610 x 610 x 10	3.5
UL-42-431	915 x 915 x 10	9.0





### **Protective Mats**

Sticky Backed Floor Rolls

#### **APPLICATION**

 Ideal for installing alongside production machines, walkways, workbenches and counter tops

### **FEATURES & BENEFITS**

- Traps oils, greases and water based liquids
- Heavy weight polyester/polypropylene needle punch fabric
- Adhesive backing prevents movement and ensures a tight grip to most surfaces
- Quickly and easily peeled up when replacement is required
- Easily cut to size



### **TAKmats**

### APPLICATION

 Control foot-borne contamination from entering or leaving work areas in electronics industry, food and drink, laboratories, construction and paint spray booths

### **FEATURES & BENEFITS**

- Super dust absorbent
- 36 impregnated cotton covers enclosed in a heavy plastic frame with a super dust absorbent cushion foam interior
- Top layer can be removed when soiled to reveal a clean layer
- Quick to install



### **Disinfectant Pedestrian Mats**

#### **APPLICATION**

 Provide a quick and effective way to disinfect footwear and avoid the spread of contamination

### FEATURES & BENEFITS

Extremely hardwearing and can be positioned on any flat surface

Code	Dimensions L x W m	Containment Capacity Litres	Weight kgs	
PEDESTRIA	N DISINFECTANT	MATS		
FL-04-201	1.5 x 1	20	4.6	
FL-04-202	2 x 1	30	6.0	
FL-04-203	2.5 x 1	50	7.2	

 Absorbent matting contained within a PVC coated polyester envelope

 Disinfectant is transferred evenly without splashing which reduces wastage

 Replenish disinfectant when required (see page 79)



# Disinfectant Vehicle Mats Disinfectants





**APPLICATION** 

Dispenses disinfectant onto the tyres of vehicles to aid biosecurity in dairies, farms, poultry sheds, food factories, horticulture units, zoos, stables and agricultural shows.

#### **FEATURES & BENEFITS**

- Extremely hardwearing
- Absorbent matting contained within a PVC coated polyester envelope
- The disinfectant is transferred evenly onto the tyres without splashing which reduces wastage
- Disinfectant does not contaminate the surrounding area
- Easy to transport and can be used on any flat surface
- Easy fix bolts provided
- Replenish disinfectant when required
- Two mats per pack

Code	Application	Dimensions L x W m	Containment Capacity Litres	Weight kgs
VEHICLE	DISINFECTANT MATS			
FL-04-401	Heavy Goods Vehicles	3.5 x 1	50	32
FL-04-402	Farm/Agricultural Vehicles	6 x 1	85	50



By law you must use a Department for Environment Food & Rural Affairs (Defra) approved disinfectant when there is an outbreak of a notifiable disease.

Notifiable diseases can be:

**Endemic** already present in the UK, such as bovine TB

**Exotic** not normally present in the UK, such as Foot & Mouth, Swine Vesicular Disease and Avian Influenza

### **APPLICATION**

 Developed for use with biosecurity vehicle and pedestrian disinfectant mats





Code	Name	Application	Size
DEFRA A	PPROVED D	SINFECTANT	
FL-04-502	BioShield P Liquid Disinfectant	Routine disinfection Vehicle mats Foot and mouth disease Swine vesicular disease Avian influenza & Newcastle disease	4 x 5lts
FL-04-501	BioVX Disinfectant Powder	Routine disinfection Vehicle mats Foot and mouth disease Swine vesicular disease Avian influenza & Newcastle disease	10kgs

## Folding Pallet Box **Bin Storage**

### **Collapsible Folding Pallet Boxes**

#### **APPLICATION**

 Suitable for use in factories, warehout and recycling plants for the storage a transportation of goods

### **FEATURES & BENEFITS**

- Manufactured from high-density polyethylene
- Easy to fold and erect
- Four way entry for fork and pallet tru
- Temperature range -20°C to +40°C
- Capacity 640 litres
- Folds flat when not in use to save space and transport costs on any ret transport
- Lid available as an accessory

Description

Pallet Box Vented Sides

Pallet Box Solid Sides

Universal Lid

d pallet trucks to +40°C to save on any return			
External Dimensions L x W x H mm	Internal Dimensions L x W x H mm	Weight kgs	
1200 x 1000 x 810	1120 x 920 x 625	45	
1200 x 1000 x 810	1120 x 920 x 625	45	
1200 x 1000 x 40			

### **Grit Bins**

**FOLDING PALLET BOX** 

Code

FL-144-006

FL-144-004

FL-144-005

### **APPLICATION**

 Suitable for the storage of absorbent granules, sand and winter salt

### **FEATURES & BENEFITS**

- Manufactured from heavy duty UV stabilised PE
- Angled design allows water to run off
- Large opening for easy access
- Forklift and pallet truck access
- Chemical and temperature rang -35 to +50 deg C



Descriptions	Dimensions L x W x H mm	Weight kgs
Grit/salt Bin 130 Litre	850 x 500 x 750	13
Grit/salt Bin 200 Litre	1005 x 590 x 885	17
Grit/salt Bin 400 Litre	1000 x 755 x 885	24.5
	Grit/salt Bin 130 Litre	Crit/salt Bin 130 Litre 850 x 500 x 750 Grit/salt Bin 200 Litre 1005 x 590 x 885

### Static Locker Bins

### APPLICATION

Static locker bin suitable for both internal and external use

- Manufactured from medium density UV stabilised polyethylene
- Suitable for use with liquids or dry powders
- Integral base fork pockets for easy movement
- Fitted with a lockable hinged lid for additional security
- Colour yellow



Code	Description	Dimensions L x W x H mm	Weight kgs		
STATIC LOCKER BINS					
FL-143-350	Static Locker Bin 350 Litre	1265 x 855 x 910	26		
FL-143-1000	Static Locker Bin 1000 Litre	1460 x 1010 x 975	35		



### Mobile Storage Cart Wheelie Bins

### **Mobile Storage Cart**

### **APPLICATION**

Mobile bin cart suitable for applications including the storage of absorbent materials and winter salt

### **FEATURES & BENEFITS**

- Suitable for both internal and external use
- Manufactured from 100% recyclable chemically resistant PE
- Heavy-duty design with robust rubber wheels and angled lid for rain water run-off
- Ergonomic handle for ease of use
- Lid can be secured in the vertical position for convenient dispensing and loading of materials
- Easy to clean
- Containment capacity 75 litre
- Temperature range -35 to +50 degree C



LxWxHmm

Capacity Litres

Mobile Storage Cart

590 x 435 x 1070mm 75

### Wheelie Bins



### **APPLICATION**

Suitable for use in all industrial and domestic environments

### **FEATURES & BENEFITS**

- Manufactured from high density polyethylene
- Resistant to weather conditions and UV rays
- Fitted with sturdy rubber wheels
- Available in blue, grey, green, red and yellow

Code	Description	Weight kgs
WHEELIE	BINS	
FL-143-75	Wheelie Bin 75 Litre	6
FL-143-120	Wheelie Bin 120 Litre	10
FL-143-140	Wheelie Bin 140 Litre	13
FL-143-240	Wheelie Bin 240 Litre	14.2
FL-143-360	Wheelie Bin 360 Litre	16

Please specify colour when ordering



### Wheeled Bins **Bin Accessories**

### **APPLICATION**

Suitable for use in all warehouses, factories and construction sites

#### **FEATURES & BENEFITS**

- Manufactured from high density polyethylene
- Resistant to extreme temperatures and weather conditions
- Reinforced hinges and ergonomic side handles
- Compatible with standard lifting mechanisms
- 200mm rubber tyres on swivel castors for full mobility
- Two central wheel locks
- Optional accessories include fitted locks, paper slots and bottle bank lids
- Available in blue, grey, green, red and yellow

Code Description		Weight kgs		
WHEELED E	BINS			
FL-143-660	Wheeled Bin 660 Litre	38		
FL-143-770	Wheeled Bin 770 Litre	54		
FL-143-1100	Wheeled Bin 1100 Litre	83		
Please specify colour when ordering				

### **Drop Front Wheeled Bins**

### **APPLICATION**

Suitable for use in all warehouses, factories and construction sites

#### **FEATURES & BENEFITS**

- Allows for easy access and avoids unnecessary lifting by allowing waste to be disposed of and removed using the drop front feature
- Manufactured from high density polyethylene
- Resistant to extreme temperatures and weather conditions
- Reinforced hinges and ergonomic side handles
- Compatible with standard lifting mechanisms
- 200mm rubber tyres on swivel castors for full mobility
- Two central wheel locks
- Available in blue, grey, green, red and yellow



DROP FRONT WHEELED BINS					
FL-143-660-DFY	Wheeled Bin 660 Litre	44			
FL-143-770-DFY	Wheeled Bin 770 Litre	59			
FL-143-1100-DFY	Wheeled Bin 1100 Litre	88			
Please specify colo	Please specify colour when ordering				

### **Bin Accessories**



Rubber Baffle



Rottle Rank Lid with Brushes



Paper Slot

### **APPLICATION**

Code

 Suitable for use with all wheeled bins Description

BIN ACCESSORIES					
FL-143-101	Drop Front Kit				
FL-143-103	Paper Slot Lid				
FL-143-104	Bottle Bank Lid with Brushes				
FL-143-105	Bottle Bank Lid with Rubber Baffle				
FL-143-106A	Lid Lock				

### Clinical Waste Bins



### **APPLICATION**

 Suitable for safely collecting and disposing of medical waste and contaminated PPE in hospitals, doctors surgeries, veterinary and dental practices including all other emergency blue light services

- Manufactured from tough high density polyethylene resistant to all weather conditions, UV rays, acids and alkalis
- Close fitting lid with lock aids security and prevents any spillage and unpleasant odours from emanating reducing exposure and handling risk
- Fitted with sturdy rubber wheels that allow for maximum mobility even when fully loaded
- Supplied complete with lock, key and hazard label
- Compatible with most standard lifting mechanisms
- Available as a standard 2-wheeled wheelie bin, 4-wheeled and 4-wheeled drop front high volume bins
- Colour yellow

Code	Descriptions	Dimensions L x W x H mm		Weight kgs
2-WHEELED WH	EELIE BINS			
FL-143-120-CW	120L Clinical Waste Bin	475 x 558 x 962mm	70	10
FL-143-140-CW	140L Clinical Waste Bin	480 x 560 x 1022mm	75	13
FL-143-240-CW	240L Clinical Waste Bin	598 x 731 x 1083mm	100	14.2
FL-143-360-CW	360L Clinical Waste Bin	598 x 880 x 1083mm	160	16
4-WHEELED BIN				
FL-143-660-CW	660L Clinical Waste Bin	1373 x 780 x 1213mm	310	38
FL-143-770-CW	770L Clinical Waste Bin	1373 x 780 x 1350mm	360	54
FL-143-1100-CW	1100L Clinical Waste Bin	1373 x 1073 x 1354mm	510	83
4-WHEELED DRO	OP FRONT BINS			
FL-143-660-CWDF	660L Clinical Waste Bin	1373 x 780 x 1213mm	310	44
FL-143-770-CWDF	770L Clinical Waste Bin	1373 x 780 x 1350mm	360	59
FL-143-1100-CWDF	1100L Clinical Waste Bin	1373 x 1073 x 1354mm	510	88











## **Controlling A Spill**

### **Absorbents**

**BS 7959 British Standard specifies** a system of colour coding of sorbent materials which will assist users in identifying the correct materials for use with a wide range of liquids.



**Maintenance** - Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



**Oil & Fuel** - White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



**Chemical** - Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

HSE recommendation on chemical spills - Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents.


**Pads** - manufactured from polypropylene fibre in two brands, Spilkleen and Spilchoice, available in maintenance, oil and fuel and chemical and in light, medium and heavy weight options with varying levels of absorption to suit customers requirements.

### Spilkleen - simple and effective

Manufactured from a single layer meltblown which provides fast absorption but limited durability.

### Spilchoice - performance and endurance

**Single lamination** where a thin layer of 'no lint' spunbond material is sonically attached onto the top surface of the pad, this greatly reduces the linting, (fibres coming off easily) and improves the strength considerably.





### **Absorbent Powder**







### **DIRECTIONS FOR USE**

**Step 1** - Pour the spill powder around the outside of the spill and then begin to pour the powder towards the centre of the spill.



Step 2 - As the solution begins to solidify mix in the powder to absorb the spill. Depending on the surface, type of liquid and depth/volume of the spill that has occurred this can vary in time



Step 3 - With a hard surface the spill area can be cleaned up with a brush and dustpan. Contaminated waste must be disposed of in line with local authority guidelines

#### **APPLICATION**

 Absorbs the vast majority of liquids including oils, fuel, water, chemicals, acids (excluding Hydrochloric), paint, adhesives, food and dairy products, body and animal waste products

- Extremely fast acting emergency spill response powder suitable for both industrial and non industrial market sectors
- Leaves no residue on surfaces reducing the risk of slips or further cross contamination
- Suitable for use on wooden floors, concrete, tarmac, brickwork, ceramic tiles, metal, carpet, leather and upholstery
- Antibacterial, food safe as contains no chemicals
- Eliminates up to 80% of lingering odours
- Non combustible
- Absorbs up to 10 times its own volume for economical use
- Internal use only

Code Description		Absorbency capacity litres
SPILL KILI	L SUPER ABSORBENT POWDER	
SK-03-109	Shaker dispenser 500ml	5
SK-03-110	Grip seal bag 1 litre	10
SK-03-114	Plastic tub including scoop and mixer 5 litres	50
SK-03-115	Grip seal bag 25 litres	250

### **Absorbent Granules**

### spil kleen

**BATTEREEZY** 













### **CLAY GRANULES**

- Provide efficient clean-up of oil, fuel and water based liquids
- Remains granular even when saturated
- Non-flammable

### **PLUS**

- Suitable for internal use on oil, fuel and water based spills
- Manufactured from 100% recycled materials

### SAFE-SOAK

- Manufactured from 100% recycled materials
- Environmentally acceptable by-product which fulfils government guidelines on recycling
- Non-flammable

### **SPILL-AID**

- Suitable for absorbing liquid or semi-liquid spills of animal, mineral, chemical or vegetable based substances except hydrofluoric acid
- Lightweight, non-toxic, non-flammable and environmentally safe
- Reduces the cost of clean up, labour and materials

### **BATTEREEZY**

- Specifically for the neutralisation of sulphuric acid
- Once the reaction has completed the granules will adopt a darker colour
- Can be disposed of as general waste once the reaction has finished

Code	Description	Absorbency litres per bag	Volume Litres	Weight kgs	Pallet quantity
ABSORBEN'	T GRANULES				
SK-03-004	Clay Granules	20	20	14	70
SK-03-002	Plus	24	30	12	72
SK-03-003	Safe-Soak	27	30	12	70
SK-03-007	Spill-Aid	3.5	5	1	288
SK-03-006	Spill-Aid	30	30	4.5	70
FL-12-101	Battereezy	16	16	6	60

### **Pads**

### spil kleen









### MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals, Recommended for internal use.




#### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



#### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.













C D PERFORATED BOX

### **APPLICATION**

 Suitable for everyday maintenance, repair and general clean up operations

### **FEATURES & BENEFITS**

- Highly absorbent meltblown absorbent pads
- Bonded and dimpled for additional strength even when contaminated where indicated
- Perforated sheets minimise waste where indicated
- Absorbency rates to suit customers requirements
- Reliable performance
- Dispensing systems available

### **HSE RECOMMENDATION ON CHEMICAL SPILLS**

Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents. Please see pages 102 - 103.

Code	Description	lcon ref	Dimensions cm	Absorbency per pad litres	Quantity per pack	
SPILKLEEN	MAINTENANCE	PADS				
SK-05-110	Heavy Weight	A,D,E	38 x 50	1.2	100	
SK-05-101	Medium Weight	A,B,C,D,E	38 x 50	1	100	
SK-05-102	Medium Weight 25	A,B,C,D,E	38 x 50	1	25	
SK-05-107-B	Medium Weight	A,B,C,D,E	35 x 40	0.4	100	
SK-05-103	Lightweight	A,B,C,D,E	38 x 50	0.5	200	
SK-05-104	Lightweight 100	A,B,C,D,E	38 x 50	0.5	100	
SPILKLEEN	OIL & FUEL PAG	)S				
SK-05-214	Heavy Weight	A,D,E	38 x 50	1.2	100	
SK-05-216-B	Heavy Weight	A,B,C,E	38 x 50	1.2	100	
SK-05-201	Medium Weight	A,D,E	38 x 50	1	100	
SK-05-202	Medium Weight 25	A,D,E	38 x 50	1	25	
SK-05-206-B	Medium Weight	A,B,C,D,E	35 x 40	0.4	100	
SK-05-209-B	Medium Weight	A,B,C,E	80 x 97	2.4	50	
SK-05-203	Lightweight	A,D,E	38 x 50	0.5	200	
SK-05-204	Lightweight 100	A,D,E	38 x 50	0.5	100	
SPILKLEEN	SPILKLEEN CHEMICAL PADS					
SK-05-306	Heavy Weight	A,D,E	38 x 50	1.2	100	
SK-05-301	Medium Weight	A,B,C,D,E	38 x 50	1	100	
SK-05-303-B	Medium Weight	A,B,C,D,E	35 x 40	0.4	100	
SK-05-302	Lightweight	A,B,C,D,E	38 x 50	0.5	200	

### **Pads**

### spilchoice



















E BAG







SINGLE SIDED COVERSTOCK

### **APPLICATION**

■ Suitable for maintenance, repair and heavy duty clean up operations in the industrial working environment

- Includes all the features of the Spilkleen range of absorbent pads plus
- A layer of spunbond material is attached to the top surface of these pads which reduces linting and improves the overall strength
- Double lamination is where the pad has both top and bottom surfaces covered with a spunbond cover which results in a non linting pad

			cm	per pad litres	per pack
SPILCHOIC	CE MAINTENANCE PA	DS			
SC-05-107	Heavy Weight	A,B,C,D,E,F	38 x 50	1.2	100
SC-05-108-B	Heavy Weight	A,B,C,D,E,F	35 x 40	1	100
SC-05-101	Medium Weight	A,B,C,D,E,F	38 x 50	1	100
SC-05-102	Medium Weight 25	A,B,C,D,E,F	38 x 50	1	25
SC-05-109	Medium Weight	A,B,C,D,E,F	35 x 40	0.8	100
SC-05-105-B	Medium Weight Non Linting	A,B,C,E,G	35 x 40	0.5	100
SC-05-103	Lightweight	A,B,C,D,E,F	38 x 50	0.5	200
SC-05-104	Lightweight	A,B,C,D,E,F	38 x 50	0.5	100
SPILCHOI	CE OIL & FUEL PADS				
SC-05-201	Heavy Weight	A,B,C,D,E,F	38 x 50	1.2	100
SC-05-202	Medium Weight	A,B,C,D,E,F	38 x 50	1	100
SC-05-203	Medium Weight 25	A,B,C,D,E,F	38 x 50	1	25
SC-05-213-B	Medium Weight	A,B,C,D,E,F	35 x 40	0.5	100
SC-05-206	Medium Weight Non Linting	A, B, C, D, E, G	38 x 50	0.9	100
SC-05-204	Lightweight	A,B,C,D,E,F	38 x 50	0.6	200
SC-05-205	Lightweight	A,B,C,D,E,F	38 x 50	0.6	100
SPILCHOI	CE CHEMICAL PADS				
SC-05-301	Heavy Weight	A,B,C,D,E,F	38 x 50	1.2	100
SC-05-302	Medium Weight	A,B,C,D,E,F	38 x 50	1	100
SC-05-307-B	Medium Weight	A,B,C,D,E,F	35 x 40	0.6	100
SC-05-304	Medium Weight Non Linting	A,B,C,D,E,G	38 x 50	0.8	100
SC-05-305-B	Medium Weight Non Linting	A,B,C,D,E,G	35 x 40	0.8	100

### Rolls

### spil kleen









### MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals, Recommended for internal use.



#### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.













■ SK-08-103



■ SK-08-208-B





### **APPLICATION**

Designed to cover large areas, walk-ways and for the containment of larger spills

### **FEATURES & BENEFITS**

- Manufactured from a single layer of meltblown absorbent
- Bonded and dimpled for additional strength where indicated
- Perforated down their entire length and width to minimise waste where indicated
- Different absorbency rates to suit customers requirements
- Reliable performance

### **HSE RECOMMENDATION ON CHEMICAL SPILLS**

Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents. Please see pages 102 - 103.

Code	Description	Icon ref	Dimensions W x L	Absorbency per roll litres				
SPILKLEEN	SPILKLEEN MAINTENANCE ROLLS							
SK-08-113-B	Medium Weight Narrow Width	A, B, C, E	15cm x 43m	20				
SK-08-103	Medium Weight	A, B, C, D, E	30cm x 43m	41				
SK-08-104-B	Medium Weight	A, B, E	38cm x 46m	60				
SK-08-102	Medium Weight	A, B, C, D, E	50cm x 43m	74				
SK-08-110	Medium Weight	A, B, C, E	76cm x 46m	128				
SPILKLEEN	OIL & FUEL ROLLS							
SK-08-205	Medium Weight	A, B, C, E	30cm x 43m	50				
SK-08-209	Medium Weight	A, D, E	38cm x 46m	85				
SK-08-208-B	Medium Weight	A, E	76cm x 46m	150				
SPILKLEEN CHEMICAL ROLLS								
SK-08-301	Medium Weight	A, B, C, D, E	30cm x 43m	40				
SK-08-302-B	Medium Weight	A, B, C, E	50cm x 43m	70				

### Rolls

■ SC-08-208-B

### **spilchoice**









**MELTBLOWN** 

SPUNBOND



### **APPLICATION**

 Designed to cover large areas, workbenches, walkways and for the containment of large liquid spills

■ SC-08-107-B

### **FEATURES & BENEFITS**

- Includes all the features of the Spilkleen range of absorbent rolls plus
- A layer of spunbond material is attached to the top surface of these rolls which reduces linting and improves the overall strength
- Double lamination is where the rolls has both top and bottom surfaces covered with a spunbond cover which results in a non linting rolls
- Floor roll SC-08-107-B has a protective PVC backing layer to prevent product leaching
- Sticky backed floor rolls adhere to most surfaces and prevent unwanted movement that may result in a trip hazard. Tolerate both foot and forklift truck traffic. Cut to size and shape and easily peeled up when contaminated for quick replacement

	COVERSTOCK				
Code	Description	Icon ref	Dimensions W x L	Absorbency per roll litres	
SPILCHOICE	SPILCHOICE MAINTENANCE ROLLS				
SC-08-118-B	Medium Weight	A, B, C, E, F	30cm x 43m	43	
SC-08-106-B	Medium Weight	A,B,C,D,E,F	38cm x 46m	50	
SC-08-108-B	Medium Weight Non Linting	A, B, C, E, G	50cm x 43m	67	
SC-08-105-B	Medium Weight	A, B, C, E, F	76cm x 46m	120	
SPILCHOIC					
SC-08-107-B	Black PVC Backed Floor Roll	A, E	91cm x 30m	75	
SC-08-115-B	Grey Sticky Backed Floor Roll	A, E	86cm x 15m	40	
SC-08-114-B	Grey Sticky Backed Floor Roll	A, E	86cm x 30m	80	
SPILCHOICE OIL & FUEL ROLLS					
SC-08-211-B	Medium Weight	A, B, C, E, F	30cm x 43m	50	
SC-08-209-B	Medium Weight	A,B,C,D,E,F	38cm x 46m	54	
SC-08-208-B	Medium Weight	A, B, C, E, F	76cm x 46m	95	
SC-08-207-B	Medium Weight Non Linting	A, B, C, D, E, G	38cm x 46m	52	
SPILCHOIC	E CHEMICAL ROLLS				
SC-08-305-B	Medium Weight	A, B, C, E, F	30cm x 43m	46	
SC-08-302-B	Medium Weight Non Linting	A, B, C, D, E, G	38cm x 46m	50	

C E
PERFORATED BAG

G Non Linting



### **Cushions**











### MAINTENANCE

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



#### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.



### **APPLICATION**

Ideal for absorbing liquids in tight restricted spaces

### **FEATURES & BENEFITS**

- $\hfill \blacksquare$  Spunbond outer surface that is both fast wicking and tough
- The absorbent core is secured into the pillow shape at each end with a stitched seam
- Cushions are used to absorb leaks that may be too large for a pad
- Available in boxes or bags

### **HSE RECOMMENDATION ON CHEMICAL SPILLS**

■ Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents. Please see pages 102 - 103.

Code	Dimensions mm	Absorbency per cushion litres	Quantity per pack
SPILKLEE	N MAINTENAN	ICE CUSHION	S
SK-06-101	300 x 250	3	20
SPILKLEE	N OIL & FUEL	CUSHIONS	
SK-06-201	300 x 250	3.5	20
SPILKLEE			
SK-06-301	300 x 250	3	20

### Cushions













### **Fuel Tank Water Soakers**

■ The absorbent core is secured into the pillow shape at each

#### **APPLICATION**

end with a stitched seam

Available in boxes or bags

Ideal for use in commercial fuel tanks, domestic heating oil tanks and bulk diesel tanks to prevent corrosion

■ The large surface area reduces clean up times

#### **FEATURES & BENEFITS**

- Condensation causes water to collect in the bottom of fuel tanks which if not removed corrodes the inside of the tank
- Water soaker is lowered into the fuel tank and secured with the attached cord,

the nylon bladder absorbs any water in
the tank until fully expanded in the mesh
filter leaving the fuel oil, diesel or petrol
in the tank

SC-06-101

SC-06-201

SC-06-301

350 x 300

**SPILCHOICE OIL & FUEL CUSHIONS** 

350 x 300

SPILCHOICE CHEMICAL CUSHIONS

350 x 300

- Simply leave the soaker in the tank until the bladder is full of water, then remove and replace
- We recommend the water soaker is checked and replaced every 3 months

Code	Description	Dimensions Dia x L mm	Absorbency Capacity ml
SPILCHOI	CE WATER SOAKERS		
FL-01-213	Water Soaker Mini	44 x 150	135
FL-01-210	Water Soaker Small	44 x 300	269
FL-01-211	Water Soaker Medium	56 x 300	489
FL-01-212	Water Soaker Large	100 x 300	1590



20

20

20



### Socks

### spilchoice spilkleen









#### **MAINTENANCE**

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



#### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

#### **APPLICATION**

 Used as a barrier to encircle a spill or placed around the base of drums and machinery to absorb any nuisance leaks or drips

#### **FEATURES & BENEFITS**

- Spunbond polypropylene outer sleeve
- Absorbent core
- Stitched ends secure the core into the outer spun-bond sleeve
- Available in boxes or bags

### HSE RECOMMENDATION ON CHEMICAL SPILLS

■ Liquid spills involving hazardous materials should first be contained to prevent spread of the material to other areas. Once the hazardous material has been contained the material should be neutralised to render it safe. Acids and alkalis should be neutralised with appropriate neutralising agents.

Code	Dimensions mm	Absorbency litres per sock	Quantity per pack
SPILKLEEN	MAINTENA	NCE SOCKS	
SK-09-101-B	1000 x 75	3.75	50
SK-09-102	1200 x 75	4	20
SK-09-103	1200 x 75	4	8
SK-09-104	3000 x 75	11	8
SPILKLEEN OIL & FUEL SOCKS			
SK-09-201-B	1000 x 75	3.75	50
SK-09-202	1200 x 75	4	20
SK-09-203	3000 x 75	11	8
SPILKLEEN	CHEMICAL	SOCKS	
SK-09-301	1200 x 75	3.75	20
SK-09-302	3000 x 75	9	8
	127	/	1
1	51		-



### **APPLICATION**

 Ideal for demanding environments where fast recovery of liquid spills is essential

- Strong tubular knitted outer fabric sleeve allows for durability, expansion and improved speed of absorption
- Filled with a super absorbent polymer that will absorb many times its own weight in fluid
- Super absorbent core retains all the liquids absorbed
- Stitched ends secure the core into the knitted cylindrical sleeve
- Available in boxes or bags



### **Booms**













#### **MAINTENANCE**

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



#### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels. lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.



#### **CHEMICAL**

Yellow in colour, designed to absorb aggressive fluids including acids and alkalis. Recommended for internal use.

### Flood Water Absorbent Boom Boom

## Oil Absorbent





### **APPLICATION**

 Designed to protect properties from the threat of flood water

#### **FEATURES & BENEFITS**

- Strong tubular knitted outer fabric sleeve allows for durability. expansion and improved speed of absorption
- Filled with a super absorbent polymer that retains any liquids absorbed and keeps the boom in place and exposure to flood water increases stability
- The absorbent core is secured into the boom at each end with a stitched seam
- Allows flexibility to be positioned where required
- Can be overlapped for continual runs

### APPLICATION

Suitable for the recovery and containment of any lubricants and oil

### **FEATURES & BENEFITS**

- Comprising of an outer plastic netting that contains a spunbond inner sock
- Absorbent core is manufactured. from very fine meltblown fibres allowing more oil to penetrate deeper into the centre
- A tough nylon rope runs the entire length of the boom for additional strength
- Doubled stapled ends for increased strength

Rust proof metal rings and snap hooks enable booms to be joined together to form long runs

## **Absorbent Boom**



### **APPLICATION**

Specifically designed for the recovery of chemical spillages

- Excellent absorbency for a wide range of products including most acids, alkalis, oil and waterbased liquids
- Absorbent fill contained within a strong nylon outer netting with a continuous high tensile draw cord for added strength and handling
- Hooks and rings at each end allow coupling together to form longer runs if required
- Suitable for creating a barrier in the event of a spill to prevent the spill from spreading

Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Paci

SPILCHOIC	E FLOOD V	VATER BOOM	
SC-09-104	3000 x 120	5	1

Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Pack
SPILCHOI	CE OIL ABSO	RBENT BOOM	S
SC-01-002	3000 x 120	40	4
SC-01-004	1500 x 200	25	8
SC-01-003	3000 x 200	40	4
SC-01-005	5000 x 200	84	2

Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Pack
SPILCHOI	CE CHEMICA	L ABSORBENT	г воом
SC-01-301	3000 x 120	29.5	4



### **Super Absorbent Spill Strips**





# Recycled Maintenance and Oil & Fuel Pads









#### **MAINTENANCE**

Grey in colour, suitable for absorbing most types of industrial spills including both oil and water based liquids including solvents, coolants and mild chemicals. Recommended for internal use.



### OIL & FUEL

White or blue in colour, ideal for where the absorption of oil based liquids such as fuels, lubricants and other hydrocarbon based products is required and for the selective recovery of oil from water. Recommended for external use.

### **Maintenance Pads**

### **APPLICATION**

Suitable for absorbing most oil and water based liquid spills

### **FEATURES & BENEFITS**

- Grey in colour
- Manufactured from renewable and recycled material
- Remain extremely strong when saturated
- Internal use only

Oil	2	Fue	Pa	ds
VIL	U.	I UC	L I G	u-

#### **APPLICATION**

 Suitable for absorbing petroleum based liquid and for the selective recovery of oil from water

#### **FEATURES & BENEFITS**

- White in colour
- Manufactured from renewable and recycled material
- Remain extremely strong when saturated
- Suitable for internal and external use

Code	Description	Dimensions cm	Absorbency per pad litres	Quantity per pack
SPILKLEEN	MAINTENANCE PADS	i		
SK-05-105-B	Recycled Heavy Duty Pad	40 x 50	0.8	100
SK-05-108	Recycled Coldform Pad	40 x 46	0.57	100

Code	Description	Dimensions cm	Absorbency per pad litres	Quantity per pack	
SPILKLEEN OIL & FUEL PADS					
SK-05-207	Recycled Coldform Pad	40 x 46	0.9	100	

### Oil Only Drum Toppers

### **APPLICATION**

 Drum pad toppers keep drums, and barrels clean and protect the surrounding workplace

- Specifically designed for absorbing drips from leaking pumps before they puddle up and run over
- Will only absorb oil or hydrocarbon based liquids and oils
- Water repellent properties mean these can be used outdoors without becoming saturated in wet weather
- Manufactured with pre-cut holes to fit 56cm dia/205 litre drums



Code	Dimensions Dia mm	Absorbency litres per unit	Quantity per pack	
SPILKLEEN DRUM TOPPER				
SK-02-201	560	3	25	
SK-02-202	560	3	10	

# Spill Mate Absorbent Stations



### **APPLICATION**

 Specifically for production and maintenance areas that require immediate accessibility to absorbents

#### **FEATURES & BENEFITS**

- Constructed from mild steel
- High quality powder coating prevents rusting
- Steel locking castors on mobile options
- Glove/accessory cradle fitted to both sides
- Allows absorbent products to be dispensed easily and quickly
- Visibility of stock levels for re-stocking purposes
- Contents shown are not included





Code	Description	Contents Storage	Dimensions H x W x D mm	Weigh kgs
SPILLMATE	S			
FL-41-106	Wall/Bench Mounted Dispenser	Pads 35 x 40cm, Rolls 380mm wide	700 x 605 x 355	9
FL-41-105	Mobile 3-Section Dispensing System	Pads 35 x 40cm, Rolls 380mm wide, all socks	1500 x 460 x 680	35
FL-41-108	Mobile 3-Section Dispensing System	Pads 38 x 50cm, Rolls 500mm wide, all socks	1500 x 550 x 700	42

### **Absorbent Station**

### **APPLICATION**

 Specifically developed for production and maintenance departments that require immediate access to absorbent materials

### **FEATURES & BENEFITS**

- Manufactured in mild steel, powder coated yellow paint finish to prevent rusting
- Facilitates the storage and dispensing of asorbent pads,
   2 x 500mm wide absorbent rolls and all absorbent socks
- Dimensions height x width x depth 1820 x 550 x 550mm
- Weight 52kgs
- Contents shown are not included

Code Description

### **SPILLMATE ABSORBENT STATION**

FL-41-303 Absorbent Station





## **Absorbent Roll Dispensing Stations**

Absorbent rolls shown are not included







**ROLL DISPENSERS** 

A-Frame Mobile

A-Frame Static

Wall Mounted

Vertical Mobile

30 to 50cm wide

30 to 50cm wide

30 to 50cm wide

76 to 100cm wide

FL-41-401

FL-41-402

FL-41-403

FL-41-404

5

4

3

7

# **Chemical Spill Response**

### **HSE** recommendation on chemical spills

- Liquid spills involving hazardous materials should first be contained to prevent the spread of the material to other areas.
- Once the hazardous material has been contained the material should be neutralised to render it safe.
- Acids and alkalis should be treated with appropriate neutralising agents. Due to the differing properties of the various groups of chemical, an appropriate treatment strategy with suitable chemicals should be established in each case.
- Treated material should be absorbed onto inert carrier material to allow the material to be cleared up and removed to a safe place for disposal or further treatment as appropriate.
- Once the material has been treated the cleared up area should be washed with large volumes of water
- Vytac neutralisation products are recognised as an important element of spill response safety.
- Vytac's unique colour indicator systems allow for safe, easily visualised neutralisation
- Disposal costs can be reduced by converting hazardous waste into general waste



### CHEMICAL NEUTRALISATION PROCEDURES

### FOR SMALL CHEMICAL SPILLS

- 1. Identify appropriate neutralisation
- 2. The application should commence from the outside of the spill, working inwards as this reduces the risk of the responder contacting untreated material
- 3. Sprinkle neutraliser on chemical until desired colour change indicates complete neutralisation
- 4. The non hazardous compound can now be swept up and disposed of through the general waste system









Alkali - Vytac CS

### **FOR CHEMICAL SPILLS UP TO 20 LITRES**

- 1. Vacuum the spilled chemicals using a chemical wet vacuum
- 2. Dispense the aggressive chemical into a container for treatment
- 3. Dilute the chemical to the required dilution to prevent heat build up
- Add the appropriate Vytac neutraliser until the colour change indicator shows neutralisation is complete
- 5. Dispose of the neutralised non hazardous chemical through general waste system.

#### ACID NEUTRALISATION









On adding Vytac ACX to an acid, the pale pink/orange colour will gradually change. Continue to add and mix Vytac ACX until the colour is permanently red indicating a neutral solution.

### SODIUM HYDROXIDE NEUTRALISATION









On adding Vytac CS to an alkali, the purple colour will gradually change. Continue to add and mix Vytac CS until the colour is permanently dark yellow.

### FOR CHEMICAL SPILLS GREATER THAN 20 LITRES

- Call Spill Response Team
- Spill Training for chemical spills accredited by British Safety Industry Federation is available for operatives handling chemicals.

# **Chemical Spill Neutralisation Products**

### **APPLICATION**

### **VYTAC**

- Vytac ACX Acid Neutraliser quickly and effectively neutralises acid spills.
- Vytac CS Alkali Neutraliser neutralises liquid caustic spills.
- Vytac JCN Bleach Neutraliser is a neutraliser for sodium hypochlorite.
- Vytac FAS and FNC2 Formaldehyde Neutralisers quickly and efficiently absorb the vapours and immobilise formaldehyde spills.
- Vytac MVS and MIS Mercury Neutralisers quickly and efficiently absorb the vapours and immobilise mercury spills.

Code	Туре	Pack Size	
VYTAC CH	VYTAC CHEMICAL SPILL NEUTRALISATION		
FL-12-201	Acid	1 x 1 kg	
FL-12-202	Acid	4 x 4 kg	
FL-12-203	Acid	22.7 kg pail	
FL-12-204	Alkali	1 x 0.9 kg	
FL-12-205	Alkali	4 x 3.7 kg	
FL-12-206	Alkali	22.7 kg pail	
FL-12-207	Bleach	1 x 0.58 kg	
FL-12-208	Mercury	14 kg	
FL-12-209	Formaldehyde	1 x 0.2 kg	
FL-12-210	Formaldehyde	1 x 1 litre	



### **Chemical Spill Kits**

### Multi-purpose acid, caustic and solvent spill kit

Contents include 2 x 1kg acid neutraliser, 2 x 0.9kg alkali neutraliser, 3 x absorbent pads, 1 x dustpan and brush, 6 x disposal bags c/w ties, 1 x chemical gloves, 1 x safety goggles. Supplied in a PVC yellow carry case

### Multi-purpose alkali, and acid spill kit

Contents include 1 x 1kg acid neutraliser, 2 x 0.9kg alkali neutraliser, 10 x absorbent pads, 1 x dustpan and brush, 1 x disposal bags c/w ties, 1 x chemical gloves, 1 x safety goggles. Absorbency capacity 10 litres. Supplied in a plastic carry case.



### Code Application

### LABORATORY EMERGENCY SPILL KITS

SC-100-312 Multi-Purpose Acid, Caustic & Solvents
SC-100-310 Multi-Purpose Alkali & Acid

## Wet & Dry Chemical Vacuum Cleaner

#### **APPLICATION**

Designed to address the needs of specialist operations requiring a continuous collection and discharge of bulk liquid such as salvage work, liquids spills and flood damage

### **FEATURES & BENEFITS**

- Structofoam construction
   Single Twinflo power
   head float valve and trash
   basket inlet filter system
- Fully automatic submersible pump unit with its own Hi/Lo level float control allows continuous suction and discharge operation
- 10m discharge hose to assist with the water disposal
- Capacity wet 32 litres
- Cleaning range 26.8 metres
- Weight 25kgs
- Complete with accessory kit
- Aggressive chemicals must be neutralised first before attempting to vacuum

 Code
 Description

 CHEMICAL VACUUM CLEANER

 FL-204-024
 Vacuum Cleaner 110V

 FL-204-026
 Vacuum Cleaner 240V



### Oil Absorbent Booms



### Oil Absorbent Booms

#### APPLICATION

### **spilchoice**

 Designed for the containment and recovery of oil in both fresh and sea water

### **FEATURES & BENEFITS**

- Comprising an outer plastic netting that contains a spunbond inner sock
- Absorbent core is manufactured from very fine meltblown fibres allowing more oil to penetrate deeper into the centre
- A tough nylon rope runs the entire length of the boom for additional strength
- Doubled stapled ends for increased strength
- Rust proof metal rings and snap hooks enable booms to be joined together to form long runs



0000	Length x Dia mm	Capacity Litres Per Boom	Per Pack
SPILCHOIC	E OIL ABSORBENT	BOOMS	
SC-01-002	3000 x 120	40	4
SC-01-004	1500 x 200	25	8
SC-01-003	3000 x 200	50	4
SC-01-005	5000 x 200	84	2

Containment

Dimensions

### Spaghetti Fill Heavy Duty Marine Booms

### **APPLICATION**

Ideal for absorbing heavy and more viscose oils which may be found in fast flowing rivers, harbours and open sea

### **FEATURES & BENEFITS**

- Filled with long strips of flaked absorbent material for fast absorption and high retention of any absorbed liquids
- Hydrophobic fill will not absorb water
- Absorbent fill contained within a strong nylon outer netting with a continuous high tensile draw cord for added strength and handling
- Hooks and rings at each end allow coupling together to form long runs if required

### **spilchoice**

Code



Ouantity

Code	Dimensions Length x Dia mm	Containment Capacity Litres Per Boom	Quantity Per Pack	
SPILCHOIC	E MARINE SPAGHI	ЕТТІ ВООМ		
SC-01-010	3000 x 120	42.5	4	
SC-01-001	3000 x 200	70	4	

### Oil Absorbent Boom



### **APPLICATION**

 Designed to capture floating oil at sea, in harbours, lakes and canals and prevent it contaminating the surrounding shoreline

- Constructed from Ultra-X-Tex fabric
- Allows water to pass through freely while filtering any oil present on the waters surface
- Booms can be connected with 300mm overlap to ensure maximum containment and coverage
- Float on the surface of the water via an internal closed cell foam float
- Boom is contained in a chemical resistant mesh netting
- Ultra Microbes can be added to provide a bio-remediation element if required



Code	Dimensions Length x Dia mm	Containment Capacity Litres	Weight kgs		
ULTRATECH	ULTRATECH OIL FILTER BOOM				
UL-42-354	1800 x 125	19	2.6		

# Oil Absorbent Skirted Boom





### Oil Absorbent Skirted Boom

### **APPLICATION**

 Designed to capture floating and submerged oil at sea, in harbours, lakes and canals and prevent contamination of the surrounding shoreline

### **FEATURES & BENEFITS**

- Constructed from Ultra-X-Tex fabric
- Allows water to pass through freely while filtering any oil present
- 850mm deep weighted skirt hangs below the boom capturing any oil that is under the water but close to the surface
- Additional 1524mm skirt can be quickly added for deeper water protection
- Multiple booms can be connected for long, continuous runs and easy deployment and retrieval
- Floats on the surface of the water with a 150mm dia closed cell foam float
- Ultra Microbes can be added to provide a bio-remediation element if required





Code	Description	Dimensions Length x Depth mm	Containment Capacity Litres	Weight kgs
ULTRATECH	OIL FILTER SK	IRTED BOOM		
UL-42-356	Boom	4000 x 850	41.5	9
UL-42-357	Extension Skirt	4000 x 1524	41.5	5.5

## Oil Absorbent Spill Fence

### **APPLICATION**

 Designed to protect shorelines, riverbeds and environmentally sensitive areas from oil spills

- Manufactured from Ultra-X-Tex material to allow tidal water to flow through the fabric while absorbing any oil
- Wire backing provides additional support and strength to the tidal push back and forth
- Captures oil on the surface of the water and in addition sub-surface oil





### **Flood Water Protection**

### Flood Water Barriers

#### **APPLICATION**

 Provides temporary or long term protection to commercial and domestic property from invasive flood water

### **FEATURES & BENEFITS**

- Once inflated, forms a resilient, leak-proof, water tight barrier against most surfaces
- Manufactured from 50% reclaimed materials
- Non toxic and non hazardous
- Allows great flexibility as can be positioned where required very quickly
- Easy to store and roll out in an emergency
- Ideal for use across doorways, gates to property or to divert flood water away from property
- Available in a display box and poly wrap versions





Code	Description	Dimensions L x W mm	Absorbency capacity litres
OSMO FLOO	D WATER BARRIERS		
FL-151-150	Flood Water Barrier Boxed	1500 x 210	15
FL-151-150UB	Flood Water Barrier Poly Wrap	1500 x 210	15
FL-151-152	Flood Water Barrier Boxed	3000 x 210	30
FL-151-152UB	Flood Water Barrier Poly Wrap	3000 x 210	30

### FloodSax



### Flood Water Barrier

### **APPLICATION**

Creates a barrier to the threat of flood water entering properties, ideal for commercial and domestic properties

### **FEATURES & BENEFITS**

- Fully activated in under 3 minutes to form a defence barrier
- Can be activated using a bath, sink, bucket, hosepipe or even using the floodwater itself
- A semi-porous inner liner within the FloodSax contains a special gelling polymer which absorbs up to 20kgs of water
- They are designed to mould into doorways and form a defensive wall to keep floodwater out





FLOODSAX	
FL-151-140	FloodSax Pack of 5
FI -151-141	FloodSax Box of 20

### **APPLICATION**

Designed to protect both domestic and commercial properties from the threat of flood water

- Strong tubular knitted outer fabric sleeve allows for durability, expansion and improved speed of absorption
- Filled with a super absorbent polymer that retains any liquids absorbed and keeps the boom in place and exposure to flood water increases stability
- Allows flexibility to be positioned where required
- Can be overlapped for continual runs
- Dimensions 3000 x 120mm
- Absorbency capacity per boom 5 litres





# Roof Drip Diverters Pipe Drip Diverters









■ UL-34-126

■ UL-34-125





### **APPLICATION**

 Collects water from leaks in roofs and diverts it away to a drainage point avoiding damage to equipment and property

#### **FEATURES & BENEFITS**

- Manufactured from lightweight vinyl coated fabric
- Heavy-duty grommets in each corner
- Simple and quick installation, ideal for use in an emergency
- Avoids fluid on the floor and eliminates possible slip hazards
- Kit includes drip diverter, drainage hose and rubber strap kit. Supplied in a clip handle heavy duty PVC carry bag

Code	Description	Dimensions L x W mm	Weight kgs
ULTRATECH	ROOF DRIP DIVERTE	RS	
UL-34-117	Roof Drip Diverter	1524 x 1524	1
UL-34-118	Roof Drip Diverter	2134 x 2134	2
UL-34-121	Roof Drip Diverter	3048 x 3048	3.5
UL-34-119	Roof Drip Diverter	3658 x 3658	7
UL-34-120	Roof Drip Diverter	4572 x 4572	10
UL-34-122	Roof Drip Diverter	6096 x 6096	16
UL-34-126	Drainage Hose Clear 7.6m		
UL-34-125	Adj Bungee Cord Pack of 4		
UL-34-124	Rubber Strap Kit Pack of 4		
ULTRATECH	ROOF DRIP DIVERTE	R KITS	
UL-100-003	Roof Drip Diverter Kit	1524 x 1524	
UL-100-004	Roof Drip Diverter Kit	3048 x 3048	
UL-100-005	Roof Drip Diverter Kit	4572 x 4572	

### **Pipe Drip Diverter**

#### **APPLICATION**

 Channels water from damaged pipework away from personnel and machinery reducing the risk of potential slip hazards

- Large 457mm diameter opening captures any overhead water leaks
- Rugged, coated vinyl fabric construction
- Bottom fitting connects to a drainage hose product code UL-34-126 (not supplied) and allows the water to be collected in a drum or tank
- Supplied complete with bungee cord straps and hooks for quick installation
- Weight 1kg





Code	Description	Dimensions L x W mm	Weight kgs
ULTRATEC	H PIPE DRIP DIVERT	TER	
UL-34-128	Pipe Drip Diverter	457	1



# Spill Care Commercial & Domestic



### **Thirsty Sock**

#### **APPLICATION**

 Designed to capture water based liquid spills only from leaking pipework, radiators, washing machines, toilets, vending machines, fridges and freezers and general liquid spills

### **FEATURES & BENEFITS**

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 1000 x 120mm
- Absorbency capacity per sock 3 litres
- Pack of 3 pads

■ Available in a display box

Code Description

OSMO THIRSTY SOCK

FL-151-151 Thirsty Sock Boxed



### Thirsty Pad

#### **APPLICATION**

 Designed to capture water based liquid spills only from leaking pipework, radiators, washing machines, toilets and general liquid spills

### **FEATURES & BENEFITS**

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 200 x 200mm
- Absorbency capacity per pad 1 litre
- Pack of 20 pads
- Available in a display box and poly wrap versions







Code Description

### **OSMO THIRSTY PAD**

FL-151-153 Thirsty Pad Boxed
FL-151-153UB Thirsty Pad Poly Wrap

# Spill Care Commercial osmo & Domestic / Plumbing Protection



### Mega Thirsty Pad

#### **APPLICATION**

 Designed to capture large water based liquid spills only from leaking pipework, radiators, washing machines, toilets and ceilings in public places

#### **FEATURES & BENEFITS**

- Quick and easy to deploy, ideal for use in tight spaces where it may not be possible to fit a bucket or container to contain the spill
- Any liquid spill collected is turned to gel avoiding drips or cross contamination
- Surfaces are left clean and dry preventing further damage and preventing a slip hazard
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 370 x 365mm
- Absorbency capacity per pad 4 litres
- Pack of 5 pads
- Available in a display box and poly wrap versions



Code Description

#### OSMO MEGA THIRSTY PAD

FL-151-155 Mega Thirsty Pad Boxed
FL-151-155UB Mega Thirsty Pad Poly Wrap

#### **Plumbers Pads**

#### **APPLICATION**

 Designed to protect carpets and flooring from overhead water based leaks and minor plumbing issues

#### **FEATURES & BENEFITS**

- Can be left in location to absorb leaks, no need for repeated mopping
- Easy to position
- Surfaces are quickly made safe from slip hazards
- Avoids lasting damage to flooring
- Manufactured from a minimum of 50% reclaimed materials
- Non toxic and non hazardous
- Dimensions length x width 270 x 370mm
- Absorbency capacity per pad 2 litre
- Pack of 5 pads
- Available in a display box and poly wrap versions







Code Description

#### **OSMO PLUMBERS PAD**

FL-151-154 Plumbers Pad Boxed
FL-151-154UB Plumbers Pad Poly Wrap





# Training Education & Legislation

The Spill Training Academy provide BSIF and UK Spill accredited courses presented by skilled, professional trainers with current, close experience in spill control with the object of enhancing the awareness and skills of operatives.

Courses provide an awareness of the risks and threats and how to deal with any emergencies.

Courses can be held at the clients location or at our dedicated training facility in Leicestershire.

## Online 1st Responder and Spill Awareness Course

The Spill Training Academy is able to provide an online version of the BSIF and UK Spill accredited 1st Responder and Spill Awareness Course. This is conducted over 4 x 45 minute sessions and covers the complete curriculum. On completion of a final test the delegate is awarded full accreditation. All learning materials are delivered direct

to the delegate prior to the course commencing.

Please contact us for further details at www.thespilltrainingacademy.com



# Legislation

#### Protecting the environment and our planet -

Governments introduce legislation to protect the environment from pollution and to safeguard our health. All companies are responsible for ensuring that oil storage facilities and liquid controls comply with these regulations. There are strict penalties for non-compliance.

#### The Control of Pollution Oil Storage Regulations

Pollution of a watercourse, groundwater or the sea (controlled waters) by oil is a common type of water pollution incident dealt with by the environment agencies. Many such incidents are caused by leaks and spills from storage facilities, small containers, drums, IBCs or storage tanks.

Each country within the UK has its own legislation governing oil storage, as follows:

- The Control of Pollution (Oil Storage) England Regulations 2001.
- The Water Resources (Control of Pollution) (Oil Storage) Wales Regulations 2016.
- The Control of Pollution (Oil Storage) Northern Ireland Regulations 2010.
- Water Environment (Controlled Activities) Scotland Regulations 2011 (as amended).

Collectively these regulations are known as the Oil Storage Regulations or OSR (detailed information can be found on our web site www.fosseliquitrol.com)

In brief these regulations ensure that all employers must:

- Ensure that oil stored on their premises does not pollute the water environment including groundwater
- Ensure that oil storage facilities comply with the standards of the oil storage regulations.
- Any discharges to surface or ground water must comply with the requirements of the environmental permitting regime in England and Wales, or Controlled Activities Regulations (CAR) in Scotland. In N. Ireland, the discharge of any waste to surface or ground water is controlled through consents.

Pollution of any inland surface water and ground waters by oil is an offence

The OSRs for England, Wales and Scotland (above) apply to anyone storing oil in containers of

 more than 200 litres, above ground at an industrial, commercial or institutional site, or

- more than 3500 litres at a domestic site (2500 litres in Scotland).
- For England this covers new oil stored outside but not waste oil, for Scotland, Wales and N Ireland new and waste oil is covered, stored both inside and outside.

In Wales, any person (including domestic) storing more than 200 litres is included under the regulations. In the case of domestic properties, oil containers installed before 15 March 2016 are exempt. Farms which store oil in Wales are also now covered by the OSR. In Scotland, farms are also covered by the regulations. In England and Northern Ireland, there are separate requirements for storing agricultural fuel oil.

- Storage includes drums and mobile bowsers.
- The regulations cover businesses and public sector buildings in the United Kingdom. The regulations for Scotland and Northern Ireland differ slightly from those in England and Wales.

#### **Requirements of the Regulations**

Companies should ensure that their oil storage facilities meet the following requirements:

- Tanks, drums or other containers must be strong enough to hold the oil without leaking or bursting.
- If possible, the oil container and associated pipe work must be positioned away from any vehicle traffic to avoid damage from collision.
- Valves and taps should be lockable and locked when not in use.
- A bund (secondary containment) must be provided to catch any oil leaking from the container or its ancillary pipe work and equipment.
- The bund must be sufficient to contain 110% of the maximum contents of the oil container.
- A drip tray must be able to hold one quarter of the total capacity of the drums it can hold.
- Where more than one container is stored, the bund should be capable of storing 110% of the largest tank or 25% of the total storage capacity, whichever is the greater. Bowsers that are not bunded will need to be kept in a bunded area of 110% capacity when in use.
- The bund base and walls must be impermeable to water and oil, and checked regularly for leaks.
- Valves, filters, sight gauges, vent pipes or other ancillary equipment must be kept within the bund when not in use.



- Drainage valves must not be fitted to the base or side of the bund for the purpose of draining out rainwater.
- Fixed tanks must be fitted with an automatic overfill prevention device if the filling operation is controlled from a place where the tank or vent cannot be seen.
- Where oil from the tank is delivered through a flexible pipe that is permanently attached to the container, the pipe must be fitted with a tap or valve at the delivery end which closes automatically when not in use.
- If a pump is used it must be fitted with a non-return valve in its feed line and positioned so as to minimise any risk of damage by impact and protected from unauthorised use.
- If a permanent vent pipe, tap or valve through which oil can be discharged from the tank to the open is fitted, it must be situated within the secondary containment system and arranged so as to discharge the oil vertically downwards and be contained within the system.

## **Enforcement of the Oil Storage Regulations**

The Environment Agency is responsible for enforcing the regulations throughout England. In Scotland, Wales, and Northern Ireland, enforcement is by the respective environmental agencies: Scottish Environment Protection Agency (SEPA), Natural Resources Wales, and the N. Ireland Environment Agency respectively.

#### **Acts of Legalisation**

Water Resources Act 1991 - The main Water Pollution offence is Section 85 of the WRA. Basic outline Introduced the concept of "The Polluter Pays Principle" – In short, whoever owns the liquid is responsible for what happens to it. This is a strict liability offence; intention or negligence by the defendant is not required for the offence to be committed

Water Industries Act 1991- It is an offence under this act to pollute or potentially pollute any water in any waterworks which is likely to be used for human consumption.

**Protection of Groundwater Regulations 1998** - these add to the consent regulations introduced in 1991 and provide a consolidated system of environmental permitting and the latest versions are the Environmental Permitting (England and Wales) Regulations 2010 and

associated amendments, which introduced a single 'environmental permitting' system in England and Wales.

#### The Waste (England & Wales) Regulations 2011

- this act exists to ensure responsibility is taken by the producers of waste for managing their waste and avoiding harm to human health or environment.

The act aims to reduce or eradicate harmful acts of waste crime such as fly tipping. It covers disposal of material such as used sorbents, and the paper trail that shows waste has been disposed of legally.

**Dangerous Substances and Explosive Atmospheres Regulations 2002** - is the UKs implementation of the European Union-wide ATEX Directive. The intention of the Regulation is to reduce the risk of serious injury resulting from a "dangerous substance" igniting and potentially exploding by use of non-compliant electrics.

The Control of Major Accident Hazards (COMAH)
Regulations 2015 - major industrial accidents involving dangerous substances pose a significant threat to humans and the environment, such accidents can give rise to serious injury to people or serious damage to the environment, both on and off the site of the accident.

The purpose of the Regulations is to lay down rules for the prevention of major accidents involving dangerous substances, and to seek to limit as far as possible the consequence of such accidents.

Pollution Prevention Guidelines - these documents: PPG2 Above Ground Storage Tanks; PPG21 Pollution Incident Response Planning; PPG22 Dealing with Spills; PPG 26 Storage & Handling Of Drums & IBCs were produced and supported by the Environment Agency. They provided authoritative guidance on best practise application of pollution prevention to specific applications and industries. They were withdrawn by the EA in 2015 due to lack of funding, with nothing suggested to replace them.

The British Safety Industry Federation (BSIF) are currently revising these documents and they will be published as the Environmental Safeguarding Advice (ESA's).

If you have concerns that your existing facilities or operating procedures are inadequate, please contact your local distributor to arrange a meeting with one of our experienced spill control specialists.



# BSIF Accredited 1st Responder Spill Awareness and Response Course

#### Online 1st Responder and Spill Awareness Course

The Spill Training Academy is able to provide an online version of the BSIF and UK Spill accredited 1st Responder and Spill Awareness Course. This is conducted over 4 x 45 minute sessions and covers the complete curriculum. On completion of a final test the delegate is awarded full accreditation. All learning materials are delivered direct to the delegate prior to the course commencing.

Please contact us for further details at www.thespilltrainingacademy.com

#### **Features**

- Develop an awareness of the risks and threats associated with liquid spills
- Understanding of the safe and effective use of spill control resources
- Simulated emergency spill situation
- Containment techniques and evaluation of best practice

#### **Benefits**

- Improvement in operative training and spill awareness
- Reducing environmental incidents on site
- Compliance with environmental legislation
- Delegates gain BSIF accreditation in spill control and awareness

#### **Course Content**

A Spill Awareness video presentation to introduce the subject, covering relevant environmental issues with spills, reasons for spill control, legislation, procedures and emergency response action plans.

Coverage of the products available for storage, handling and dispensing of liquids as well as sorbent products for containing and dealing with spills and personal safety issues.

Detailed discussion of the principles of Best Practice with liquid storage, drain protection, legislation covering storage and handling of liquids including the penalties associated with breaches.

Demonstration of relevant products including sorbents to British Standards, emergency spill kits and ready use dispensing stations.

Simulated Spill exercise conducted in a suitable outside location

Final Test covering all aspects raised in the course

Summary and Final Discussion

Duration:	Half Day
Location:	At client's location of choice or the Spill Training Academy, Leicestershire
Group Size:	Max 12
Validity:	3 Years





# Train The Trainer Spill Awareness and Response Course

#### **Features**

- As the BSIF Accredited 1st Responder Course
- Enables the Trainer to train their team members in the basics of spill awareness and response, based on the BSIF Accredited 1st Responder Course.
- Gives experienced managers and supervisors the fundamental tools to train their staff in oil and chemical spill awareness, prevention and response
- Post qualification support available through website and telephone hotline.

#### **Benefits**

- As the BSIF Accredited 1st Responder Course
- An effective method of training operators in companies with large staff numbers, high staff turnover and seasonal agency workers
- Cost efficient
- Course delegates gain BSIF Accreditation in spill control, awareness and response

#### **Course Content**

As the BSIF Accredited 1st Responder Course

The Principles of Training and delivering a Training Event

Detailed Review of all aspects of the BSIF Course

Explanation of the Course notes, presentation materials and equipment packs

Communication exercises – to emphasise the importance of clear and concise communication

Examine why operatives / staff need training in spill awareness and response

Role play – delegates will be encouraged and guided to talk about the different aspects of the 1st Responder Course

Test Presentation – each delegate will be guided to give their own presentation on the subject Final Summary

#### Training Material

- Spill Training video presentation
- Course Manual and Information Pack for the trainer and any subsequent trainees
- Table Top Sorbent Demonstration Kit
- Sorbent Presentation samples
- One Complete Outdoor Simulated Spill Kit
- Post Course Technical Helpline

Duration:	One Day
Location:	At client's location of choice or the Spill Training Academy, Leicestershire
Group Size:	Min 6 - Max 12
Validity:	3 Years



## Marine Oil Spill Response Training Courses

OPRC, the International Convention on Oil Pollution Preparedness, Response and Cooperation, 1990, required the development of a comprehensive training programme in the field of oil pollution preparedness and response. In this regard training courses were developed by the International Maritime Organisation (IMO) and, in the UK, accredited by the Nautical Institute on behalf of the Maritime and Coastguard Agency. Courses are all delivered by Gorton Consultancy Ltd who are our contract providers and hold the Nautical Institute's Accreditation.

#### Oil Spill Response Course IMO Level 0

#### **Target Group**

 This course is intended to provide a general introduction and awareness to all those involved in marine, port and offshore operations that may lead to a release of pollutants.

#### **Objectives**

 This course provides a general introduction and awareness to oil spills in the marine and shoreline environment. It addresses the preparedness and response options available to an oil pollution incident in the context of the current best practices and thinking in the response to an oil spill.

#### **Course Content**

- Introduction to oil spills
- Fate and behaviour of oil in the marine and shoreline environment
- Impact of oil spills
- The work of IMO
- International land national legislation
- Oil spill response preparedness
- Understanding and assessing risk

Duration:	т рау
Location:	At client's location of choice or the Spill Training Academy, Leicestershire
Group Size:	Max 12
Validity:	3 Years

#### **Pre-course requirement**

This course assumes that the participants have no experience in oil spill response or oil spill response preparedness but need an awareness of these subjects.



# THE SPILL TRAINING ACADEMY

# IMO Oil Spill Response Train The Trainer Course

#### Oil Spill Response Course IMO Level 1

#### **Target Group**

 Designed for all personnel who may be called upon to act as an oil spill first responder and to participate in an oil spill response clean up.

#### **Objectives**

 Delegates will gain an understanding of the weathering process of oil in the marine environment, be able to implement an efficient shoreline clean-up utilising different response techniques, selecting appropriate equipment and managing spill response teams on-site

#### **Course Content**

- Site and Risk Assessments
- Health and Safety aspects
- Selecting and implementing clean-up strategies
- Environmental issue in spill response
- Waste disposal
- Managing spill response teams
- Record keeping
- Practical exercises and demonstrations
- Theoretical exercises

Duration:	4 Days
Location:	At client's location of choice or the Spill Training Academy, Leicestershire
Group Size:	Max 12
Validity:	3 Years

#### **Pre-course requirement**

It would be an advantage for delegates to have some knowledge or prior study of oil spill response issues and techniques





# Oil Spill Response Course IMO Level 2 & 3

#### Oil Spill Response Course IMO Level 2

#### **Target Group**

 Designed for all managers/supervisors who will lead or supervise oil spill response teams and those with support responsibilities within an incident command or emergency team.

#### **Objectives**

 Delegates will gain an understanding of the safe and efficient response to oil spills, be able to undertake initial assessments of spill risk, initiate a suitable response, identify priorities for protection, chose the correct response options, identify the limitations of response options and equipment and understand the needs of the media.

#### **Course Content**

- Causes and fate of oil spills
- Environmental issues
- Contingency planning and Health and Safety aspects
- Oil Spill management and response

- Use of detergents
- Containment recovery and protection
- Shoreline clean-up
- Waste handling and disposal
- Terminating response
- Post response operations
- Media handling
- Practical exercises and demonstrations
- Theoretical exercises

#### **Duration: 4 Days**

Location: At client's location of choice or the Spill Training Academy, Leicestershire

Group Size: Max 12

Validity: 3 Years

Pre-course requirement: Whilst not compulsory, participants are encouraged to take the IMO Level 1 course before attending.

#### Oil Spill Response Course IMO Level 3

#### **Target Group**

 Designed for all senior managers and officials who may be involved in planning for or managing the response to an oil spill.

#### **Objectives**

 Delegates will gain an understanding of the complexities of oil spill management and consider the political and media pressures, the legal and financial implications, the issues of public and response personnel safety and the post operational requirements.

#### **Course Content**

- Effective response organisations
- Causes, fate and consequences of oil spills
- Roles of Government and other key stakeholders
- Legal frameworks and international conventions
- Liability for claims and compensations

- Risk Assessment and contingency planning
- The Incident Controller
- Response Options
- Operational limitations of response strategies
- Resource requirements
- Terminating a response
- Media awareness
- Theoretical exercises



#### **Duration: 4 Days**

Location: At client's location of choice or the Spill Training Academy, Leicestershire

Group Size: Max 12

Validity: 3 Years

Pre-course requirement: Whilst not compulsory, participants are encouraged to take the IMO Level 2 course before attending.



# Marine Oil Spill Response Train The Trainer Course

#### **Target Group**

 This course is designed as an introduction to training for those with a technical understanding of oil spill response, but who need tuition in instructional techniques including the formal development and delivery of IMO – OSR Training Courses.

#### **Objectives**

• The programme is based on tested training principles. Participants are videotaped and given timely and constructive feedback on their work. By the end of this course participants will have the skills to design a training programme, highlight the key objectives of the sessions, organise the logistics of a training session, deliver the training to desired objectives, coach individuals and groups and be able to evaluate the training effectiveness

#### **Course Benefits**

- By the end of this course delegates will be able to:
- Be an accredited in-house trainer
- Structure their training to deliver stated objectives
- Project credibility in their delivery
- Deliver training in an interesting and informative manner
- Deal with difficult situations or individuals
- Be able to evaluate the effectiveness of the training
- Course manual and Information pack for Trainer and any subsequent trainee
- Post-Course Technical Helpline

#### **Course Content**

- The principles of learning & motivation
- Stages of learning & learning styles
- Training aims and objectives
- Structuring training
- Running training effectively
- Delivery skills
- Assessment techniques
- Practical exercises
- Theoretical exercises

Duration:	2 Days
Location:	At client's location of choice or the Spill Training Academy, Leicestershire
Group Size:	Min 6 -Max 12
Validity:	3 Years

#### **Pre-course requirement**

Participants must have completed, and be fully conversant with the relevant IMO Model Course for which they require development as a trainer.





# **Spill Risk Assessment**

Responsibility for the correct handling and storage of liquids lies with the owner organisation (including protection from wilful acts of vandalism). The pollution of both land and water is regulated against by law and whether accidental or deliberate, can result in prosecution leading to fines and other related costs both tangible and intangible (i.e. damage or harm to both image and reputation).

The Environment Agency's policy is to vigorously pursue prosecution of both company and individuals responsible for any infringements of these regulations.

We are able to assist you in identifying your needs and requirements and in finding solutions to your spillage problems with the following service.

A spill risk assessment of your company's current status to deal with a significant spill. The assessments key aims are to:

- Review all aspects of spillage response on site including liquid types and quantities
- Review how liquids are handled and stored, particularly the condition and suitability of secondary containment systems or fixed bunds
- Identify potential routes for the escape of liquids from site
- Identify potential spill hazards and sensitive areas
- Audit current spillage response products and equipment
- Identify any shortcomings or non-compliance with statutory regulations/legislation
- Provide a comprehensive report incorporating images, recommendations for proposed additions and improvements.
- Address specific training needs

This report can help provide the basis for an Environmental Management Spill Contingency Plan and can be used towards your ISO 14001 compliance to improve upon your site's current level of spill awareness and response.

Please contact your local distributor to arrange a site visit by one of our experienced spill control specialists.

## **Absorbents - Chemical Compatibility Chart**

	ঠ		
Fluid	Maintenance	Oil Only	Chemical
Acetaldehyde	•	Oil Oilly	•
Acetic Acid			•
Acetone	•	•	•
Acetyl Chloride	•		•
Acrylic Acid			•
Allyl Alcohol	•		•
Aminobenzoic Acid			•
Ammonia (Anhydrous)	•	•	•
Ammonium Fluoride	•	•	•
Ammonium Hydroxide	•	•	•
Amyl Alcohol	•		•
Aniline	•		•
Aviation Fuel	•	•	•
Benzaldehyde	•	•	•
Benzene*	•	•	•
Benzoic Acid			•
Benzyl Alcohol	•		•
Boric Acid			•
Brake Fluid	•	•	•
Bromine Inorganic*	•		•
Butyl Acetate	•	•	•
Butyl Alcohol	•	•	•
Butyl Cellosolve	•	•	•
Calcium Hydroxide	•		•
Carbolic Acid			•
Carbon Disulfide	•		•
Carbon Tetrachloride	•	•	•
Cellosolve Acetate	•	•	•
Cellosolve Solvent	•	•	•
Chlorobenzene	•		•
Chloroform*	•	•	•
Chloronapthalene	•	•	•
Chlorothene	•	•	•
Chromic Acid (50%)			•
Citric Acid			•
Cresol	•	•	•
Cyclohexane	•	•	•
Dibutyl Phthalate	•	•	•
Diethylamine	•	•	•
Diethyl Ether	•	•	•
Dimethyl Formamide	•	•	•
Dimethyl Sulfoxide	•	•	•
Dioctyl Phthalate	•		•
Ether	•	•	•
Ethyl Acetate	•	•	•
Ethyl Alcohol	•	•	•
Ethyl Benzene	•	•	•
Ethyl Chloride*	•	•	•
Ethyl Ether	•	•	•
Ethyl Propionate	•	•	•
Ethylene Dichloride	•	•	•
Ethylene Glycol	•		•
Formaldehyde	•		•
Freon	•	•	•
Fuel Oil	•	•	•
Furfural	•	•	•
Gasoline	•	•	•
Gearbox Oil	•	•	•
Glycerol	•		•
Hexane	•	•	•
Hydrazine	•		•
Hydrochloric Acid			•

	ঠ		
Fluid	Maintenance	Oil Only	Chemical
Hydrofluoric Acid			•
Hydroquinone	•	•	•
Hydrogen Cyanide	•	•	•
Hydrogen Peroxide	•		•
Isoamyl Acetate	•	•	•
Isobutyl Alcohol	•	•	•
Isooctane	•	•	•
Isopropyl Acetate	•	•	•
Isopropyl Alcohol	•	•	•
Kerosene*	•	•	•
Ketones	•	•	•
Linoleic Acid			•
Linseed Oil	•	•	•
Lubricating Oil	•	•	•
Methylamine	•	•	•
Methyl Alcohol	•	•	•
Methyl Cellusolve	•	•	•
Methylene Bromide	•	•	•
Methyl Chloride	•	•	•
Methyl Ether	•	•	•
Methyl Ethyl Ketone	•	•	•
Methyl Isobutyl Ketone	•	•	•
Methyl Methacrylate	•	•	•
Mineral Oil	•	•	•
Mineral Spirits	•	•	•
Monoethanolamine	•	•	•
Morpholine	•	•	•
Motor Oil	•	•	•
Naptha	•	•	•
Napthalene	•	•	•
Nitric Acid*			•
Nitromethane	•	•	•
Octane	•	•	•
Paraffin	•	•	•
Perchloroethylene*	•	•	•
Phenol		•	•
Phosphoric Acid			•
Potassium Hydroxide	•		•
Propanol	•		•
Propionic Acid			•
Propyl Alcohol	•	•	•
Propylene Glycol	•	•	•
Resorcinol	•		•
Silicone Oil	•		•
Silver Nitrate	•		•
Sodium Bicarbonate	•		•
Sodium Chloride	•		•
Sodium Hydroxide	•		•
Sodium Hypochlorite	•		•
Sodium Nitrate	•		•
Styrene	•	•	•
Sulfuric Acid*			•
Toluene*	•	•	•
Transformer Oil	•	•	•
Trichlorethylene*	•		•
Triethylene Glycol	•	•	•
Turpentine*	•	•	•
Xylene*	•		•
Ayiciic			

 $<sup>\</sup>ensuremath{^{\star}}$  These fluids will react with polypropylene causing it to degrade.

#### **Polyethylene Products Compatibility Chart**

ACIDS	KEY
Acetic Acid 100%	N
Acetic Acid 50%	Υ
Benzoic Acid	Υ
Boric Acid Concentrate	Υ
Boric Acid Dilute	Υ
Butyric Acid	Υ
Chromic Acid 50%	S
Citric Acid	Υ
Hydrobromic Acid 50%	Υ
Hydrochloric Acid	Υ
Hydrofluoric Acid	Υ
Maleic Acid 1%	Υ
Nitric Acid <50%	Υ
Oleic Acid All Concentrate	Υ
Oxalic Acid All Concentrate	Υ
Perchloric Acid 50%	Υ
Phosphoric Acid All Concentrate	Υ
Phthalic Acid	Υ
Sulphuric Acid 98%	S
Tannic Acid	Υ
Tartaric Acid	Y
BASES	KEY

BASES	KEY
Acid Salt	Υ
Ammonia Aqueous	Υ
Basic Salt	Υ
Calcium Hydroxide	Υ
Caustic Soda Sol.10%	Υ
Neutral Salt	Υ
Potassium Hydroxide	Υ

VARIOUS SALTS	KEY
Potassium Bicarbonate	Υ
Potassium Permanganate	Υ
Sodium Cyanide	Υ
Sodium Hypochlorite	Υ

ORGANIC SUBSTANCES, SOLVENTS	KEY
Acetone	Υ
Aniline 100%	S
Butyl Alcohol 100%	Υ
Carbon Disulphide	N
Carbon Tetrachloride	N
Chlorobezene	Υ
Chloroform	N
Ethyl Acetate 100%	S
Ethyl Alcohol	Υ
Ethyl Ether	N
Ethylene Dichloride	N
Heptane	Υ
Methyl Alcohol 100%	Υ
Methyl Ethyl Ketone	S
Nitrobenzene	S
Petroleum	Υ
Phenol 90%	N
Toluene	S
Trichloroethylene	N
GASES	KEY
Carbon Dioxide	Υ
Carbon Monoxide	Υ

Υ

#### KEY:


- Y = Product should be suitable for prolonged or repeated contact with these substances under specified conditions.
- S = Products may be suitable for short term storage however, some deterioration in properties may occur. It is recommeded that the user should perform qualification tests before and during use of the container.

Hydrogen Sulphide

**N** = Substances aggressively attack the product or have vapour pressures incompatible with containers.

This information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test sampling by users is always recommended to ensure safe application.


#### **Poly Spill Trays**



A x B x C - 2080 x 800 x 1200 mm

Pallet - 140 pieces 20' - 1540 pieces 40 - 3500 pieces


Code Description
FL-205-500 10ltr Spill Tray



A x B x C - 2080 x 800 x 1200 mm

Pallet - 140 pieces 20' - 1540 pieces 40 - 3500 pieces

Code Description
FL-205-511 20ltr Spill Tray




A x B x C - 2080 x 1210 x 805 mm

Pallet - 105 pieces 20' - 1155 pieces 40' - 2625 pieces

 Code
 Description


 FL-205-513
 30ltr Spill Tray



A x B x C -1995 x 1200 x 800 mm

Pallet - 68 pieces 20' - 748 pieces 40' - 1700 pieces


Code Description
FL-205-510 40ltr Spill Tray



A x B x C - 1960 x 1300 x 1100 mm

Pallet - 68 pieces 20' - 544 pieces 40' - 1224 pieces

Code	Description
FL-205-514	60ltr Spill Tray




A x B x C - 1960 x 1200 x 800 mm

Pallet - 30 pieces 20' - 330 pieces

0' - 750 pieces

Code Description
FL-205-515 100ltr Spill Tray

#### **Poly Spill Trays With Platform**




A x B x C - 2060 x 1200 x 800 mm

Pallet - 112 pieces 20' - 1232 pieces

40' - 2800 pieces


Code	Description
FL-205-523	10ltr Spill Tray With Platform



A x B x C - 2060 x 1200 x 800 mm

Pallet - 112 pieces 20' - 1232 pieces 40' - 2800 pieces


Code	Description
FL-205-516	20ltr Spill Tray With Platform



A x B x C - 2050 x 1200 x 800 mm

Pallet - 84 pieces 20' - 924 pieces 40' - 2100 pieces

Code	Description
FL-205-517	30ltr Spill Tray With Platform




A x B x C -2015 x 1200 x 800 mm

Pallet - 37 pieces 20' - 407 pieces

20' - 407 pieces 40' - 925 pieces

Code	Description
FL-205-512	40ltr Spill Tray With Platform




A x B x C - 1975 x 800 x 1200 mm

Pallet - 18 pieces

20' - 198 pieces 40' - 450 pieces

Code	Description
FI -205-518	60ltr Snill Tray With Platform




A x B x C - 1980 x 1200 x 800 mm

Pallet - 18 pieces

20' - 198 pieces 40' - 450 pieces

Code	Description
FL-205-519	100ltr Spill Tray With Platform


#### **Work Floors**



A x B x C - 1970 x 1600 x 800 mm A x Pallet - 12 pieces Pal

20' - 84 pieces 40' - 180 pieces

Code Description
FL-205-301 2-Drum Work Floor




A x B x C - 1970 x 1600 x 1600 Pallet - 12 pieces

20' - 36 pieces 40' - 84 pieces

Code Description
FL-205-302 4-Drum Work Floor

#### **Drum Spill Pallets**




A x B x C - 1950 x 1100 x 1300 mm

Pallet - 6 pieces 20' - 48 pieces

40' - 96 pieces


Code Description
FL-205-103 Single Drum Spill Pallet



A x B x C - 2210 x 2100 x 1300 mm

Pallet - 5 pieces 20' - 20 pieces 40' - 45 pieces


CodeDescriptionFL-205-1042-Drum Drum Spill Pallet



A x B x C - 1790 x 2460 x 700 mm

Pallet - 6 pieces 20' - 42 pieces 40' - 84 pieces

Code Description
FL-205-106 4-Drum In-Line Spill Pallet



A x B x C - 2270/2485 x 1460 x 1460 mm


Pallet - 18/20 pieces 20' - 72 pieces 40' - 160 pieces

 Code
 Description

 FL-205-112
 4-Drum Stackable Spill Pallet

#### **Drum Spill Pallet Hardcover**





A x B x C - 2110 x 1100 x 1650 mm

HADA	0 - 2110 x 1100 x 1000 IIIII
20'	- 6 pieces
40'	- 14 pieces


Code	Description
FL-205-108	2-Drum Hardcover Spill Pallet

АхВ	x C - 2210 x 1600 x 800 mm
20'	- 6 nieces

40' - 14 pieces

Code	Description
FI -205-100	A Drum Hardenvar Spill Pallet

#### **Drum Funnel & Lid**





A x B x C - 1795 x 1100 x 1300 mm Pallet - 24 pieces 20' - 192 pieces

20' - 192 pieces 40' - 432 pieces

Code	Description
FL-205-404	Drum Funnel & Lid

#### **Drum Racking Dispensing Station**





A x B x C - 2040 x 1375 x 1100 mm

Pallet - 5 pieces

20' - 40 pieces 40' - 80 pieces


Code	Description
FI _205_802	Drum Cradle

A x B x C - 2040 x 1375 x 1350 mm Pallet - 3 pieces

20' - 12 pieces 40' - 24 pieces

Code	Description
FI _205_801	Drum Bund

#### **Drum Funnel & Lid**




A x B x C - 2085 x 1100 x 1300 mm

Pallet - 36 pieces 20' - 288 pieces 40' - 648 pieces

Code	Description
FL-205-401	Single Drum Spill Tray

#### **Drum Trolley**



A x B x C - 1885 x 1360 x 815 mm


Pallet - 2 pieces - 22 pieces

40'

- 44 pieces Code Description

FL-205-601 Drum Trolley

#### **Mobile Display Unit**



A x B x C - 1850 x 800 x 1600 mm


Pallet - 6 pieces - 36 pieces

- 84 pieces

Code Description

FL-205-551 Site Point Mobile Display Unit


#### Mobile/Static Storage Bins



A x B x C - 2035 x 850 x 1200 mm Pallet - 8 pieces

- 80 pieces - 192 pieces

Code Description FL-69-001-Y Grit Bin 130Lts




A x B x C - 2440 x 1100 x 1365 mm


Pallet - 6 pieces


- 102 pieces

Code Description FL-69-003-Y Grit Bin 200Lts

#### Mobile/Static Storage Bins







A x B x C - 1450/2300 x 885 x 1200 mm

Pallet - 2/3 pieces - 33 pieces

- 75 pieces

Code Description Grit Bin 400Lts FL-69-006-Y

A x B x C - 1750 x 1200 x 1300 mm

Pallet - 4 pieces 20' - 32 pieces - 72 pieces


Code Description FL-143-350 Static Locker Bin

A x B x C - 1955 x 1300 x 1100 mm Pallet - 16 pieces

- 128 pieces - 288 pieces

Code Description FL-69-110 Mobile Storage Cart

#### **IBC Spill Pallets**




A x B x C - 2000 x 1450 x 1450 mm

Pallet - 2 pieces

- 8 pieces - 16 pieces

Code FL-205-210 Single Free Standing IBC Spill Pallet




A x B x C - 2000 x 1450 x 1450 mm

Pallet - 2 pieces

- 8 pieces - 16 pieces

Code	Description	
FI -205-202	Single IBC Snill Pallet With Platform	




A x B x C - 2370 x 2200 x 1670 mm

Pallet - 9 pieces

- 21 pieces - 63 pieces

Code	Description
FL-205-211	Single Stackable IBC Spill Pallet With Platform

#### **IBC Spill Pallets**




A x B x C - 2250 x 2000 x 1490 mm

Pallet - 3 pieces

20' - 9 pieces 40' - 24 pieces

Code Description

FL-205-201 Single Free Standing IBC Spill Pallet With Integral Bucket




A x B x C - 2205 x 1360 x 2030 mm

Pallet - 4 pieces 20' - 16 pieces

40' - 32 pieces

Code Description
FL-205-203 Double Free Standing IBC Spill Pallet




A x B x C - 1725 x 1450 x 2450 mm

Pallet - 3 pieces 20' - 8 pieces

40' - 8 pieces

 Code
 Description

 FL-205-204
 Double IBC Spill Pallet With Platform



A x B x C - 2500 x 1460 x 2260 mm

Pallet - 8 pieces

40' - 64 pieces

Code	Description
FL-205-216	Double Stackable IBC Spill Pallet With Platform

## **Notes**


PRODUCT	PAGE	PRODUCT	PAGE
A		Barrier tape	62
Absorbents		Battery acid spill kits	55
Chemical boom	97		
Chemical cushions	94-95	Bunds	
Chemical pads	90-91	Collapsible wall	31-33
Chemical rolls	92-93	Containment wall	34-35
Chemical socks	96	Foam wall	30, 32
Chemical spill kits	50-56	Gorilla	33
Dispensing stations	100-101	-	
Granules	89	Plant nappy	
Maintenance cushions	94-95	Pop-Up pools	30
Maintenance pads	90-91, 99	Portable	31-33
Maintenance recycled pads	99	Spillmate	29
Maintenance rolls	92-93	Strips	29
Maintenance socks	96	Wall	34-35
Maintenance spill kits	51-55		
Oil & fuel booms	97, 104-105	Bin	
Oil & fuel cushions	94-95	Accessories	82
Oil & fuel drum topper	99	Clinical waste	83
Oil & fuel marine fence	105	Drop front	82
Oil & fuel pads	90-91, 99	Grit	80-81
Oil & fuel recycled pads	99	Locker	80
Oil & fuel rolls	92-93	Salt	80-81
Oil & fuel socks	96	Wheelie	81
Oil & fuel spill kits	51-55, 57		
Strips	98	Biosecurity mats	78-79
Acid spill kits	50, 55-56	Booms	
ADR spill kit	54	Chemical	97
Application guide	6-9		
Audit covers	61	Flood water	97, 106
		Marine	104-105
В		Oil absorbent	104-105
Bags		Bunded safety stores	41-43
Black PVC waste	61	Duriucu saicty stores	41-43
Plus PVC modium duty hazadous wasto	61		

61

Yellow PVC heavy duty hazardous waste

PRODUCT	PAGE	PRODUCT	PAGE
С		Containment	
Cabinets		Bunds	28-35
Chemical	40-43	Cabinets	40
Flammable/hazardous liquid	40-43	Drum	18-21
Hazard hut	42	IBC	24-27
Job hut	42	Overpack drums	22-23
Poly	40	Poly storage cabinets	40
		Spill drum pallets	18-21
Ceiling leak diverters	107	Spill IBC pallets	24-27
		Spill trays	14-15
Chemical absorbents		Stores	41-43
Boom	97	Tanks	44-45
Cushions	94-95	Work floors	15-17
Neutralisation	102-103		
Pads	90-91	Cushions absorbent	94-95
Pillows	94-95		
Rolls	92-93	D	
Socks	96	Degreasing wipes	63-65
Spill kits	50-53, 55-56		
		Dirteeze	
Cleaning & hygiene		Dry wipes	64
Personal workplace cleaning kit	69	Sanitising wipes	69
Sanitary hand gel	68	Wet wipes	64-65
Spill care	108-109		
Surface sanitising spray cleaner	69	Disinfectant DEFRA Approved	79
Water Guard absorbent strips	98	Disinfectant mats	78-79
Wipes	63-65, 69	Disposal bags	61
		Dolly	38
Clinical waste bins	83		
		Drain covers & protection	
Compatibility tables		Automatic shut off	73
Absorbents	122	Bag	76-77
Polyethylene containment	123	Barrier	75
		Clay drain mats	76
Conical drain plugs	75	Conical plugs	75
		Drainblok	72
		Drain guards	71
			133

PRODUCT	PAGE	PRODUCT	PAGE
Drain covers & protection		Boat	57
Drain gully socks	75	Body fluid	56
Drain marking kit	75	Chemical	50-56
Magnetic drain cover	76	Fork lift truck	55
Neorug drain cover	76	Hazardous materials	50-57
Plug rug drain covers	76	HGV	54
Polyurethane drain covers	77	Hospital	56
Toggleblok	73	Laboratory	50
Transparent drain covers	77	Maintenance	51-53
		Marine	57
Drum		Motor Sports Association	54
Bunded safety store	41-43	SOPEP	57
Cart	39	Tanker	54
Dolly	38-39	Oil & fuel	51-57
Funnel	36	Vehicle	54
Lid	36		
Overpacks	22-23	Enpac Corporation	
Poly dolly	38	Drum funnel	36
Rack	37	Drum lid	36
Repair putty	70	Drum scooter	39
Spill pallets	18-21	Drum spill pallets	19
Stores	40-43	Drum topper	36
Topper oil absorbent pads	99	Drum trays	
Topper poly lid	36	Gas cylinder trolley	39
Trays	14-15	Hardcover drum storage	21
Trolley	39	Hazard hut	42
Wash down tray	36	IBC spill pallet	25-26
Work floors	15-17	Job hut	42
		Laboratory tray	14
Drip trays	14-15	Overpacks	22
Drum trays	14-15	Poly dolly	38
		Rack system	37
E		Spill pallets	19, 21, 25
Emergency spill kits		Spill pallet tarpaulin	19, 26
Acid	50, 55-56	Spill tray	14
ADR	54	Work floors	
Battery acid	55-56		

PRODUCT	PAGE	PRODUCT	PAGE
F		I and the second	
Face protection	66	IBC spill pallets	
		Frame and cover	26
Fastank		Funnel and lid	27
Containment bunds	31	Hardcover	27
Portable tanks	44	Spill pallets	24-27
		Stackable	24
Flammable liquid storage	40-43	Steel	25
		Store	43
Flood protection		Tarpaulin	26
Booms	106		
FloodSax	106	Information display unit	60
Pipe drip diverter	107	Interceptor alarms	74
Roof drip diverter	107		
Water Guard	98	J	
		Job hut	42
Floor rolls	78, 93		
Folding pallet box	80	L	
Fuel tank water soakers	95	Laboratory spill kits	50
		Laboratory spill tray	14
G			
Gas		M	
Cylinder stand	39	Maintenance absorbents	
Cylinder trolley	39	Cushions	94-95
Cylinder wall bracket	39	Pads	90-91, 99
		Recycled pads	99
Gloves	67	Rolls	92-93
Goggles	67	Socks	96
Granules	89	Spill kits	51-53
Grit bin	80		
Gully sock	75	Marine & inland water defence	
		Oil & fuel booms	97, 104
Н		Oil & fuel fence	105
Hazardous substance storage cabinets	40-41	Oil & fuel skirted booms	105
Hazard hut	42		
		Marine SOPEP spill kits	57

PRODUCT	PAGE	PRODUCT	PAGE
Mats		Osmo	
Agriculture	79	Flood water barrier	106
Biomats	78-79	Mega thirsty pad	109
Disinfectant	78-79	Plumbers pad	109
Farm	79	Thirsty pad	108
Floor	78	Thirsty sock	108
Pedestrian disinfectant	78		
Plumbers	109	Overpack drums	22-23
Sticky backed	78		
TAKmats	78	P	
Traffic	79	Pallet box	80
Vehicle disinfectant	79		
		Personal protective equipment	
Mini foam wall bunds	30	Face coverings	66
Mobile display unit	60	Gloves	67
		Goggles	67
N		Safety pack	67
Non spark safety shovel	62		
		Pipe bandage	70
0		Pipe drip diverter	107
Oil & fuel absorbents		Plant mats	28
Booms	104-105	Plant nappies	28
Cushions	94-95	Plug N Dyke putty	70
Drum topper	99	Plug rug drain cover	76
Fence	105	Plumbers pad	109
Pads	90-91, 99	Poly dolly	38
Pillows	94-95	Poly fuel tanks	45
Recycled pads	99	Poly spill trays	14
Rolls	92-93	Poly storage cabinets	40
Socks	96	Pop-Up pools	30
Spill kits	51-55, 57	Putty	70
	·		
Oil tanks	45	R	
		Ramps	
		Spill pallet	18-19
		Work floor	15-17

PRODUCT	PAGE	PRODUCT	PAGE
Repair		Drop front bin	53
Pipe bandage	70	Fork lift truck	55
Plug N Dyke putty	70	Hazardous materials	50-57
Strap it leak stopper	70	HGV	54
		Hospital	56
Roof drip diverters	107	Laboratory	50
Rubber gloves	67	Maintenance	51-53
		Marine	57
S		Mercury	50
Safety shovel	62	Motor Sports Association	54
Safety signs	58-59	Solvent	50
Salvage drums	22-23	SOPEP	57
		Tanker	54
Sanitising		Oil & fuel	51-57
Sanitising foot operated station	68	Vehicle	54
Sanitising hand operated station	68	Wheelie bin	52
Sanitising spray	69		
Sanitising wipes	69	Spill kit accessories	
Sanitising workplace kit	69	Audit covers	61
		Barrier tape	62
Security tape	62	Face covering	66
Separator alarm	74	Gloves	67
Shovel	62	Goggles	67
Signage	58-59	PPE safety pack	67
Site point mobile display unit	60	Security tape	62
Site risk assessment	120	Shovel	62
Socks	96	Signage	58-59
Solvent wipes	64-65	Tamper proof tape	62
		Tamper proof ties	62
Spill kits			
Acid	50, 55, 56	Spill pallets	
ADR	54	Covered	20-21, 26-27
Battery acid	55-56	Drum	18-19
Biohazard	56	Drum hardcover	20-21
Boat	57	Drum ramp	18-21
Body fluid	56	IBC	24-27
Chemical	50-56	IBC hardcover	27
			137

PRODUCT	PAGE	PRODUCT	PAGE
Spill pallets		Tanks	
Ramp	18-21	Fuel	45
Stackable	18	Oil	45
Steel drum	19	Portable containment	44
Steel IBC	25	Waste oil	45
Tarpaulin cover	20, 26		
		Training & education	111
Spill trays			
Laboratory	14-15	Trays	
Poly	14-15	Drum	15
		Laboratory	14
Spill training	111	Poly	14
Steel fuel tanks	45	Wash down	36
Sticky backed floor roll	78		
		Trolley	39
Storage			
Bunded stores	41-43	U	
Cabinets	40	Ultratech International	
Drum	20-21, 41-43	Collapsible wall bund	32
Flammable/hazardous liquid	40-43	Containment wall bund	34-35
Hazard hut	42	Drain guard	71
IBC	24-27, 43	Foam wall bund	30, 32
Job hut	42	Gorilla containment bund	33
Overpacks	22-23	Hardcover drum storage	20
		Hardcover IBC storage	27
T		Lagoon liquid storage bund	34
TAKmats	78	Mini foam wall bund	30
		Modular wall containment bund	35
Таре		Oil absorbent boom	104-105
Barrier	62	Overpacks	23
Pipe repair	70	Pipe drip diverter	107
Quick wrap bandage	70	Pop-Up pool	30
Security	62	Roof drip diverters	107
Strap It Leak Stopper	70		
Tamper proof	62		

PRODUCT	PAGE
V	PAGE
Vacuum cleaner	103
Vehicle spill kits	54-55
Vytac	
Chemical neutralisation	102-103
W	
Wash down tray	36
Waste oil tanks	45
Water Guard	98
Water soaker	95
Wet & dry chemical vacuum cleaner	103
Wheelie bins	81
Wipes	
Degreasing	64-65
Dry	63-64
Industrial	63-65
Multi purpose cleaning	63
Sanitising	69
Solvent	64-65
Work floors	15-17

