



RÜBIG SAFETY LINCHPIN

- drop forged shaft with safety catch
- 3rd hole for fixing the safety chain
- hardened to 1.200 – 1.400 N/mm²
- spring made from spring steel wire
- galvanized and thick film passivated

All minimum values required by DIN 11023 are considerably exceeded by all RÜBIG Safety Linchpins. Intermediate and special sizes are designed analogue.

RÜBIG SAFETY LINCHPIN								PU (pcs.)	
size	order no.	d1 [Inch]	d2 [Inch]	l1 [Inch]	l2 [Inch]	b1 [Inch]	b2 [Inch]	big	small
4x27	02380000	3,8 5/32	20 25/32	27 1-1/16	42 1-11/16	11 7/16	29 1-3/16	2000	100
5x32	02470000	4,7 3/16	25 31/32	32 1-1/4	48 1-7/8	11 7/16	34 1-3/8	2000	100
6x27	02580000	5,8 7/32	20 25/32	27 1-1/16	43 1-11/16	11 7/16	29 1-3/16	2000	100
6x42	02550000	5,5 7/32	32 1-1/4	42 1-5/8	63 2-1/4	13,5 9/16	49 1-15/16	1000	100
8x42	02750000	7,5 9/32	32 1-1/4	42 1-5/8	63 2-1/4	13,5 9/16	49 1-15/16	1000	100
8x62	02750200	7,5 9/32	53 2-3/32	62 2-7/16	83 3-1/4	20 13/16	69 2-5/8	500	50
10x45	02950000	9,5 3/8	32 1-1/4	45 1-3/4	62 2-7/16	15 9/16	49 1-15/16	1000	100



RÜBIG SAFETY LINCHPIN								PU (pcs.)	
size	order no.	d1 [Inch]	d2 [Inch]	l1 [Inch]	l2 [Inch]	b1 [Inch]	b2 [Inch]	big	small
10x55	02950200	9,5 3/8	45 1-25/32	55 2-3/16	72 2-13/16	15 9/16	59 2-5/16	500	50
10x65	02950300	9,5 3/8	53 2-3/32	65 2-9/16	85 3-3/8	21,5 13/16	67 2-5/8	500	50
10x100	02950600	9,5 3/8	80 3-5/32	100 3-15/16	124 4-7/8	25 31/32	100 3-15/16	-	-
12x45-	02110000	10,5 13/32	32 1-1/4	45 1-3/4	62 2-7/16	15 9/16	50 1-15/16	1000	100
12x55-	02110200	10,5 13/32		55 2-3/16					
12x45+	02120000	11,5 7/16	32 1-1/4	45 1-3/4	62 2-7/16	15 9/16	50 1-15/16	1000	100
12x55+	02120200	11,5 7/16	45 1-25/32	55 2-3/16	72 2-13/16	15 9/16	59 2-5/16	500	50
12x65	02120300	11,5 7/16	53 2-3/32	65 2-9/16	85 3-3/8	21,5 13/16	67 2-5/8	500	50
12x75	02120400	11,5 7/16	60 2-3/8	75 2-15/16	95 3-3/4	21,5 7/8	81 3-1/16	300	30
12x100	02120600	11,5 7/16	80 3-5/32	100 3-15/16	124 4-7/8	25 31/32	100 3-15/16	-	-
17x60	02160000	15,5 5/8	53 1-25/32	60 2-3/8	80 3-5/16	20 13/16	67,5 2-5/16	500	50
17x75	02160200	15,5 5/8	60 2-3/8	75 2-15/16	95 3-3/4	21,5 7/8	81 3-1/16	300	30
17x100	02160400	15,5 5/8	80 3-5/32	100 3-15/16	124 4-7/8	25 31/32	100 3-15/16	-	-
17x125	02160800	15,5 5/8	105 4-1/8	125 4-29/32	155 6-3/32	30 1-3/16	132 5-3/16	-	-
20x150	02200150	19,5 25/32	125 4-29/32	150 5-29/32	195 7-11/16	44 1-3/4	150 5-29/32	-	-



RÜBIG SAFETY LINCHPIN								PU (PCS.)	
Size	order no.	d1 [Inch]	d2 [Inch]	l1 [Inch]	l2 [Inch]	b1 [Inch]	b2 [Inch]	big	small
20x175	02200175	19,5 25/32	150 5-29/32	175 6-7/8	220 8-21/32	44 1-3/4	175 6-7/8	-	-