

SQUALE

OTG

SQUALE OTG provide excellent protection for wearers of prescription glasses.



43 g

SUPPLIED WITH

Cord
CORD



SQUPSI



SQUWPCC5

- + UPPER PROTECTION**
- + ADJUSTABLE TEMPLES**
- + LOWER PROTECTION**

bolle
SAFETY

SQUALE

OTG

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SQUALE	 Clear	SQUPSI	2C-1,2  1 FT €€	 EN166 FT €€	Anti-scratch/anti-fog
	 Welding shade 5	SQUWPCC5	5  1 S €€	 EN166 S €€	Anti-scratch

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

- F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.
- S.** Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5,1 m/s

Others symbols:

€€ European standard  Manufacturer name

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

- F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.
- S.** Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5,1 m/s
- €€ European standard  Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

PACKAGING AND EAN13 CODE		
	SQUPSI	SQUWPCC5
Individual plastic bag	3660740003203	3660740002343
10 safety spectacles per inner box	3660740103200	3660740102340
180 safety spectacles per outer pack	3660740203207	3660740202347

CHARACTERISTICS	
LENSES	PC - 2,0 mm - Curve 4
FRAME	PC
TEMPLES	PC + Nylon
STRAP	Non applicable
FOAM	Non applicable
SPARE LENSES	No



03/01/2017

Europe Bollé Safety
95 rue Louis Guérin
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : sales@bolle-safety.co.uk

bolle
SAFETY

DECLARATION DE CONFORMITE CE / EC DECLARATION OF CONFORMITY
DECLARACION DE CONFORMIDAD CE / DICHIARAZIONE DI CONFORMITA CE

La société
The company
La empresa
La società
Die Firma

Bollé Protection
95 Rue Louis Guérin
69 100 Villeurbanne
France

Déclare que l'EPI neuf ci-après
Declare that the new PPE described hereafter
Déclara que el nuevo EPI descrito a continuación
Dichiara che il Dispositivo di Protezione Individuale (DPI) sotto indicato
Erklärt, dass die im Folgenden beschriebene neue PSA

Surlunettes / Coverspecs
Sobregafas / Copri-lenti / Überbrillen

SQUALE II – ref. : SQUPSI / SQUPSJ / SQUWPCC3 / SQUWPCC5

Est conforme aux dispositions de la directive 89/686/CEE, et à la norme harmonisée EN 166:2001;
Is in conformity with the provisions of Council Directive 89/686/EEC, and the harmonised standard EN 166:2001;
Esta conforme con las disposiciones de la directiva 89/686/CEE, y la normalización EN 166:2001;
è conforme alle Disposizioni della Direttiva Europea 89/686/CEE, e alla norma armonizzata EN 166:2001;
Die Bestimmungen der Richtlinie 89/686/CEE erfüllt und dem Standard EN166 :2001 entspricht

Est identique à l'EPI ayant fait l'objet de l'attestation « CE » de type,
Is identical to the PPE which is subject of EC certificate of conformity,
Es idéntico al EPI, objeto del certificado de conformidad « CE » tipo,
è identico al DPI oggetto dell'attestato CE di tipo N°,
Baugleich mit PSA ist, welche dem CE Konformitätszertifikat unterliegt

N° 06019 Rev 3

Délivrée par
Issued by
Concedido por
emesso da
Ausgestellt durch

CERTOTTICA ZI Villanova, 32013 Longarone (BL) ITALIA - Notified Lab – N° 0530

Ludovic DE SEREYS
Sales Manager

Fait à / Done at / Hecho en / Emesso a / Durchgeführt in **Villeurbanne**
le / on / el / il 19/02/2016

P.O.

BOLLÉ PROTECTION
95 rue Louis Guérin
69100 VILLEURBANNE
Tél. 04 78 85 23 64
Fax 04 78 85 28 56