



WARRIORTM

COMPLETE CATALOGUE

HAND AND ARM PROTECTION

HAND DISPOSABLE PROTECTION

EYE PROTECTION

RESPIRATORY PROTECTION

HEAD PROTECTION

SPECIAL HAZARD PROTECTION

HI VIS PROTECTION

WORKWEAR RANGE

FOOT PROTECTION



HIGH LEG BOOT

featured on page 67

**PROTECT
YOUR FEET
WITH WARRIOR.**

warriorprotects.com

THE USER MUST SELECT THE APPROPRIATE FOOTWEAR FOR THE PROTECTION REQUIRED AND THE WEAR ENVIRONMENT.

MAIN MAN SUPPLIES

YOUR TRUSTED DESTINATION FOR TOP QUALITY INDUSTRIAL & SAFETY PRODUCTS

Through significant research and development, we are delighted to introduce to you our own premium brand of PPE and Workwear - **WARRIOR**.

Explore our extensive catalogue featuring cutting-edge solutions made with innovation & reliability in mind, designed to deliver the ultimate protection in the toughest of environments, we have a product for almost every application at a highly competitive price.

Your safety is our priority & we are dedicated to delivering excellence in every product we offer.

ABOUT MAIN MAN SUPPLIES

Established and founded in 1989 by Derek Williams, in January 2011, we became part of Lalan Rubber (PVT) Ltd, a significant manufacturer of latex and nitrile gloves based in Sri Lanka. With their own latex plantations, centrifuge and dipping plants they offer us a "tree to shelf" service. Lalan Rubber (PVT) has net assets in excess of \$100m and offers us strong financial backing.

They are consistently investing into new production plants and adding to their product portfolio which provides Main Man Supplies a strong base from which we can offer good continuity of supply in this very volatile and ever-changing market.

CONTENTS	PAGE
HAND AND ARM PROTECTION	4
HAND DISPOSABLE PROTECTION	23
EYE PROTECTION	28
RESPIRATORY PROTECTION	34
HEAD PROTECTION	36
SPECIAL HAZARD PROTECTION	38
HI VIS PROTECTION	41
WORKWEAR RANGE	57
FOOT PROTECTION	66

HAND AND ARM PROTECTION

WARRIOR™





AVAILABLE IN

12 PAIRS PER PACK
600 PAIRS PER CARTON**MENS STOCKINETTE K/W GLOVES**

SIZE 10

- Polyester / cotton

**TECHNICAL DETAILS****WARNING:** This product is NOT food safe

CODE: DWGL215 ●



AVAILABLE IN

12 PAIRS PER PACK
600 PAIRS PER CARTON**BLEACHED COTTON GLOVES**

SIZE LADIES / MENS

- Polyester / cotton

**TECHNICAL DETAILS**

CODE: DWGL220 ♀ ●

CODE: DWGL225 ♂ ●



AVAILABLE IN

12 PAIRS PER PACK
300 PAIRS PER CARTON**MIXED FIBRE GLOVES**

SIZE 10

- Grey - polyester / cotton

**TECHNICAL DETAILS**

CODE: DWGL240 ●



AVAILABLE IN

12 PAIRS PER PACK
240 PAIRS PER CARTON**WHITE UNCOATED POLYESTER GLOVES**

SIZE 7 - 10

- 13G white polyester liner
- Silicone free


**TECHNICAL DETAILS**

CODE: DWGL185 ○

PROTECT YOUR HANDS WHILST WELDING.

warriorprotects.com

DWGL125 featured on page 10



HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR QUALITY
WARRIOR HAND
PROTECTION.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX CUT D GLOVES

SIZE 6 - 12

- 13G black and grey HPPE / glass liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating

TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: D

CODE: DWGL395



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



CAT. II



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE PVC DOTTED GLOVES

SIZE 7 - 10

- 10G white polyester / cotton liner
- Blue PVC dots to palm, fingers and thumbs



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 1

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL155 ○



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

STANDARD RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Grey cow split leather patch palm



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL105 ●



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

RED RIGGER GLOVES

SIZE 10 & 12

- Grey cow split leather



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL110 ●



AVAILABLE IN

12 PAIRS PER PACK
60 PAIRS PER CARTON

REINFORCED PALM RIGGER GLOVES

SIZE 10

- Grey cow split leather
- Black cow split leather reinforced palm



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 2

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL115 ●

HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR QUALITY
WARRIOR HAND
PROTECTION.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT F GLOVES

SIZE 7 - 11

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: F

CODE: DWGL080



CAT. II



WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON

RED WELDERS GAUNTLETS

SIZE 10

- Red cow leather
- Partial welting to the seams and finger tips
- Self hemmed



CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN407: 2004

Burning Behaviour - Level: 4

Contact Heat - Level: 2

Convective Heat - Level: 3

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: 4

Large Quantities of Molten Metal - Level: X

EN12477: TYPE A

CODE: DWGL095



WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON

YELLOW REINFORCED PALM WELDERS GAUNTLETS

SIZE 10

- Yellow cow leather
- Red cow leather reinforced palm
- Partial welting to the seams and finger tips
- Self hemmed



CAT. II

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 2

Tear Resistance - Level: 4

Puncture Resistance - Level: 4

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN407: 2004

Burning Behaviour - Level: 4

Contact Heat - Level: 2

Convective Heat - Level: 3

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: 4

Large Quantities of Molten Metal - Level: X

EN12477: TYPE A

CODE: DWGL100





WARNING:
Not for use with
liquids, not flame
resistant

AVAILABLE IN



6 PAIRS PER PACK
60 PAIRS PER CARTON



AVAILABLE IN



12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY TIG WELDERS GAUNTLETS
SIZE 10

- Grey goat grain leather palm and fingers
- Grey cow leather cuff



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN407: 2004
Burning Behaviour - Level: 4
Contact Heat - Level: 1
Convective Heat - Level: 3
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: 4
Large Quantities of Molten Metal - Level: X
EN12477: TYPE B
CODE: DWGL125 ●

RED PVC K/W GLOVES
SIZE 7 - 10

- Polyester jersey liner
- Red PVC coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL190 ●

ORANGE LATEX GLOVES
featured on page 11





AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

RED PVC GAUNTLETS 11"

SIZE 9 - 10

- Polyester jersey liner
- Red PVC coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL195



AVAILABLE IN

6 PAIRS PER PACK
60 PAIRS PER CARTON

RED PVC GAUNTLETS 14" / 16"

SIZE 10

- Polyester jersey liner
- Red PVC coating



DWGL200 14" pictured above

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL200 (14")

CODE: DWGL205 (16")



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

LATEX GLOVES

SIZE 8 - 11

- 10G yellow polyester / cotton liner
- Orange / green crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL270PK - PACK OF 12



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK LATEX GLOVES

SIZE 7 - 11

- 13G red polyester liner
- Black crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL015PK - PACK OF 12



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

HELP PREVENT THE
RISK OF INJURIES TO
YOUR HANDS BY WEARING
OUR QUALITY BLACK
FOAM LATEX GLOVES.

PROTECT
YOUR
HANDS.



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating

TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: X

CODE: DWGL020PK - PACK OF 12



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL020PK - PACK OF 12 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX SUPA GLOVES

SIZE 7 - 12

- 10G red polyester liner
- Black crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL285PK - PACK OF 12 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK LATEX THERMAL GLOVES

SIZE 7 - 11

- 10G orange acrylic liner
- Black crinkle latex palm dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 1

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 4

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

EN511: 2006

Convective Cold - Level: X

Contact Cold - Level: 1

Water Penetration - Level: X

CODE: DWGL160PK - PACK OF 12 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

DOUBLE DIPPED LATEX GLOVES

SIZE 7 - 12

- 15G black and blue polyester liner
- Blue latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL005 ●

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX THERMAL GLOVES

SIZE 7 - 12

- 7G orange acrylic liner
- Orange latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS
WARNING: Contains Latex*
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 3
Water Penetration - Level: X
CODE: DWGL010

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN



12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE L/W NITRILE OPEN BACK K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile knuckle dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL130



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

PU GLOVES

SIZE 6 - 11

- 13G black / grey / white polyester liner
- Black / grey / white PU palm dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL315PK - PACK OF 12
CODE: DWGL320PK - PACK OF 12



AVAILABLE IN



12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE L/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige interlock cotton liner
- Blue nitrile full dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 1
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
CODE: DWGL135



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP K/W GLOVES

SIZE 8 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL145



AVAILABLE IN

12 PAIRS PER PACK
120 PAIRS PER CARTON

BLUE H/W NITRILE FULL DIP SAFETY CUFF GLOVES

SIZE 9 - 10

- Beige jersey cotton liner
- Blue nitrile full dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 1

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL150



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
240 PAIRS PER CARTON

NITRILE GLOVES

SIZE 7 - 11

- 13G black / white polyester liner
- Black / grey nitrile palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL280PK - PACK OF 12



CODE: DWGL035PK - PACK OF 12



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black nitrile full dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL165PK - PACK OF 12

NITRILE CUT C GLOVE

featured on page 19



**PROTECT
YOUR HANDS
WITH WARRIOR.**

warriorprotects.com

THE USER MUST SELECT THE APPROPRIATE HAND & ARM PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK FOAM NITRILE GLOVES

SIZE 5 - 12

- 15G grey nylon / spandex liner
- Black sandy foam nitrile palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 3

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

CODE: DWGL085PK - PACK OF 12



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT A GLOVES

SIZE 7 - 11

- 13G red HPPE liner
- Black PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: A

CODE: DWGL330PK - PACK OF 12



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT B GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B

CODE: DWGL305



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

GREY PU CUT C GLOVES

SIZE 7 - 11

- 13G grey HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C

CODE: DWGL090

HELP PREVENT THE
RISK OF INJURIES TO
YOUR HANDS BY WEARING
OUR QUALITY BLACK
NITRILE CUT E GLOVES.

**PROTECT
YOUR
HANDS.**



HARD-WEARING

Our quality gloves are durable and stand
the test of time



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT E GLOVES

SIZE 7 - 11

- 13G green or black and grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: E

CODE: DWGL075



CAT. II



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT C GLOVES

SIZE 7 - 11

- 13G amber HPPE / glass liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C

CODE: DWGL045



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK PU CUT D GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass / steel liner
- Black PU palm dip coating



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

CODE: DWGL310



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
72 PAIRS PER CARTON

DOUBLE DIPPED LATEX CUT D GLOVES

SIZE 6 - 12

- 13G black and grey HPPE / glass liner
- Black latex full dip coating
- Black sandy latex palm and thumb dip coating



TECHNICAL DETAILS

WARNING: Contains Latex*

EN388: 2016

Abrasion Resistance - Level: 3

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 3

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D

CODE: DWGL395



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



AVAILABLE IN

1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT E GLOVES

SIZE 7 - 11

- 13G black & grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: 2

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E

CODE: DWGL075





AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
120 PAIRS PER CARTON

BLACK NITRILE CUT F GLOVES

SIZE 7 - 11

- 13G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: f
CODE: DWGL080 ●



GREY TPR
BACK OF HAND

WATERPROOF
BAG / MEMBRANE



AVAILABLE IN



1 PAIR PER POLYBAG
6 PAIRS PER PACK
36 PAIRS PER CARTON

**GREY TPR CUT E & BLACK NITRILE
THERMAL GLOVES**

SIZE 8 - 12

- 13G black HPPE liner
- 7G black acrylic / glass liner
- Black sandy nitrile palm dip coating
- Extended black nitrile crotch reinforcement



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E
Impact Resistance - P
EN511: 2006
Convective Cold - Level: X
Contact Cold - Level: 2
Water Penetration - Level: X
CODE: DWGL070 ●



**ORDER ONLINE
TODAY.**

warriorprotects.com



HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR
QUALITY WARRIOR
ARM PROTECTION.

PROTECT
YOUR
ARMS.



COMFORTABLE

Soft, durable sleeves for ease of movement



AVAILABLE IN



1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT D SLEEVE

SIZE 10", 14", 18", 22"

■ 13G yellow HPPE / glass liner

DWSL005 10" pictured above

TECHNICAL DETAILS

EN388: 2016

Abrasion Resistance - Level: 4

Circular Blade Cut Resistance - Level: X

Tear Resistance - Level: 4

Puncture Resistance - Level: X

Straight Blade Cut Resistance Method
(EN ISO 13997) - Level: D

EN407: 2004

Burning Behaviour - Level: X

Contact Heat - Level: 1

Convective Heat - Level: X

Radiant Heat - Level: X

Small Splashes of Molten Metal - Level: X

Large Quantities of Molten Metal - Level: X

CODE: DWSL005 (10") ● CODE: DWSL010 (14") ●

CODE: DWSL015 (18") ● CODE: DWSL020 (22") ●



AVAILABLE IN

1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

GREY CUT D SLEEVE

SIZE 10", 14", 18", 22"

- 13G grey HPPE / glass liner

DWSL025 10" pictured above



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 4	
Circular Blade Cut Resistance - Level: X	
Tear Resistance - Level: 4	
Puncture Resistance - Level: X	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D	
EN407: 2004	
Burning Behaviour - Level: X	
Contact Heat - Level: 1	
Convective Heat - Level: X	
Radiant Heat - Level: X	
Small Splashes of Molten Metal - Level: X	
Large Quantities of Molten Metal - Level: X	
CODE: DWSL025 (10")	CODE: DWSL030 (14")
CODE: DWSL035 (18")	CODE: DWSL040 (22")



AVAILABLE IN

1 SLEEVE PER POLYBAG
10 SLEEVES PER PACK
100 SLEEVES PER CARTON

YELLOW CUT B SLEEVE

SIZE 10", 14", 18", 22"

- Yellow double layer aramid

DWSL045 10" pictured above



TECHNICAL DETAILS	
EN388: 2016	
Abrasion Resistance - Level: 2	
Circular Blade Cut Resistance - Level: X	
Tear Resistance - Level: 4	
Puncture Resistance - Level: X	
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B	
EN407: 2004	
Burning Behaviour - Level: X	
Contact Heat - Level: 1	
Convective Heat - Level: X	
Radiant Heat - Level: X	
Small Splashes of Molten Metal - Level: X	
Large Quantities of Molten Metal - Level: X	
CODE: DWSL045 (10")	CODE: DWSL050 (14")
CODE: DWSL055 (18")	CODE: DWSL060 (22")

PROTECT
YOUR ARMS
WITH WARRIOR.

warriorprotects.com



WARRIOR™



HAND DISPOSABLE PROTECTION

OUR RANGE OF
DISPOSABLE GLOVES
ENSURES THE WEARER'S
HANDS ARE PROTECTED
WHILST WORKING.

PROTECT
YOUR
HANDS.



SAFE TO WEAR

Vinyl gloves carry no risk to latex allergies



AVAILABLE IN



100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

CLEAR VINYL

SIZE S - XL

- Powdered
- Food safe
- Non sterile
- Single use
- Ambidextrous
- Beaded cuff
- Standard surface
- High tensile strength

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

EN 1186

AQL 1.5

CODE: DWGL365 ☐



CAT. I



AVAILABLE IN

100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

CLEAR VINYL

SIZE S - XL

- Powder free
- Food safe
- Non sterile
- Single use
- Ambidextrous
- Beaded cuff
- Standard surface
- High tensile strength

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

EN 1186

AQL 1.5

CODE: DWGL370



AVAILABLE IN

100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

BLUE VINYL

SIZE S - XL

- Powdered
- Food safe
- Non sterile
- Single use
- Ambidextrous
- Beaded cuff
- Standard surface
- High tensile strength

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

EN 1186

AQL 1.5

CODE: DWGL375



AVAILABLE IN

100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

BLUE VINYL

SIZE S - XL

- Powder free
- Food safe
- Non sterile
- Single use
- Ambidextrous
- Beaded cuff
- Standard surface
- High tensile strength

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

EN 1186

AQL 1.5

CODE: DWGL380



AVAILABLE IN

100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

CLEAR LATEX

SIZE S - XL

- Powdered
- Non sterile
- Beaded cuff
- Ambidextrous
- Smooth surface
- High tensile strength
- Single use

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

AQL 1.5

WARNING: Contains Latex*

CODE: DWGL335



*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

NITRILE GLOVES ARE
THE MOST POPULAR
TYPE OF DISPOSABLE
GLOVE USED FOR HAND
PROTECTION AT WORK.

**PROTECT
YOUR
HANDS.**



SAFE TO WEAR

Nitrile gloves carry no risk to latex allergies



AVAILABLE IN



100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

BLUE NITRILE

SIZE S - XL

- Powder free
- Food safe
- Non sterile
- Single use
- Ambidextrous
- Finger textured

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

EN 1186

AQL 1.5

CODE: DWGL385



CAT. I



AVAILABLE IN

100 HANDS PER BOX
10 BOXES PER CARTON
1000 HANDS PER CARTON

CLEAR LATEX

SIZE S - XL

- Powder free
- Non sterile
- Beaded cuff
- Ambidextrous
- Textured surface
- High tensile strength
- Single use

TECHNICAL DETAILS

EN 455 Parts 1, 2, 3 and 4

Class: 1 Medical Device

AQL 1.5

WARNING: Contains Latex*

CODE: DWGL340 ●



CAT. I

*These gloves contain natural latex which may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.



FOOD SAFE

AVAILABLE IN

50 HANDS PER BOX
10 BOXES PER CARTON
500 HANDS PER CARTON

BLACK NITRILE FISH GRIP

SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS

EN ISO 374-1: 2016 - Type B

EN 1186

n-Heptane (J) - Level: 3

AQL 1.5

40% Sodium Hydroxide (K) - Level: 6

37% Formaldehyde (T) - Level: 5

30% Hydrogen Peroxide (P) - Level: 3

EN ISO 374-5: 2016

Protection against bacteria & fungi - Pass

Protection against viruses - Pass

CODE: DWGL060 ●



CAT. III



CHEMICAL RESISTANT

FOOD SAFE

AVAILABLE IN

50 HANDS PER BOX
10 BOXES PER CARTON
500 HANDS PER CARTON



ORANGE NITRILE FISH GRIP

SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS

EN ISO 374-1: 2016 - Type B

EN 1186

n-Heptane (J) - Level: 3

AQL 1.5

40% Sodium Hydroxide (K) - Level: 6

37% Formaldehyde (T) - Level: 5

30% Hydrogen Peroxide (P) - Level: 3

EN ISO 374-5: 2016

Protection against bacteria & fungi - Pass

Protection against viruses - Pass

CODE: DWGL055 ●



CAT. III

WARRIORTM Protects

ORDER ONLINE TODAY.

warriorprotects.com

WARRIOR™

EYE PROTECTION





AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

CLEAR LENS VISITOR COVERSPEC

ONE SIZE

- Clear polycarbonate arms and frame
- Wraparound style
- Vented side arms



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

CODE: DWEY035 ●



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

CLEAR LENS SPECTACLE

ONE SIZE

- Black nylon arms and frame
- Clear polycarbonate lens
- Wide vision with side shields
- Adjustable arms



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

CODE: DWEY020 ●

UV
FILTER

AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
240 PAIRS PER CARTON

CLEAR LENS SPECTACLE

ONE SIZE

- Clear polycarbonate arms and frame
- Lightweight and comfortable



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2C-1.2

CODE: DWEY045 ●


WARRIOR™

For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**
warriorprotects.com

HELP PREVENT THE
RISK OF INJURIES TO
THE EYES BY WEARING
OUR QUALITY WARRIOR
EYE PROTECTION.

PROTECT YOUR EYES.



ANTI-SCRATCH

Our spectacles are less vulnerable
to scratching



LONG LASTING

High quality, durable products



UV
FILTER



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER BOX
240 PAIRS PER CARTON



SMOKE LENS SPECTACLE

ONE SIZE

- Smoke polycarbonate arms and frame
- Lightweight and comfortable

TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2C-1.2

CODE: DWEY050



UV
FILTERANTI
SCRATCH

AVAILABLE IN



ANTI FOG

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

YELLOW LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Yellow polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2-1.2

CODE: DWEY010

UV
FILTERANTI
SCRATCH

AVAILABLE IN



ANTI FOG

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

CLEAR LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Clear polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 2-1.2

CODE: DWEY030



CLEAR LENS SPECTACLE

featured on page 29

PROTECT YOUR EYES WITH WARRIOR.

warriorprotects.com



HELP PREVENT THE
RISK OF INJURIES TO
THE EYES BY WEARING
OUR QUALITY WARRIOR
EYE PROTECTION.

PROTECT YOUR EYES.



ANTI-SCRATCH

Our spectacles are less vulnerable
to scratching



LONG LASTING

High quality, durable products



AVAILABLE IN



1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON



SMOKE LENS SPECTACLE

ONE SIZE

- Black nylon arms
- Smoke polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord

TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 5-3.1

CODE: DWEY005





ANTI FOG



AVAILABLE IN

1 PAIR PER POLYBAG
12 PAIRS PER BOX
144 PAIRS PER CARTON

CLEAR INDIRECT VENT GOGGLE

ONE SIZE

- Clear PVC frame
- Clear polycarbonate lens
- Lightweight and comfortable
- Indirect vents



TECHNICAL DETAILS

EN166: 2001

Optical Class - 1

Medium Impact Energy - B

Fields of Use - 3 Liquids

CODE: DWEY040 ●



AVAILABLE IN

100 PCS PER POLYBAG
20 POLYBAGS PER CARTON
2000 PCS PER CARTON

SPECTACLE NECK CORD

ONE SIZE

- Adjustable neck cord



TECHNICAL DETAILS

CODE: DWEY055 ●

ADJUSTABLE NECK CORDS*

warriorprotects.com

*On products DWEY005, DWEY010 and DWEY030



RESPIRATORY PROTECTION

WARRIOR™





20 MASKS PER BOX
20 BOXES PER CARTON
400 MASKS PER CARTON

FFP1 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP1

CODE: DWRE005



20 MASKS PER BOX
20 BOXES PER CARTON
400 MASKS PER CARTON

FFP2 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP2

CODE: DWRE010



VALVED

10 MASKS PER BOX
40 BOXES PER CARTON
400 MASKS PER CARTON

FFP2 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP2 (with exhalation valve)

CODE: DWRE015



VALVED

5 MASKS PER BOX
40 BOXES PER CARTON
200 MASKS PER CARTON

FFP3 NR MOULDED RESPIRATOR

ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator



CAT. III

TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP3 (with exhalation valve)

CODE: DWRE025

WARRIOR™

HEAD PROTECTION





AVAILABLE IN



1 HELMET PER POLYBAG
5 HELMETS PER BOX
10 HELMETS PER CARTON

ABS VENTED PUSH-LOCK HELMET

ADJUSTABLE

- Made from durable ABS material, offering impact resistance and protection
- Vented design allows for enhanced airflow, keeping the wearer cool and comfortable
- Equipped with a terylene / textile harness and sweatband, providing a secure and comfortable fit
- Attachment slots allow for the integration of additional accessories or safety equipment
- Suitable for a variety of applications, including construction and industrial

TECHNICAL DETAILS

EN 397: 2012+A1:2012

CODE: DWHE05



AVAILABLE IN



1 HELMET PER POLYBAG
10 HELMETS PER BOX
20 HELMETS PER CARTON

ABS VENTED SLIP RATCHET HELMET

ADJUSTABLE

- Adjustable size ranging from 53-66cm, ensuring a secure and comfortable fit for different head sizes
- Sturdy ABS shell construction provides excellent impact resistance and durability
- Vented design allows for enhanced airflow and breathability, keeping the wearer cool and comfortable
- Plastic harness with a complete sweatband offers a secure and comfortable fit, while absorbing perspiration
- Attachment slots for additional accessories or attachments, allowing for customisation and versatility

TECHNICAL DETAILS

EN 397: 2012+A1:2012

CODE: DWHE00

SPECIAL HAZARD PROTECTION

WARRIOR™





WHITE WS100 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- SMMS (Spunbond, Meltblown:Meltblown, Spunbond) Polypropylene
- Seam Type: Stitched - Strong tight seam with high particle barrier properties
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap



45GSM

AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER VACUUM PACKED BAG
50 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

CODE: DWHZ000



WHITE WS110 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- SMMS (Spunbond, Meltblown:Meltblown, Spunbond) Polypropylene with anti-static treatment
- Seam Type: Stitched - Strong tight seam with high particle barrier properties
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap



50GSM



ANTI-STATIC

AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER VACUUM PACKED BAG
50 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 1149-5: 2008

CODE: DWHZ005



OUR COVERALLS ARE DESIGNED
TO PROTECT THE BODY IN VARIOUS
WORKING CONDITIONS.



WHITE WS200 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Stitched and Bound - Combine strength, maximum liquid and particle protection
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- Stitched seams in torso but with the inner leg and crotch seam bound



AVAILABLE IN

 1 PC PER POLYBAG
 10 PCS PER VACUUM PACKED BAG
 50 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 1149-5: 2008

CODE: DWHZ010 ☐



WHITE WS250 TYPE 5, TYPE 6 COVERALL

SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Bound - Maximum strength, maximum liquid and particle protection
- 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- All elastication sealed and enclosed



AVAILABLE IN

 1 PC PER POLYBAG
 10 PCS PER VACUUM PACKED BAG
 40 PCS PER CARTON

TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 14126: 2003

EN 1149-5: 2008

CODE: DWHZ015 ☐



WARRIOR™

For orders call **01384 411101**
 or email **sales@mmsgroup.co.uk**
warriorprotects.com

WARRIOR™



HI VIS PROTECTION

OUR RANGE OF HIGH
VISIBILITY WAISTCOATS
ENSURES THE WEARER
IS VISIBLE IN ALL
CONDITIONS.

WHATEVER
THE TASK.



HIGH VISIBILITY

Ensure your staff and visitors are safe
and visible on site



LONG LASTING

High quality, durable products



INCLUDES
ID POCKET



AVAILABLE IN



1 PC PER POLYBAG
50 PCS PER CARTON

EXECUTIVE WAISTCOAT

SIZE S - 6XL

- 100% polyester fabric
- Grey piping
- Grey zip fastening
- Mobile pocket with velcro fastening flap and grey rubber tab
- 2 front bellowed storage pockets
- Double pen pocket with grey d-ring
- Radio loop

NB Front Length - S: 80cm / M: 77cm / L to 6XL: 75cm
Back Length - S: 82cm / M: 79cm / L to 6XL: 77cm



25 WASH CYCLES

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV28Y



CODE: DWHV28O



CODE: DWHV28YO





25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
100 PCS PER CARTON

ECO WAISTCOAT

SIZE S - 6XL

- 100% recycled polyester fabric
- 100% recycled polyester grey piping
- Velcro fastening

NB Body Length - S: 75cm / M: 72.5cm / L to 6XL: 70cm

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV76SY



CODE: DWHV76SO



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
100 PCS PER CARTON

WAISTCOAT

SIZE S - 6XL

- 100% polyester fabric
- Black piping
- Velcro fastening

NB Body Length - S: 75cm / M: 72.5cm / L to 6XL: 70cm

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV24SY



CODE: DWHV24SO



CODE: DWHV22SY



CODE: DWHV22SO



BULK BUY



25 WASH CYCLES



AVAILABLE IN

1 PC PER POLYBAG
100 PCS PER CARTON

MESH WAISTCOAT

SIZE S - 6XL

- 100% polyester mesh fabric
- Black piping
- Velcro fastening

NB Body Length - S: 75cm / M: 72.5cm / L to 6XL: 70cm

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV40SY



CODE: DWHV40SO



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
50 PCS PER CARTON

EXECUTIVE WAISTCOAT

SIZE S - 6XL

- Knitted polyester fabric
- Two Tone
- Zip fastening

NB Front Length - XS: 82cm / S: 80cm / M: 77cm / L to 6XL: 75cm
Back Length - XS: 84cm / S: 82cm / M: 79cm / L to 6XL: 77cm

TECHNICAL DETAILS

EN ISO 20471

Class: 1

RIS-3279-TOM (Orange garments only)

CODE: DWHV28YN



CODE: DWHV28ON



WARRIOR™

For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**
warriorprotects.com



AVAILABLE IN
1 PC PER POLYBAG
50 PCS PER CARTON



EXECUTIVE MESH WAISTCOAT
SIZE S - 6XL

- 100% polyester and 100% polyester mesh fabric
- Grey piping
- Grey zip fastening
- Mobile pocket with velcro fastening flap and grey rubber tab
- 2 front bellowed storage pockets
- Double pen pocket with grey d-ring
- Radio loop

NB Front Length - S: 80cm / M: 77cm / L to 6XL: 75cm
Back Length - S: 82cm / M: 79cm / L to 6XL: 77cm

TECHNICAL DETAILS	
EN ISO 20471	
Class: 2	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV42SY	CODE: DWHV42SO



LONG SLEEVE WAISTCOAT
SIZE M - 4XL

- 100% polyester fabric
- Black piping
- Velcro fastening

TECHNICAL DETAILS	
EN ISO 20471	
Class: 3	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV20SY	CODE: DWHV20SO



LONG SLEEVE EXECUTIVE WAISTCOAT
SIZE S - 6XL

- 100% polyester fabric
- Grey piping
- Grey zip fastening
- Mobile pocket with velcro fastening flap and grey rubber tab
- 2 front bellowed storage pockets
- Double pen pocket with grey d-ring
- Radio loop

TECHNICAL DETAILS	
EN ISO 20471	
Class: 3	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV54SY	CODE: DWHV54SO



25 WASH CYCLES



AVAILABLE IN

1 PC PER POLYBAG
50 PCS PER CARTON

LONG SLEEVE MESH WAISTCOAT

SIZE M - 4XL

- 100% polyester and 100% polyester mesh fabric
- Grey piping
- Velcro fastening

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV52SY ●

CODE: DWHV52SO ●



25 WASH CYCLES



AVAILABLE IN

1 PC PER POLYBAG
50 PCS PER CARTONINCLUDES
ID POCKET

LONG SLEEVE EXECUTIVE MESH WAISTCOAT

SIZE S - 6XL

- 100% polyester and 100% polyester mesh fabric
- Grey piping
- Grey zip fastening
- Mobile pocket with velcro fastening flap and grey rubber tab
- 2 front bellowed storage pockets
- Double pen pocket with grey d-ring
- Radio loop

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV50SY ●

CODE: DWHV50SO ●



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

SHORT SLEEVE T-SHIRT

SIZE S - 5XL

- 100% polyester birdeye breathable fabric
- Hi-Vis tape is split at side seams for extra comfort and ease of movement

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV48SY ●

CODE: DWHV48SO ●



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

SHORT SLEEVE POLO

SIZE S - 5XL

- 100% polyester birdeye breathable fabric
- Hi-Vis tape is split at side seams for extra comfort and ease of movement
- Grey collar

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

CODE: DWHV32SY ●

CODE: DWHV32SO ●



AVAILABLE IN
 
 1 PC PER POLYBAG
 20 PCS PER CARTON

MAX
 25 WASH CYCLES

LONG SLEEVE POLO

SIZE S - 5XL

- 100% polyester birdeye breathable fabric
- Hi-Vis tape is split at side seams for extra comfort and ease of movement
- Grey collar
- Grey cuffs

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV34SY  CODE: DWHV34SO 



AVAILABLE IN
 
 1 PC PER POLYBAG
 20 PCS PER CARTON

MAX
 25 WASH CYCLES

SWEATSHIRT

SIZE S - 4XL

- 100% polyester fabric
- Elasticated waistband
- Elasticated cuffs

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV00SY  CODE: DWHV00SO 



AVAILABLE IN
 
 1 PC PER POLYBAG
 20 PCS PER CARTON

MAX
 25 WASH CYCLES

HOODED PULL ON SWEATSHIRT

SIZE S - 5XL

- 100% polyester fabric
- Elasticated waistband
- Elasticated cuffs
- Pull on
- 1 external right breast pocket with zip fastening
- Hand warmer pockets
- 2 layer hood for extra comfort and warmth

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV44SY  CODE: DWHV46SO 



AVAILABLE IN
 
 1 PC PER POLYBAG
 20 PCS PER CARTON

MAX
 25 WASH CYCLES

HOODED ZIP SWEATSHIRT

SIZE S - 5XL

- 100% polyester fabric
- Elasticated waistband
- Elasticated cuffs
- Full length zip to neck
- 1 external right breast pocket with zip fastening
- Hand warmer pockets
- 2 layer hood for extra comfort and warmth

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV46SY  CODE: DWHV46SO 



WARRIOR™

For orders call **01384 411101**
 or email **sales@mmsgroup.co.uk**
warriorprotects.com

OUR RANGE OF HIGH
VISIBILITY SWEATSHIRTS
ENSURES THE WEARER
REMAINS COMFORTABLE
AND WARM IN ALL
CONDITIONS.

**ALL WEATHER
WORKING.**



WARM

Double layer hood and hand pocket



COMFORTABLE

Soft, durable garments for ease of movement



AVAILABLE IN



1 PC PER POLYBAG
20 PCS PER CARTON

HOODED PULL ON SWEATSHIRT

SIZE S - 5XL

- 100% polyester fabric
- Elasticated waistband
- Elasticated cuffs
- Pull on
- 1 external right breast pocket with zip fastening
- Hand warmer pocket
- 2 layer hood for extra comfort and warmth



25 WASH CYCLES

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV44SY



CODE: DWHV44SO





25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
10 PCS PER CARTON

FLEECE JACKET

SIZE S - 4XL

- 100% polyester fabric
- Mesh lining
- Heavy duty zip
- 2 front slanted pockets with zip fastening
- Drawcord and toggles at hip area
- Internal bottom mesh pockets with velcro fastening

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV30SY ●

CODE: DWHV30SO ●



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

SOFT SHELL JACKET

SIZE S - 4XL

- Polyester bonded fabric
- Full length zip to neck
- 1 external right breast pocket with zip fastening
- 2 side pockets with zip fastening
- Drawcord and toggles at hip area
- Elasticated velcro adjustable cuffs
- Internal bottom mobile phone pocket with velcro fastening

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV62SY ●

CODE: DWHV62SO ●



25 WASH CYCLES

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

TWO TONE SOFT SHELL JACKET

SIZE S - 4XL

- Polyester bonded fabric
- Full length zip to neck
- 1 external right breast pocket with zip fastening
- 2 side pockets with zip fastening
- Drawcord and toggles at hip area
- Elasticated velcro adjustable cuffs
- Internal bottom mobile phone pocket with velcro fastening

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

CODE: DWHV18YN ●

CODE: DWHV18ON ●

WARRIORTM Protects

ORDER ONLINE TODAY.

warriorprotects.com

ECO WAISTCOAT

featured on page 43

- 100% recycled polyester fabric
- 100% recycled polyester grey piping



THE USER MUST SELECT THE APPROPRIATE GARMENT FOR THE TASK IN HAND.

JOGGER TROUSER
SIZE S - 5XL

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON



25 WASH CYCLES

- 100% polyester fabric
- Fully elasticated waist with drawcord
- 2 hip pockets with zip closure
- Cargo pocket with velcro flap on both legs
- 1 rear patch pocket with velcro flap
- 2 reinforced nylon external knee pad pockets
- Elasticated ankles
- Comfortable to wear allowing maximum movement

TECHNICAL DETAILS	
EN ISO 20471	
Class: 2	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV02SY 	CODE: DWHV02SO 

POLYCOTTON TROUSER
SIZE REG (31"): 28-48
TALL (33"): 30-46

INTERNAL KNEE PAD POCKETS

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON



25 WASH CYCLES*

- 80% polyester / 20% cotton fabric with Teflon coating
- Right thigh cargo pocket with velcro fastening flap and pull tab
- Left thigh pen / rule and mobile pocket
- 2 rear pockets with velcro fastening flaps and pull tabs
- Elasticated hip area
- 7 belt loops
- 1 metal button fastening
- 2 hip swing pockets

TECHNICAL DETAILS	
EN ISO 20471	
Class: 1	
RIS-3279-TOM (Orange garments only)	
* Teflon coating will withstand Max. 5x Wash Cycles	
CODE: DWHV04SY 	CODE: DWHV04SO 

OVER TROUSER
SIZE S - 4XL

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON



25 WASH CYCLES

- 300D polyester fabric with PU coating
- Side access for pockets on undergarments
- Elasticated waistband
- Adjustable press stud to ankles

TECHNICAL DETAILS	
EN ISO 20471	
Class: 1	
EN343: 2003	
Class: 3 - Water penetration resistance	
Class: 1 - Water vapour resistance	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV36SY 	CODE: DWHV36SO 

BREATHABLE OVER TROUSER
SIZE S - 4XL

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON



5 WASH CYCLES

- 300D polyester breathable fabric with PU coating
- Side access for pockets on undergarments
- Elasticated waistband
- Zipped lower legs for easy fitting over work boots



TECHNICAL DETAILS	
EN ISO 20471	
Class: 2	
RIS-3279-TOM (Orange garments only)	
EN343: 2019	
Class: 4 - Water penetration resistance	
Class: 3 - Water vapour resistance	
CODE: DWHV56SY 	CODE: DWHV56SO 

BREATHABLE BOMBER
featured on page 56



THE USER MUST SELECT THE APPROPRIATE GARMENT FOR THE TASK IN HAND.



PLEASE NOTE:
IF YOU WEAR THIS
GARMENT REVERSED
WITH THE NAVY SIDE
VISIBLE, NEITHER OF
THE EN STANDARDS
OR RIS STANDARDS
WILL APPLY

AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

MAX

25 WASH CYCLES



CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN

1 PC PER POLYBAG
10 PCS PER CARTON

MAX

25 WASH CYCLES

REVERSIBLE BODYWARMER

SIZE S - 4XL

- 300D polyester fabric with PU coating
- Navy quilted polyester / cotton fabric inner
- Heavy duty zip
- Knitted collar
- Yellow or orange side - 2 front pockets with flaps
- Navy side - 2 side pockets

TECHNICAL DETAILS	
EN ISO 20471	
Class: 2	
EN343: 2003	
Class: 3 - Water penetration resistance	
Class: 1 - Water vapour resistance	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV14SY	CODE: DWHV14SO

JACKET

SIZE S - 6XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- External mobile phone pocket
- 2 front pockets with flaps and 1 internal breast pocket
- Internal wicking strip to hem

TECHNICAL DETAILS	
EN ISO 20471	
Class: 3	
EN343: 2003	
Class: 3 - Water penetration resistance	
Class: 1 - Water vapour resistance	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV06SY	CODE: DWHV06SO



CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN

1 PC PER POLYBAG
10 PCS PER CARTON

MAX

25 WASH CYCLES



CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN

1 PC PER POLYBAG
10 PCS PER CARTON

MAX

25 WASH CYCLES

JACKET

SIZE S - 6XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- Concealed external mobile phone pocket and 2 external lower pockets with reflective piping
- 2 external pen pockets to upper sleeve
- Fleece lined collar and velcro adjustable cuffs
- 1 internal pocket and 1 internal poachers pocket
- Internal wicking strip to hem

TECHNICAL DETAILS	
EN ISO 20471	
Class: 3	
EN343: 2003	
Class: 3 - Water penetration resistance	
Class: 1 - Water vapour resistance	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV12SY	CODE: DWHV12SO

BOMBER JACKET

SIZE S - 6XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- External mobile phone pocket
- 2 external slanting side pockets
- Self lined elasticated waistband
- Self lined elasticated cuffs
- 1 internal pocket

TECHNICAL DETAILS	
EN ISO 20471	
Class: 3	
EN343: 2003	
Class: 3 - Water penetration resistance	
Class: 1 - Water vapour resistance	
RIS-3279-TOM (Orange garments only)	
CODE: DWHV08SY	CODE: DWHV08SO

OUR RANGE OF HIGH
VISIBILITY JACKETS
ENSURES THE WEARER IS
VISIBLE AND STAYS WARM
IN ALL CONDITIONS.

REMAIN SAFE
AND SEEN AT
ALL TIMES.



HIGH QUALITY

Designed for the toughest conditions



GREAT VALUE

Premium workwear within budget



CONCEALED
HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER CARTON

TWO TONE JACKET

SIZE S - 4XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- Concealed external mobile phone pocket
- 2 external lower pockets with reflective piping
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar
- 1 internal pocket and 1 internal poachers pocket
- Internal wicking strip to hem



25 WASH CYCLES

TECHNICAL DETAILS

EN ISO 20471

Class: 3

EN343: 2003

Class: 3 - Water penetration resistance

Class: 1 - Water vapour resistance

RIS-3279-TOM (Orange garments only)

CODE: DWHV16YN



CODE: DWHV16ON





CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER CARTON



25 WASH CYCLES



CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!

AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER CARTON



25 WASH CYCLES

BOMBER JACKET

SIZE S - 4XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- Concealed external mobile phone pocket
- 2 external slanting side pockets with reflective piping
- Self lined elasticated waistband
- Self lined elasticated cuffs
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar and fleece lined body
- 1 internal pocket

TECHNICAL DETAILS

EN ISO 20471

Class: 3

EN343: 2003

Class: 3 - Water penetration resistance

Class: 1 - Water vapour resistance

RIS-3279-TOM (Orange garments only)

CODE: DWHV10SY

CODE: DWHV10SO

TWO TONE BOMBER JACKET

SIZE S - 4XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- Concealed external mobile phone pocket
- 2 external slanting side pockets with reflective piping
- Self lined elasticated waistband
- Self lined elasticated cuffs
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar and fleece lined body
- 1 internal pocket

TECHNICAL DETAILS

EN ISO 20471

Class: 3

EN343: 2003

Class: 3 - Water penetration resistance

Class: 1 - Water vapour resistance

RIS-3279-TOM (Orange garments only)

CODE: DWHV38YN

CODE: DWHV38ON

CONCEALED HOOD

PLEASE NOTE:
DETACHABLE HOODS
FOR ORANGE
GARMENTS ONLY!



AVAILABLE IN



1 PC PER POLYBAG
10 PCS PER CARTON



25 WASH CYCLES

TWO TONE JACKET

SIZE S - 4XL

- 300D polyester fabric with PU coating
- Heavy duty zip
- Press stud fastening storm flap
- Concealed external mobile phone pocket
- 2 external lower pockets with reflective piping
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar
- 1 internal pocket and 1 internal poachers pocket
- Internal wicking strip to hem

TECHNICAL DETAILS

EN ISO 20471

Class: 3

EN343: 2023

Class: 3 - Water penetration resistance

Class: 1 - Water vapour resistance

RIS-3279-TOM (Orange garments only)

CODE: DWHV16YN

CODE: DWHV16ON

OUR RANGE OF
BREATHABLE HIGH
VISIBILITY TROUSERS
PROVIDE AN EXTRA LAYER
OF PROTECTION WHILST
WORKING OUTDOORS.

**WE'VE GOT YOU
COVERED.**



PRACTICAL

Easy fitting over boots and undergarments



BREATHABLE

Promotes air flow for extra comfort



AVAILABLE IN



1 PC PER POLYBAG
20 PCS PER CARTON

BREATHABLE OVER TROUSER

SIZE S - 4XL

- 300D polyester breathable fabric with PU coating
- Side access for pockets on undergarments
- Elasticated waistband
- Zipped lower legs for easy fitting over work boots



5 WASH CYCLES

TECHNICAL DETAILS

EN ISO 20471

Class: 2

RIS-3279-TOM (Orange garments only)

EN343: 2019

Class: 4 - Water penetration resistance

Class: 3 - Water vapour resistance

CODE: DWHV56SY



CODE: DWHV56SO





BREATHABLE JACKET

SIZE S - 6XL

- 300D polyester breathable fabric with PU coating
- Heavy duty zip
- Throat tab
- Velcro fastening storm flap
- Concealed external mobile phone pocket
- 2 external lower pockets with reflective piping
- 1 radio pocket
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar
- 1 internal pocket and 1 internal poachers pocket
- Internal wicking strip to hem
- 1 map pocket with zip fastening underneath storm flap

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

EN343: 2019

Class: 4 - Water penetration resistance

Class: 3 - Water vapour resistance

CODE: DWHV58SY ●

CODE: DWHV58SO ●



BREATHABLE BOMBER

SIZE S - 6XL

- 300D polyester breathable fabric with PU coating
- Heavy duty zip
- Throat tab
- Velcro fastening storm flap
- Concealed external mobile phone pocket
- 2 external slanting side pockets with reflective piping
- 1 radio pocket
- Self lined elasticated waistband
- Self lined elasticated cuffs
- Velcro adjustable cuffs
- 2 external pen pockets to upper sleeve
- Fleece lined collar
- 1 internal pocket
- 1 map pocket with zip fastening underneath storm flap

TECHNICAL DETAILS

EN ISO 20471

Class: 3

RIS-3279-TOM (Orange garments only)

EN343: 2019

Class: 4 - Water penetration resistance

Class: 3 - Water vapour resistance

CODE: DWHV60SY ●

CODE: DWHV60SO ●



ORDER ONLINE TODAY.

warriorprotects.com

WARRIORTM
Protects

WARRIOR™



WORKWEAR RANGE

OUR WORKWEAR
IS DESIGNED FOR
PRACTICALITY AND CAN
BE WORN IN A RANGE OF
WORKING CONDITIONS.

QUALITY WORKWEAR.



COMFORTABLE

Soft, durable garments for ease of movement



LONG LASTING

High quality, durable products



AVAILABLE IN



1 PAIR PER POLYBAG
20 PAIRS PER CARTON

COVERALL - CONCEALED STUD FRONT

SIZE REG (31"): S-4XL TALL (33"): S-4XL

- 65% polyester and 35% cotton fabric
- 245gsm
- Back shoulder pleats for extra comfort and freedom
- 2 mitred breast pockets with concealed stud fastened flaps
- 2 hip swing pockets with access slits to undergarments
- Concealed stud front
- Rear mitred patch pocket on right side
- Rule pocket on right leg

TECHNICAL DETAILS

CODE: DWPC35BK



CODE: DWPC35NV





AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON**FLEECE JACKET**

SIZE XS - 4XL

- 100% polyester anti-pill fabric
- Zip fastening
- Stand up collar
- Drawcord and toggles at hip area
- 2 lower pockets with zip fastening
- 1 external right breast pocket with zip fastening

TECHNICAL DETAILS

CODE: DWWK02BK ●

CODE: DWWK02NV ●



AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON**SOFT SHELL**

SIZE XS - 4XL

- 100% polyester bonded fabric
- Zip fastening
- Drawcord and toggles at hip area
- 2 lower pockets with zip fastening
- 1 external right breast pocket with zip fastening

TECHNICAL DETAILS

CODE: DWWK06BK ●

CODE: DWWK06NV ●

DWPC40NV
featured on page 62**WARRIOR™**For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**



HALF APRON WITH POCKET

SIZE 28" X 13"

- 65% polyester and 35% cotton fabric
- 195 gsm
- Colour matched ties
- Double pocket

TECHNICAL DETAILS	
CODE: DWPC55BK	●
CODE: DWPC55NV	●



APRON WITHOUT POCKET

SIZE 34" X 28"

- 65% polyester and 35% cotton fabric
- 195 gsm
- Self coloured neck tape
- Colour matched ties

TECHNICAL DETAILS	
CODE: DWPC50BK	●
CODE: DWPC50NV	●



TABARD WITH POCKET

SIZE S - 2XL (74CM FROM SHOULDER TO HEM)

- 65% polyester and 35% cotton fabric
- 195 gsm
- Adjustable, stud fastened side tabs
- Colour matched bound edges
- Large patch pocket

TECHNICAL DETAILS	
CODE: DWPC60BG	●
CODE: DWPC60BK	●
CODE: DWPC60NV	●
CODE: DWPC60RD	●
CODE: DWPC60RY	●



NURSES TUNIC

SIZE 8 - 30

- 65% polyester and 35% cotton fabric
- 195 gsm
- Concealed zip front
- 2 inset breast pockets
- 2 slant bottom pockets
- Action back for ease of movement
- Contrast piping on sleeves and collar
- 2 back vents for ease of fit

TECHNICAL DETAILS	
CODE: DWPC65NW	●

**ABS VENTED
PUSH-LOCK HELMET**

featured on page 37



THE USER MUST SELECT THE APPROPRIATE HEAD PROTECTION FOR THE TASK IN HAND.



AVAILABLE IN
 
 1 PAIR PER POLYBAG
 20 PAIRS PER CARTON

CARGO SHORT

SIZE 28 - 52

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- 2 bellows velcro fastening thigh cargo pockets
- 2 hip swing pockets
- 2 rear pockets with button fastening
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC00BK ●

CODE: DWPC00NV ●



AVAILABLE IN
 
 1 PAIR PER POLYBAG
 20 PAIRS PER CARTON

TROUSER - CARGO

SIZE REG (31"): 28-52, TALL (33"): 28-52

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- 2 bellows velcro fastening thigh cargo pockets
- 2 hip swing pockets
- 2 rear pockets with button fastening
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC10BK ●

CODE: DWPC10NV ●



AVAILABLE IN
 
 1 PAIR PER POLYBAG
 20 PAIRS PER CARTON

TROUSER - SUPER CARGO

SIZE SHORT (29"): 28-52, REG (31"): 28-52, TALL (33"): 28-52

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- External knee pad pockets
- Right thigh cargo pocket with velcro fastening
- Left thigh pen / rule pocket
- Rear hammer loop
- Reinforced gusset
- 2 hip swing pockets
- 2 rear pockets with button fastening
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC20BK ●

CODE: DWPC20NV ●



AVAILABLE IN

 1 PAIR PER POLYBAG
 20 PAIRS PER CARTON

TROUSER - BALLISTIC WITH HI VIS TAPE

SIZE REG (31"): 28-52, TALL (33"): 28-52

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- 1 rear jetted pocket
- 2 hip swing pockets
- Ballistic material on outside of leg from thigh to ankle
- 2 bands of hi vis tape to each lower leg
- Permanent sewn in front seam
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC40NV ●



TROUSER - CARGO WITH HI VIS TAPE

SIZE REG (31"): 28-52, TALL (33"): 28-52

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- Internal knee pad pockets
- 2 hip swing pockets
- 2 bellows velcro fastening thigh cargo pockets
- 2 rear pockets with button fastening
- 2 bands of hi vis tape to each lower leg
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC45BK ●

CODE: DWPC45NV ●



LADIES TROUSER - CARGO

SIZE REG (29"): 6-30, TALL (31"): 6-30

- 65% polyester and 35% cotton fabric
- 245 gsm
- 7 belt loops
- 1 plastic button fastening
- 2 bellows velcro fastening thigh cargo pockets
- 2 hip swing pockets
- 2 rear pockets with button fastening
- Elasticated at hip area
- Comes with 2 spare buttons

TECHNICAL DETAILS

CODE: DWPC30BK ●

CODE: DWPC30NV ●



COVERALL - CONCEALED STUD FRONT

SIZE REG (31"): S-4XL, TALL (33"): S-4XL

- 65% polyester and 35% cotton fabric
- 245 gsm
- Back shoulder pleats for extra comfort and freedom
- 2 mitred breast pockets with concealed stud fastened flaps
- 2 hip swing pockets with access slits to undergarments
- Concealed stud front
- Rear mitred patch pocket on right side
- Rule pocket on right leg

TECHNICAL DETAILS

CODE: DWPC35BK ●

CODE: DWPC35NV ●



AVAILABLE IN

1 PAIR PER POLYBAG
50 PAIRS PER CARTON**THERMAL LONG JOHN**

SIZE S - 4XL

- 80% polyester and 20% viscose

TECHNICAL DETAILS

CODE: DWTH00BK ●



AVAILABLE IN

1 PC PER POLYBAG
50 PCS PER CARTON**THERMAL SHORT SLEEVE VEST**

SIZE S - 4XL

- 80% polyester and 20% viscose

TECHNICAL DETAILS

CODE: DWTH02BK ●

DWRA02OL and DWRA02YE
featured on page 65

AVAILABLE IN

1 PC PER POLYBAG
50 PCS PER CARTON**THERMAL LONG SLEEVE VEST**

SIZE S - 4XL

- 80% polyester and 20% viscose

TECHNICAL DETAILS

CODE: DWTH04BK ●

**WARRIOR™**For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**



AVAILABLE IN

1 PAIR PER POLYBAG
20 PAIRS PER CARTON

OUTDOOR TROUSER

SIZE S - 3XL

- Suitable for outdoor activities
- Lightweight PVC coated polyester fabric
- Taped seams
- Stud fastening ankles
- Wide, comfortable and elasticated waistband
- Access pockets

TECHNICAL DETAILS

CODE: DWRA00BK ● CODE: DWRA00NV ●

CODE: DWRA00OL ● CODE: DWRA00OR ●

CODE: DWRA00YE ●



AVAILABLE IN

1 PC PER POLYBAG
20 PCS PER CARTON

OUTDOOR JACKET

SIZE S - 3XL

- Suitable for outdoor activities
- Lightweight PVC coated polyester fabric
- Taped seams
- Stud fastening sleeves
- Zip away concealed hood with drawcord
- Underarm and back shoulder ventilation
- Lower front pockets with flaps
- Hip drawcord
- Zip front fastening

TECHNICAL DETAILS

CODE: DWRA02BK ● CODE: DWRA02NV ●

CODE: DWRA02OL ● CODE: DWRA02OR ●

CODE: DWRA02YE ●

ORDER ONLINE TODAY.

warriorprotects.com



WARRIOR
Protects

WARRIOR™

FOOT PROTECTION



OUR RANGE OF
FOOTWEAR IS DESIGNED
TO ENSURE THE USER'S
FEET ARE PROTECTED
IN ALL WORKING
CONDITIONS.


WHATEVER
THE TASK.



METATARSAL
Protection



WATERPROOF
Designed to keep your feet dry



ANTI-STATIC
PROPERTIES

METAL FREE

GLASS FIBRE
TOE CAP

FUEL OIL
RESISTANCE

AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTON

HIGH LEG ZIP INTERNAL METATARSAL BOOTS

UK 5 - 13 (EU 37 - 48)

- Black full grain smooth cow leather upper
- Waterproof and breathable padded membrane lining
- Internal PORON metatarsal protector
- Glass fibre toe cap
- Composite midsole
- Black gel heel insock with anti-static stitching
- TPU ankle and heel guard
- YKK metal free nylon zip with velcro strap
- Dust / Dirt protective leather covering on zip
- PU / Rubber dual density anti clog sole
- Contact heat resistance to 300°C
- Protective anti scuff TPU toe covering
- Abrasion and slip resistant
- Anti-static properties
- Fuel oil resistance
- Shock absorbing heel
- Metal free boot

TECHNICAL DETAILS

EN ISO 20345: 2022

S7L HRO M FO CI SC SR

CODE: DWFO200





ANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON

BLACK LACE UP MANAGER SHOES
UK 5 - 13 (EU 38 - 48)

- Black action split cow leather upper
- Tan nylon breathable mesh lining
- Soft microfibre heel and padded ankle trim
- 3 blind eyelets and black waxed cord shoe lace
- Tan EVA cushioned insock
- Composite midsole
- Water resistant
- Black PU single density sole
- Abrasion and slip resistant

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO190	●



ANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON

BLACK LACE-UP BROGUE SHOES
UK 5 - 13 (EU 38 - 48)

- Black action split cow leather upper with brogue holed upper pattern
- Tan nylon breathable mesh lining
- Soft microfibre heel and padded ankle trim
- 4 blind eyelets and black waxed cord shoe lace
- Tan EVA cushioned insock
- Composite midsole
- Water resistant
- Black PU single density sole
- Abrasion and slip resistant

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO195	●



ANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTON

BLACK ACTION ANKLE BOOTS *COMING SOON*
UK 4 - 13 (EU 37 - 48)

- Black action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Black oxford nylon mesh padded collar
- TPU heel kick off support
- 5 gun metal hexagonal eyelets with gun metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO175	●



ANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTON

DARK BROWN ACTION ANKLE BOOTS *COMING SOON*
UK 4 - 13 (EU 37 - 48)

- Dark brown action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Brown oxford nylon mesh padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO180	●



AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTONSTEEL
TOE CAPFUEL OIL
RESISTANCEANTI-STATIC
PROPERTIES**HONEY ACTION ANKLE BOOTS**

UK 4 - 13 (EU 37 - 48)

- Honey action nubuck leather upper
- Brown nylon sandwich mesh lining
- Dark brown PU perforated padded collar
- TPU heel kick off support
- 5 antique metal hexagonal eyelets with antique metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO185



METAL FREE

GLASS FIBRE
TOE CAPFUEL OIL
RESISTANCEANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTON**BLACK WAXY COMPOSITE WP BOOTS**

UK 4 - 12 (EU 37 - 47)

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR HRO SRC

CODE: DWFO090

STEEL
TOE CAPFUEL OIL
RESISTANCEANTI-STATIC
PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON**HIKER BOOTS**

UK 3 - 13 (EU 36 - 48)

- Wheat nubuck leather upper / dark brown leather upper / crazy horse brown leather upper
- Water resistant upper
- Brown sandwich mesh lining
- Dark brown PU padded collar
- Black PU foam insock
- 4 gun metal loops and 2 gun metal hooks / 4 antique metal loops and 2 antique metal hooks
- Composite midsole
- Softer density EVA / harder density rubber outsole
- Abrasion and slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S2P SRC

CODE: DWFO115





BLACK WAXY BOOTS WITH SCUFF CAPS

UK 4 - 12 (EU 37 - 47)

- Black water resistant buffalo crazy horse waxy leather
- Red sandwich mesh lining and pull on woven heel tape
- Oxford nylon mesh padded collar and tongue
- Black gel heel insock with anti-static stitching
- TPU heel support
- 6 metal loops
- Composite midsole
- Black PU injection with rubber outsole and scuff protection
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 HRO SRC

CODE: DWFO110 ●



UNISEX WP HIKER BOOTS WITH SCUFF CAPS

UK 3 - 13 (EU 36 - 48)

- Black / waxy brown water resistant full grain leather upper
- Fully padded nylon mesh collar
- TPU heel and ankle support
- 4 pairs of special designed metal lace loops
- 2 pairs of metal hooks to aid quick release lacing
- Moisture wicking textile waterproof / breathable membrane lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole with moulded scuff resistant cap
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO075 ●

CODE: DWFO080 ●

QUALITY FOOT PROTECTION BY WARRIOR.

warriorprotects.com





BLACK S1 CHUKKA BOOTS

UK 3 - 14 (EU 36 - 49)

- Black printed leather upper
- Padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1 SRC

CODE: DWFO120 ●



BLACK S1P CHUKKA BOOTS

UK 3 - 14 (EU 36 - 49)

- Black printed leather upper
- Fully padded PU collar
- 4 pairs of steel 'D' rings
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO030 ●

CRAZY HORSE BROWN HIKER BOOTS

featured on page 69





BLACK L / W MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford padded collar and tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO165	●



RED L / W KPU / MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight KPU shell and red nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop
- Oxford nylon mesh padded tongue
- Black insock with anti-static stitching
- TPU heel and ankle support
- TPU scuff toe protector
- 5 black round eyelets
- Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO170	●



BLACK ANKLE BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather upper
- Padded PU collar
- Suede leather padded tongue
- 3 pairs of steel lace loops and 2 pairs of steel hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO045	●



BLACK TRAINER BOOTS

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Anti scuff toe guard and padded collar
- 3 pairs of steel lace loops and 1 pair of hooks to aid quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO050	●

HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR QUALITY
WARRIOR BLACK
COMPOSITE WP BOOTS.

QUALITY FOOT PROTECTION.



WATERPROOF

Designed to keep your feet dry



PRACTICAL

Designed for ease of movement and
comfort in all working conditions



ANTI-STATIC
PROPERTIES

METAL FREE

GLASS FIBRE
TOE CAP

FUEL OIL
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX
5 PAIRS PER CARTON



BLACK WAXY COMPOSITE WP BOOTS

UK 4 - 12 (EU 37 - 47)

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR HRO SRC

CODE: DWFO090





BROWN WAXY DEALER BOOTS

UK 3 - 13 (EU 36 - 48)

- Brown crazy horse waxy leather
- Brown sandwich mesh wicking lining
- Dark brown elasticated ankle
- TPU heel support
- Black flexi EVA insock with anti-static stitching
- Steel midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO095	●



BLACK WAXY DEALER BOOTS

UK 3 - 13 (EU 36 - 48)

- Black crazy horse waxy leather
- Dark grey sandwich mesh wicking lining
- Black elasticated ankle
- TPU heel support
- Black flexi EVA insock with anti-static stitching
- Steel midsole
- Dual density PU sole with moulded scuff resistant cap
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 SRC	
CODE: DWFO205	●



BLACK METATARSAL BOOTS

UK 4 - 13 (EU 37 - 48)

- Black barton print split action leather
- Water resistant
- Red sandwich mesh lining
- PU padded collar and tongue
- Red EVA insock with anti-static stitching
- Steel midsole
- Composite metatarsal protector
- Dual density black PU with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S3 M HRO SRC	
CODE: DWFO105	●



HONEY WELTED BOOTS

UK 6 - 13 (EU 39 - 48)

- Smooth sand coloured nubuck leather upper
- Soft padded PU collar
- Sand suede padded tongue
- 7 pairs of brass hexagonal eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned EVA insock
- Steel midsole
- Goodyear welted nitrile / rubber sole
- Contact heat resistance to 300°C

TECHNICAL DETAILS	
EN ISO 20345: 2011	
SBP FO HRO SRC	
CODE: DWFO065	●

HELP PREVENT THE
RISK OF INJURIES TO
YOUR FEET BY WEARING
OUR QUALITY WAXY
FULL GRAIN BOOTS.

PROTECT YOUR FEET.



WATER RESISTANT

Designed to keep your feet dry



GREAT VALUE

Premium footwear within budget



ANTI-STATIC
PROPERTIES

STEEL
TOE CAP

FUEL OIL
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX
5 PAIRS PER CARTON



BLACK WAXY FULL GRAIN BOOTS

UK 4 - 13 (EU 37 - 48)

- Waxy black water resistant full grain leather upper
- Deep padded PU collar
- 5 pairs of metal lace loops to aid quick release lacing
- Moisture wicking sandwich mesh lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density PU for comfort
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 HRO SRC

CODE: DWFO085





BLACK WAXY FULL GRAIN BOOTS

UK 3 - 13 (EU 36 - 48)

- Waxy black water resistant full grain leather upper
- Deep padded PU collar
- 5 pairs of metal lace loops to aid quick release lacing
- Moisture wicking sandwich mesh lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density PU for comfort
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 HRO SRC

CODE: DWFO085 ●



LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black action nubuck leather upper
- Padded PU collar
- 3 pairs of blind eyelets to aid easy lacing
- 1 pair of plastic reinforced eyelets
- Moisture wicking textile sandwich mesh lining in contrast black and pink colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Single density rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO160 ●



LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black suede leather and breathable nylon mesh upper
- Padded nylon collar
- 4 pairs of blind eyelets to aid easy lacing
- Moisture wicking textile sandwich mesh lining
- Replaceable, full length cushioned insock
- Composite midsole
- Dual density phylon / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density phylon for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO155 ●



BLACK SHOES

UK 3 - 13 (EU 36 - 48)

- Printed leather upper
- Padded PU collar
- 3 pairs of steel round eyelets
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO135 ●

HELP PREVENT THE
RISK OF INJURIES BY
WEARING OUR WARRIOR
BLACK SUEDE LEATHER
FOOT PROTECTION.

QUALITY LADIES TRAINERS.



COMFORTABLE

Durable footwear for ease of movement



HIGH QUALITY

Designed for the toughest conditions



ANTI-STATIC
PROPERTIES

STEEL
TOE CAP

FUEL OIL
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX
10 PAIRS PER CARTON



LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black suede leather and breathable nylon mesh upper
- Padded nylon collar
- 4 pairs of blind eyelets to aid easy lacing
- Moisture wicking textile sandwich mesh lining in contrast black with pink tongue lining colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Dual density phylon / rubber sole
- Outer sole is of hard density rubber
- Mid section of sole is made of softer density phylon for wearer comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO155





STEEL TOE CAP

FUEL OIL RESISTANCE

ANTI-STATIC PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON

BLACK TRAINER SHOES

UK 3 - 13 (EU 36 - 48)

- Smooth black leather and textile mesh upper
- Scuff toe guard and padded collar
- 4 pairs of steel lace loops and 1 pair of hooks for quick release lacing
- Moisture wicking textile lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO140	●



STEEL TOE CAP

FUEL OIL RESISTANCE

ANTI-STATIC PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON

HYGIENE SLIP ON SHOES

UK 3 - 13 (EU 36 - 48)

- Water resistant microfibre upper
- Padded collar
- Clean design for good liquid run off
- Elastic to aid fitting under tongue
- Anti-bacterial moisture wicking textile lining
- Replaceable, full length cushioned EVA insock, perforated to aid airflow
- Single density PU sole
- Slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S2 SRC	
CODE: DWFO150W	○
CODE: DWFO150B	●



METAL FREE

GLASS FIBRE TOE CAP

FUEL OIL RESISTANCE

ANTI-STATIC PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
10 PAIRS PER CARTON

BLACK COMPOSITE UNIFORM BOOTS

UK 3 - 13 (EU 36 - 48)

- Black smooth action leather
- Dark grey sandwich mesh nylon lining
- PU padded collar and tongue
- 4 woven loop black / grey / black lace fixings
- Black flexi EVA insock with anti-static stitching
- Composite midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO100	●



STEEL TOE CAP

FUEL OIL RESISTANCE

ANTI-STATIC PROPERTIES

AVAILABLE IN

1 PAIR PER BOX
5 PAIRS PER CARTON

TAN LINED RIGGER BOOTS

UK 5 - 13 (EU 38 - 48)

- Tan apollo leather upper
- Leather pull on hoops
- Contrast beige stitching
- Synthetic faux fur lining
- Replaceable, full length cushioned insock
- Steel midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS	
EN ISO 20345: 2011	
S1P SRC	
CODE: DWFO035	●



BLACK LINED WP RIGGER BOOTS

UK 5 - 13 (EU 38 - 48)

- Printed black apollo leather upper
- Padded ankle support
- Leather pull on loops
- Bottom half waterproof membrane lining
- TPU heel support and protection
- Replaceable, full length cushioned EVA insock
- Composite midsole
- Dual density PU sole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S3 WR SRC

CODE: DWFO070 ●



BLACK SAFETY TOE AND MIDSOLE WELLINGTONS

SIZE UK 5 - 13 (EU 38 - 48)

- Black PVC upper with kick off lug at heel
- Steel midsole
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S5 SRA

CODE: DWFO020 ●



WHITE SAFETY TOE WELLINGTONS

UK 5 - 13 (EU 38 - 48)

- White PVC upper with kick off lug at heel
- PVC / nitrile sole
- Outer sole is of hard density material
- Abrasion and slip resistant
- Shock absorbing heel

TECHNICAL DETAILS

EN ISO 20345: 2011

S4 SRA

CODE: DWFO025 ○

YOUR PPE SPECIALIST.

WARRIOR PROTECTS



@warriorprotects



For orders call **01384 411101**
or email **sales@mmsgroup.co.uk**
warriorprotects.com

WARRIOR™



Head Office - Cradley Heath
Units 9-17 Charlton Drive,
Corngreaves Trading Estate,
Cradley Heath, West Midlands
B64 7BJ

WARRIOR AND WARRIOR PROTECTS ARE TRADE MARKS
OF MAIN MAN SUPPLIES LTD